




Workplace & Facility Safety

COMPLETE SOLUTIONS



Traffic & Parking

| PPE

| Visual Warning

| Sorbents & Spill

PRODUCT CATALOGUE

FOUNDED OVER
100
YEARS



Brady is an expert in safety and identification solutions, helping businesses to be safe, secure and productive.



SAFETY MADE EASY

Every industry has its own unique safety and compliance challenges.

With our global backing comes access to a wide range of facility and workplace safety products, ensuring you have everything you need to comply with Australian safety standards. We pride ourselves on helping you protect your people and your premises and providing total peace of mind.



BE SAFETY CHECKED

Our team of qualified Site Safety Auditors can provide a full assessment of your site and make recommendations to suit your facility.

Our team are qualified BSI Auditors for AS/NZS 4801:2001 - Occupational Health & Safety Management.

14

Pipe & Valve Marking

25

Sorbents & Spill Control

37

Dangerous Goods Storage & ID

48

Visual Warning

96

Fire Safety

100

Traffic & Parking

116

Asset Identification

118

People Identification

125

Matting

128

Steps & Ladders

129

Personal Protective Equipment

143

Labels & Safety Tags



CONTENTS



ENSURE YOUR SITE IS SAFETY CHECKED.



Our team of qualified Site Safety Auditors can provide a full assessment of your site and make recommendations to suit you.

- Have you updated your signs and procedures?

- Are emergency procedures clearly displayed?

- Do you have appropriate spill control readily available?

- Are first aid kits and fire safety equipment located in easily accessible areas?

- Do you have a comprehensive lockout tagout program in place?

- Are chemical and hazardous substances clearly labelled and properly stored?

- Are hazardous areas outlined with warning tapes?

What is a Safety Management System?

The AS/NZS 4801:2001 standard sets out the requirements you'll need to meet for an effective Health and Safety Management System. Based on established Health and Safety standards, these systems are designed to work for organisations of all sizes and from across all sectors.

Health and Safety in the workplace is a key issue for every organisation. An Occupational Health and Safety Management System (OHSMS) can help you protect yourself and your employees – this is a framework that will allow you to identify and control your health and safety risks, reduce the potential for incidents and ensure you are complying with relevant Health & Safety legislation in Australia and New Zealand.

Source:
<https://www.bsigroup.com/en-AU/AS-4801-Safety-Management-Systems/>





WORKPLACE SAFETY COMPLIANCE

Work Health & Safety Regulations - Australia

The **Work Health and Safety Act 2011** is a legislative document relating to work health and safety. The main objective is to provide for a balanced and nationally consistent framework to secure the health and safety of workers and workplaces.



The Work Health and Safety (WHS) Regulations 2017 is a legislative instrument that varies according to time, place or circumstance. The regulations outline work health and safety requirements by environment, operation and duty / task being carried out. In particular, the Regulations outline a number of areas including:

- Representation, Participation & Consultation
- General Risk and Workplace Management
- Hazardous Work (falls, noise, confined space, manual tasks)
- Plant and Structures (control of risk, guarding, emergency stop, scaffolds)
- Construction Work
- Hazardous Chemicals
- Asbestos
- Major Hazard Facilities

The Commonwealth, States and Territories are responsible for regulating and enforcing work health and safety laws in their jurisdictions. Refer to our Workplace Safety Directory on page 12 for more details.

Work, health and safety requirements are constantly being refined across various industries to ensure that our National workforce is protected in the work environment. We recommend that you contact your local Regulatory Authority for specific State requirements.

Safety Management Systems

A Safety Management System (SMS) can be described as a business framework that is designed to support all facets of safety in the workplace. An effective SMS should identify hazards and reduce risks and ensure that controls remain operational.



SAFETY MANAGEMENT SYSTEMS HAVE 6 ELEMENTS:

- A safety plan
- Policies, procedures and processes (including policy definition, risk management, consultation, risk identification and controls)
- Training and induction
- Monitoring, including continual improvement
- Supervision
- Reporting (incident notification and investigation)

Benefits of an effective Safety Management System include reduced lost-time injuries, a continual focus on risk-minimisation, personnel skill building and workplace compliance.

A well-designed Safety Management System should meet the compliance requirements of your local Regulatory authority and be easy to use for business stakeholders. The framework should draw attention and prompt corrective action.

Disclaimer: Every effort has been applied to the accuracy of printed content at the time of publication (May 2019) and is subject to change after this date. The content is provided as a general recommendation and should not be used as a substitute for information provided by your local State or Territory Work Health and Safety regulatory authority.





WORKPLACE SAFETY COMPLIANCE

Hazardous Chemicals

According to the Work Health and Safety Regulations 2017, hazardous chemicals used, handled or stored at the workplace must be correctly labelled. This is the responsibility of the Person Conducting a Business or Undertaking (PCBU) at a workplace. This requirement also extends to chemicals manufactured at the workplace and chemicals transferred/decanted from original containers at the workplace. Hazardous chemicals are required to be correctly classified prior to supply. Correct classification and identification also helps to reduce a potential risk caused by incompatible hazardous chemicals.

Safety Data Sheets

A Safety Data Sheet (SDS, previously MSDS) is a document that includes information on hazardous chemical properties, how they affect workplace health and safety, along with chemical handling and management details. These documents should be prepared in accordance with the necessary Regulations by the manufacturer, importer or supplier of the hazardous chemical. The Safety Data Sheet must be reviewed at least once every 5 years and the manufacturer or importer must amend the document to ensure the content is correct and current. SDS documents must be provided where a person is likely to be affected by the chemical or when requested.

Hazardous Chemical Identification

Under the WHS Regulations 2011 a label is required for any substance, mixture or article classified as a hazardous chemical for which the PCBU is responsible. A hazardous chemical is correctly labelled when the selection and use of label elements is in accordance with the Globally Harmonised System of Classification and Labelling of Chemicals (GHS). The GHS is a single internationally agreed-upon system of classification and labelling of chemicals.

GHS Label Elements include:

- Hazard Pictograms to identify chemical classification
- Signal Words – Danger or Warning
- Hazard and Precautionary Statements that correspond to risk and safety phases

The capacity of Hazardous Chemicals used, stored or handled in the workplace will also determine the label size and style required.

A manifest of hazardous chemicals is also required when the quantity of hazardous chemicals used, handled or stored at the workplace exceeds the manifest quantity of Schedule 11 within the WHS Regulations.

The Australian Dangerous Goods (ADG) Code outlines the identification requirements for chemicals classified as Dangerous Goods that are transported by road or rail. GHS is recognised as an appropriate labelling system for inner packages of dangerous goods during transportation.



OUR TEAM CAN ASSIST WITH YOUR WORKPLACE SAFETY CONCERNS. CONTACT YOUR LOCAL BRADY REPRESENTATIVE TO BOOK A SITE SAFETY AUDIT TODAY.



VIEW OUR RANGE ON PAGES 45-46.



Disclaimer: Every effort has been applied to the accuracy of printed content at the time of publication (May 2019) and is subject to change after this date. The content is provided as a general recommendation and should not be used as a substitute for information provided by your local State or Territory Work Health and Safety regulatory authority.





Hazardous Energy

Each year a number of workers are killed or injured due to the unintentional release of Hazardous Energy sources. Numerous incidents could have been prevented with a clearly documented Hazardous Energy control program. Lockout Tagout procedures are commonly used to reduce exposure to Hazardous Energy.

Sources of Hazardous Energy include: electrical, hydraulic, gas, steam, pneumatic, mechanical or any other sources within machinery or plant equipment that can be hazardous to workers.

The purpose of a Lockout Tagout procedure is to prevent the unintended release of stored energy. Lockout Tagout procedures should be used when a worker performing service or maintenance tasks may be exposed to Hazardous Energy.

Lockout Tagout industry user groups include: Mining, Food & Beverage, Utilities, Healthcare, Processing and Manufacturing.

An effective Hazardous Energy control program can dramatically increase business productivity. Your program should serve as a checklist that allows workers to quickly move through the steps without confusion or error, reducing equipment downtime and damage.

Arc Flash Injuries

Arc flash is a short circuit through air that flashes over from one exposed live conductor to another conductor or to ground. Electrical equipment should be marked with arc flash warnings to prevent fatal injuries.

Arc flash has the potential to cause substantial damage, fire or injury. Clearly visible and legible warning labels should be positioned in the arc flash hazard zone to prevent injuries. Other prevention measures include appropriate usage of arc flash personal protective equipment (PPE), remote equipment operation or reconfiguration of electrical equipment.

Brady printers can be used to produce your own arc flash labels giving employees enhanced, equipment-specific information to help minimise risk in your workplace.

Disclaimer: Every effort has been applied to the accuracy of printed content at the time of publication (May 2019) and is subject to change after this date. The content is provided as a general recommendation and should not be used as a substitute for information provided by your local State or Territory Work Health and Safety regulatory authority.

Employee Training = Program Success

Employees are an essential component of any Hazardous Energy control program. All employees should be trained in accordance with their specific roles and responsibilities. As a guideline authorised employees who perform service or maintenance work and undertake the actual Lockout process must be able to:

- Identify hazardous energy sources
- Understand the types and extent of energy
- Know method/s for isolating and controlling hazardous energy
- Know method/s for the safe application, use and removal of devices

FIND OUT ALL YOU NEED TO KNOW TO DEVELOP A LOCKOUT TAGOUT PROGRAM WITH OUR LOCKOUT TAGOUT MINI-CATALOGUE

REQUEST YOURS NOW! CALL 1800 620 816



FIND OUT ABOUT THE FULL RANGE OF BRADY PRINTERS WITH OUR PRINTERS MINI-CATALOGUE

REQUEST YOURS NOW! CALL 1800 620 816





WORKPLACE SAFETY COMPLIANCE

Slips, Trips & Falls

In Australia, common workplace injuries are caused by slips, trips and falls. A slip occurs when there is a loss of grip between the shoe and the floor. Trips occur when a person's foot hits a low obstacle in the person's path, causing a loss of balance leading to a fall.



DID YOU KNOW?

386

WORKERS WERE KILLED AS A RESULT OF SLIPS, TRIPS AND FALLS FROM 2003 - 2015



DID YOU KNOW?

56%

OF SLIPS, TRIPS AND FALLS WERE CAUSED BY ENVIRONMENTAL FACTORS*

RISK MINIMISATION IN YOUR WORKPLACE

Each workplace has unique operational requirements. These suggestions can help to reduce risks and prevent injuries in your workplace:

- **Identify Hazards**
Complete a workplace safety inspection to identify and document hazards. Poor housekeeping, ineffective workspace design and lack of safe working systems are common injury causes.
- **Risk Elimination or Control**
Provide traction on slippery surfaces, install lighting and signage, warn of temporary hazards, remove trip dangers, apply coloured floor marking for surface changes and modify working systems to eliminate or control risks.
- **Assess the Risk**
A number of contributing factors may exist in the work environment and affect the risk severity. Determine if the risk is High, Moderate or Low.
- **Maintain and Review Controls**
Regular inspections of work areas and review of controls will ensure they remain effective and exposure to risks is reduced.

*Environmental factors can include slippery surfaces following rain or spills, poorly designed or maintained walkways, poor lighting on stairs and walkways and trip hazards, such as poorly stored materials. Source: safeworkaustralia.gov.au

Disclaimer: Every effort has been applied to the accuracy of printed content at the time of publication (May 2019) and is subject to change after this date. The content is provided as a general recommendation and should not be used as a substitute for information provided by your local State or Territory Work Health and Safety regulatory authority.





FIRST AID

Work Health & Safety Act

MANDATORY LEGAL REQUIREMENT

The WHS ACT is a legislative document that provides a balanced and nationally consistent framework to secure the health and safety of workers and workplaces. Penalties may apply if workplaces are found not following the WHS ACT or Regulations.

Reference Document: Work Health and Safety Act 2016

Work Health & Safety Regulations

MANDATORY LEGAL REQUIREMENT

The WHS Regulation is a legislative instrument that varies according to time, place or circumstance. The regulations outline health and safety requirements for duty holders by environment, operation and duty/task being carried out.

Reference Document: Health and Safety Regulation 2017


First Aid in the Workplace Code of Practice

PRACTICAL GUIDANCE

The Code of Practice provides practical guidance for persons conducting a business or undertaking on how to comply with duties under the WHS Act and Regulations to provide adequate first aid facilities in the workplace. It includes information on first aid kits, procedures, facilities and training for first aiders.

Document: First Aid in the Workplace. Code of Practice 2018 (Safe Work Australia)

The content is provided as a general recommendation and should not be used as a substitute for information provided by your local State or Territory Work Health & Safety regulatory authority.

 **IMPORTANT**

If a relevant Act or Regulation exists, you must follow the requirements stated in the documents. Penalties may apply if workplaces are found not following the WHS ACT or Regulation.

FIRST AID SITE ASSESSMENT

A periodic assessment schedule of your workplace first aid equipment will allow you to identify hazards and determine typical injuries or illness that may require rapid treatment. The assessment should also consider the number of employees and work area design as first aid should be easily accessible and available within minutes of the injury location.

ASSESSMENT GUIDELINES FOR WORKPLACE FIRST AID

As business operations are constantly changing to meet customer demands, your workplace first aid requirements may also require adjustments.

 **DISCOVER MORE ABOUT FIRST AID IN THE WORKPLACE AND VIEW OUR FULL RANGE WITH OUR FIRST AID MINI-CATALOGUE**

REQUEST YOURS NOW! CALL 1800 620 816



First Aid Recommendations

STEP 1 | HAZARDS

Identify potential causes of workplace injury and illness

STEP 2 | INJURIES

Assess the risk of workplace injury and illness

STEP 3 | REMEDY - WHAT FIRST AID IS REQUIRED

Choose the First Aid Kit that is suitable for your workplace

STEP 4 | REVIEW FIRST AID TO ENSURE EFFECTIVENESS

Choose additional Add-On Packs to ensure the whole workplace contains adequate First Aid on site at all times.





WORKPLACE SAFETY COMPLIANCE

Visual Workplace Solutions

Visual Workplace is a lean concept that emphasises placing critical information at the point of use for improved efficiency and safety. Visual systems and devices play a critical role in many of the most popular lean tools, including: 5S, Standard Work, Total Productive Maintenance, Quick Changeover and Kanban (Pull Production).

What are the Benefits of Visual Workplace?

REDUCE WASTE:

Waste is often caused by information gaps - employees simply not knowing the best way to get the job done. Instead, time is wasted searching, waiting, retrieving and doing rework.

ENHANCE KNOWLEDGE:

An effective visual workplace tells employees exactly what procedural and safety information they need to know, and when and where they need to know it.

IMPROVE PRODUCTIVITY:

When visuals help to make processes more efficient, reduce equipment downtime, keep employees safe and facilities more organised, then operations overall become more productive.

WHAT INFORMATION SHOULD BE POSTED?

Any critical information should be embedded right where your employees work - on equipment, shelves and floor surfaces. When this information is available "at a glance," it is clearly visible to employees, readily understood and can be consistently adhered to.



DID YOU KNOW?

WASTE ACCOUNTS FOR

95% OF ALL COSTS

IN NON-LEAN MANUFACTURING ENVIRONMENTS



DID YOU KNOW?

75% OF KNOWLEDGE

IS GAINED THROUGH VISUALS,
13% THROUGH HEARING AND
12% THROUGH SMELL, TOUCH AND TASTE



DID YOU KNOW?

LEAN MANUFACTURING CAN LEAD TO A

**40% INCREASE IN
PRODUCTIVITY**



VIEW OUR FULL RANGE OF

**Visual
Warning
Solutions**

See page 48



FOR A COMPLETE LOOK
AT OUR RANGE OF

**Printing
Solutions**

Request a mini-catalogue today



FOR A COMPLETE LOOK
AT OUR RANGE OF

**Safety
Signs**

Request a mini-catalogue today





WORKPLACE SAFETY CHECKLIST

Good work practices start with the completion of a pre-activity inspection to help identify hazards and assess potential risks. Then corrective actions can be applied to unsafe situations and improvement areas can be focused on.

Brady has developed a safety checklist that can be used when a walkthrough of the areas is completed. We also recommend that the checklist be used following any changes in the work environment.



1

Identify the tasks to be performed.

2

Check availability of workers to perform the tasks (with appropriate skill sets acquired through training).

3

Is adequate protection available for workers? (PPE, lifting devices, machine guarding, first aid, instructive aids).

4

Inspect tools and equipment to ensure safe working order.

5

Identify hazards in the work area (poor housekeeping, equipment vibration and heavy lifting are typical hazards).

6

Assess risks and determine severity (high, moderate, low).

7

Activate and review risk controls (elimination, substitution and reduction methods to protect workers).

8

Check consultation and representation arrangements (workplace health and safety matter related).

9

Ensure that contractors have completed a site induction.

10

Confirm validity of appropriate licenses and permits (operational readiness).





WORKPLACE SAFETY DIRECTORY



SAFEWORK NSW

Web: www.workcover.nsw.gov.au
Phone: 13 10 50

WORKCOVER QUEENSLAND

Web: www.worksafe.qld.gov.au
Phone: 1300 362 128

WORKSAFE ACT

Web: www.worksafe.act.gov.au
Phone: (02) 6207 3000
Email: worksafe@act.gov.au

NT WORKSAFE

Web: www.worksafe.nt.gov.au
Phone: 1800 019 115
Email: ntworksafe@nt.gov.au

WORKSAFE TASMANIA

Web: www.worksafe.tas.gov.au
Phone: 1300 366 322
(or 03 6166 4600 outside Tasmania)
Email: wstinfo@justice.tas.gov.au

WORKSAFE VICTORIA

Web: www.worksafe.vic.gov.au
Phone: 1800 136 089
Email: info@worksafe.vic.gov.au

WORKSAFE WA

Web: www.worksafe.wa.gov.au
Phone: 1300 307 877

SAFEWORK SA

Web: www.safework.sa.gov.au
Phone: 1300 365 255
Email: help@safework.sa.gov.au

SAFE WORK AUSTRALIA

Web: www.safeworkaustralia.gov.au
Email: info@swa.gov.au

STANDARDS AUSTRALIA

Web: www.standards.org.au
Phone: 1800 035 822
(or +61 2 9237 6171 outside Australia)

DEPARTMENT OF LABOUR HEALTH & SAFETY - NEW ZEALAND

Web: www.osh.govt.nz
Phone: 0800 030 040

STANDARDS NEW ZEALAND

Web: www.standards.co.nz
Phone: 0800 782 632
(or +64 3 943 4259 outside New Zealand)
Email: enquiries@standards.govt.nz





INSIDE LOOK: BRADY'S SYDNEY FACILITY

See our Safety Solutions in practice!

FIRST AID ROOM



FIRST AID ROOM EQUIPPED WITH:

- ✓ EMERGENCY RESUSCITATION EQUIPMENT
- ✓ FIRST AID KITS & MOBILITY DEVICES
- ✓ EQUIPMENT FOR A LOW RISK WORKPLACE OF 100 WORKERS OR MORE

💡 SEE OUR FIRST AID MINI-CATALOGUE FOR PRODUCT RANGE

CAR PARK SAFETY



DIRECT AND PROTECT STAFF AND VISITORS IN THE CAR PARK:

- ✓ SPEED HUMPS, BOLLARDS & WHEEL STOPS
- ✓ SPEED SIGNS
- ✓ LINE MARKING

💡 SEE PAGE 100 FOR PRODUCT RANGE

FLOOR MARKING



VISUAL WARNING AIDS HELP PREVENT ACCIDENTS AND INCREASE PRODUCTIVITY

- ✓ CREATE TRAVEL ROUTES AND EXCLUSION ZONES
- ✓ MARK OFF AREAS USING FLOOR MARKING TAPES AND OTHER MARKERS

💡 SEE PAGE 48 FOR PRODUCT RANGE

FIRE SAFETY



EMERGENCY PREPAREDNESS IS KEY


- ✓ CLEARLY MARKED EXITS
- ✓ FIRE EXTINGUISHERS AND HOSE REELS
- ✓ SAFETY SIGNS FOR COMMUNICATION

💡 SEE PAGE 96 FOR PRODUCT RANGE



PIPE & VALVE MARKING

Pipe and valve marking allows for improved emergency response times and a professional appearance. Brady's range of pipe and valve marking products are designed in accordance with AS1345-1995 and enable quick recognition of pipe contents. Here is a quick summary of products available in this section:



Self-Sticking Vinyl Pipe Markers

UNDERSTANDING AS 1345-1995 "IDENTIFICATION OF THE CONTENTS OF PIPES, CONDUITS AND DUCTS"

WHY MARK PIPES?

Pipe markers aid in the quick identification of a pipe's contents – especially in an emergency situation. A successful pipe and valve marking program helps employees, contractors and emergency responders to identify a pipe's contents where there are several pipes side by side. Pipe markers also save valuable time when tracing lines are necessary during maintenance.

WHERE SHOULD PIPE MARKERS BE LOCATED?

AS 1345 specifies that markers be placed adjacent to all junctions, valves, service appliances, bulkhead and wall penetrations. Markers shall be spaced no more than 8m apart except for long, uninterrupted straight runs of external services where spacing shall not exceed 50m.

MARKER DESIGN/LAYOUT REQUIREMENTS:


AS 1345 addresses several elements of pipe marker design including: Marker Layout: A marker is comprised of a printed word or words on a coloured background with a contrasting border and chevron to show direction of flow.

MARKER COLOURS:

The legend and background colours of a pipe marker are determined by the pipe's contents and are specified according to the tables on the next few pages.

COLOURS:

Additional information about the contents of a pipe is communicated through the use of supplementary warning colours (see page 20). Supplementary colours are sold separately as a wrap-around "band", or can be printed on custom markers at the time of manufacture.





Self-Sticking Vinyl Pipe Markers

Self-sticking vinyl pipe markers from Brady are perfect for showing flow direction, pipe contents as well as making the pipe and valve marking highly visible.

Don't see what you're looking for in our standard range?

We also do Custom Pipe Markers, refer to page 22 for more information.

SELF-STICKING VINYL

Premium indoor/outdoor grade self-sticking marker. Suitable for applications between -40°C to 65°C.

All Markers Listed Comply With AS 1345-1995

STANDARD PACKAGE: 1

AIR (WHITE ON LIGHT BLUE)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
AIR	-	-	890448	860049	-
AIR EXTRACTION	-	-	830034	843780	-
AIR SCOUR	-	-	830036	843782	-
AIR VENT	▨	-	890449	860050	-
BREATHING AIR	▨	-	890003	892004	-
COMPRESSED AIR	-	830040	877275	877277	842419
DRY COMPRESSED AIR	▨	-	830044	-	842420
GENERAL PURPOSE AIR	-	-	830046	-	-
H.P. INSTRUMENT AIR	▨	830048	-	-	842423
HIGH PRESSURE AIR	-	-	879117	879317	842422
INSTRUMENT AIR	▨	830050	-	892006	842424
L.P. INSTRUMENT AIR	-	830085	-	-	-
LOW PRESSURE AIR	▨	-	879114	879314	842425
MALE AMENITIES EXHAUST	-	-	830114	-	-
MEDICAL AIR	-	877292	-	877294	842426
MEDICAL BREATHING AIR	-	-	-	-	842427
MEDICAL SUCTION	⚠	-	-	830148	842428
PLANT AIR	▨	-	890450	860051	842429
RETURN AIR	-	-	860104	862105	-
SERVICE AIR	▨	-	879173	879373	-
VACUUM	-	830154	860105	862106	842430
VACUUM AIR	-	-	890060	892061	-
VENT	-	830879	830155	830156	842431

PIPE SIZE OUTSIDE DIAMETER (O.D.)	PIPE MARKER SIZE	NUMBER OF PIPE MARKERS
Up to 40 mm O.D.	10 x 100 mm (13 x legend per sheet)	13/Sheet 10 Sheets/ pack
40 to 75 mm O.D.	31 x 475 mm	10/ Pack
Over 75 mm O.D.	57 x 475 mm	10/ Pack
Over 250 mm O.D.	89 x 475 mm	10/ Pack
Medical Gases	10 x 100mm (50 x legend per sheet)	50/ Sheet 10 Sheets/ pack



ALKALIS / ACIDS (WHITE ON VIOLET)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
ACID	▨	-	890001	892001	842406
ALKALI	▨	-	890436	860037	-
ALUM SOLUTION	-	-	-	891823	893824
CAUSTIC	▨	-	879016	879216	842407
CAUSTIC POTASH SOLUTION	▨	-	830003	-	-
CAUSTIC SODA	▨	-	860101	862102	842408
CHEMICAL DOSING	▨	-	830004	830005	-
CHLORINE	-	-	-	890437	860038
CHLORINE SOLUTION	-	-	-	891824	893825
CITRIC ACID	-	-	-	843769	830007
CONCENTRATED CAUSTIC	▨	830011	-	830008	-
CYANIDE SOLUTION	▨	-	843770	830009	842409
DETERGENT	-	-	-	860102	862103
DILUTE ACID	▨	830012	830013	830014	842412
DILUTE CAUSTIC	▨	830024	-	-	842413
FLOCCULANT	-	-	-	-	830131
HYDRAZINE	▨	830025	891821	893822	-
HYDROCHLORIC ACID	▨	-	879044	879244	842415
LIME	-	-	-	830026	830027
PHOSPHATE	-	-	-	860103	862104
PHOSPHORIC ACID	▨	-	890438	860039	-
POLYELECTROLYTE	-	-	-	-	830029
RECYCLED WATER	-	-	-	856845	856844
SODIUM HYDROXIDE	▨	-	890435	860036	842417
SULPHURIC ACID	▨	-	879683	879283	842418
WASTE WATER	-	-	-	856847	856846

ELECTRICAL (WHITE ON ORANGE)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
BLANK	-	831119	-	831121	-
CONSUMER'S MAINS	▨	-	-	842437	-
ELECTRIC TRACED	▨	-	831200	831201	-
ELECTRICAL	▨	-	830052	830051	842438
EMERGENCY LIGHTING	▨	830519	-	-	842439
SUB-MAINS	▨	830520	-	-	842440

Larger sizes available on request.

** 10mm legend height: legend repeats 50 times on a 100 x 500mm strip.

▲ Legend repeats 13 times on a 100 x 200mm strip. Either cut off individual markers manually, or wrap entire 100 x 200mm sheet around a pipe for maximum adhesion. Each legend measures 10 x 100mm.

† Supplementary safety markers are shown as a guide only and are not printed on markers. See page 20 for full range.

* High-Visibility markers are recommended for pipes over 250mm O.D. or whenever the pipe must be viewed from a far distance.



PIPE & VALVE MARKING

Self-Sticking Vinyl Pipe Markers

FIRE PROTECTION (WHITE ON RED)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
BLANK	-	831122	890456	860057	-
CARBON DIOXIDE	-	830846	-	830523	842432
FIRE ALARM	-	-	830550	830833	-
FIRE FIGHTING WATER	-	-	890455	860056	842433
FIRE FOAM	-	-	890452	860053	842434
FIRE HOSE REEL	-	-	891829	893830	842435
FIRE HYDRANT	-	-	891827	893828	-
FIRE PROT. WATER	-	-	-	879358	-
FIRE SERVICE	-	-	891828	893829	-
FIRE SPRINKLERS	-	-	890453	860054	-
HALON	-	830834	830835	830837	-
HYDRANT WATER	-	-	-	860055	842436

OILS (WHITE ON BROWN)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
BLANK	-	-	-	860048	-
ALCOHOL	-	-	890007	892008	-
DIESEL FUEL	-	-	830917	843778	-
DIESEL OIL	-	-	879352	879932	-
ENGINE OIL	-	-	830919	830920	-
FUEL OIL	-	-	879059	879259	-
FUEL OIL SUPPLY	-	-	877543	877545	-
GOVERNOR OIL	-	-	-	830922	-
GREASE	-	-	890446	860047	-
HOT OIL	-	-	890443	860044	842474
HYDRAULIC FLUID	-	-	830923	830924	-
HYDRAULIC OIL	-	-	891830	893831	-
INHIBITED KEROSENE	-	-	830925	830926	-
INSUL OIL CLEAN	-	-	891825	-	-
LUBRICATING OIL	-	-	830134	830133	842475
OIL	-	-	890442	860043	-
WASTE OIL	-	-	830650	830649	-
WHITE SPIRIT	-	-	860109	862110	-

GASES (BLACK ON SAND)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
BLANK	-	830842	890429	860030	-
ACETYLENE	▬▬▬	830838	-	860021	-
AMMONIA	-	830840	879005	879205	-
ARGON	-	-	-	860022	842441
CARBON DIOXIDE	▬▬▬	-	879014	879214	842442
CARBON MONOXIDE	▬▬▬	-	860106	862107	-
EXHAUST	-	-	890423	860024	-
FREON	▬▬▬	-	890427	860028	-
GAS	-	-	893114	893117	-
GASEOUS AMMONIA	▬▬▬	830850	891811	893812	842443
GASEOUS CHLORINE	▬▬▬	-	-	893813	-
GASEOUS NITROGEN	-	830852	891812	893814	842444
GASEOUS OXYGEN	▬▬▬	830853	891817	893018	842445
HELIUM	-	-	890424	860025	842446
HYDROGEN	-	-	890036	-	842447
L.P. GAS	-	-	879034	879234	842452
LIQUID AMMONIA	▬▬▬	-	891814	893815	842448
LIQUID CHLORINE	▬▬▬	-	891815	893816	842449
LIQUID NITROGEN	▬▬▬	-	879015	879215	842450
LIQUID OXYGEN	▬▬▬	-	-	-	842451
MEDICAL OXYGEN	▬▬▬	-	830861	-	842453
NATURAL GAS	▬▬▬	830863	879036	879236	842454
NATURAL GAS Kpa	▬▬▬	-	891810	893811	842455
NATURAL GAS 100 Kpa	▬▬▬	-	860107	862108	-
NITROGEN	-	-	860127	862128	-
NITROUS OXIDE	▬▬▬	830864	890425	860026	842456
OXYGEN	-	-	879071	893151	-
PROPANE GAS	▬▬▬	-	890426	860027	-
RECIRCULATING GAS	▬▬▬	-	830866	830867	-
REFRIGERANT	▬▬▬	830868	890428	860029	842457
SLUDGE GAS	▬▬▬	-	830875	-	-
VENT	▬▬▬	-	830880	830881	-

COMMUNICATIONS (BLACK ON WHITE)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm
BLANK	-	831116	831117	831118
DATA TRANSFER	-	-	-	830160
TELEPHONES	-	830489	-	830513

Larger sizes available on request.



FOR LARGER JOBS, PLEASE SEE OUR ROLL FORM PIPE MARKERS ON PAGE 19.

MISCELLANEOUS (WHITE ON BLACK)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
BEER	-	-	-	830886	-
BILGE	-	-	-	830889	-
BRINE	-	-	860110	862111	-
DIGESTED SLUDGE	-	-	830891	843773	-
DRAIN	-	-	879369	893101	842460
EFFLUENT	-	-	860111	862112	-
LAB WASTE	-	-	890432	860033	-
PRODUCT	-	-	-	830895	-
PUMPED DRAINAGE	-	-	830897	-	-
RADIOACTIVE WASTE		-	-	830898	842461
RAW GREEN LIQUOR	-	-	830899	-	-
RECIRCULATED SLUDGE	-	-	830903	-	-
DIGESTED SLUDGE	-	-	830891	843773	-
RECLAIMED EFFLUENT	-	-	830904	830453	-
SEWAGE	-	-	860126	862127	-
SEWERAGE	-	-	891818	893819	-
SLUDGE	-	-	879660	876674	-
SLUDGE TRANSFER	-	-	830908	830909	-
SLURRY	-	-	834663	843776	-
SOIL	-	-	890430	860031	-
SOIL VENT	-	-	890431	860032	-
SUPERNATANT	-	-	891819	893820	-
THICKENED SLUDGE	-	-	830913	-	-
TRADE WASTE	-	-	860100	862101	-
VENT	-	-	893193	893196	-
WASTE	-	-	879634	879734	-
WASTE ACTIVATED	-	-	830914	-	-

WATER (WHITE ON MID BLUE)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	
POTABLE WATER**	-	-	890400	860001	-

** NOTE: As per AS 1345, Potable Water should be a green marker (see next page) with blue supplementary colour band. Blue marker is offered due to popular demand.

PIPE SIZE OUTSIDE DIAMETER (O.D.)	PIPE MARKER SIZE	NUMBER OF PIPE MARKERS
Up to 40 mm O.D.	10 x 100 mm (13 x legend per sheet)	13/Sheet 10 Sheets/ pack
40 to 75 mm O.D.	31 x 475 mm	10/ Pack
Over 75 mm O.D.	57 x 475 mm	10/ Pack
Over 250 mm O.D.	89 x 475 mm	10/ Pack
Medical Gases	10 x 100mm (50 x legend per sheet)	50/ Sheet 10 Sheets/ pack



SUPPLEMENTARY MARKER BANDS COMMUNICATE ADDITIONAL INFORMATION. THESE ARE SOLD SEPARATELY. SEE PAGE 20.



STEAM (BLACK ON SILVER-GREY)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
BLANK		-	890434	860035	-
BLOW DOWN		-	890012	892013	-
BOILER FEED		-	890015	892016	-
EXHAUST		-	879561	836248	-
H.P. STEAM		-	890052	892053	842470
L.P. STEAM		-	890053	892054	842471
MAIN STEAM		-	-	830946	842472
SATURATED STEAM		-	860113	862114	-
SEALING STEAM		-	830947	843783	-
STEAM		830948	890050	892051	842473
STEAM CONDENSATE		-	860114	862115	-
STEAM DRAIN		830949	891820	893821	-
STEAM 920 Kpa		-	830951	-	-
STEAM 2900 Kpa		-	830952	-	-

MEDICAL GASES (COLOURS SPECIFIED BELOW)

PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm
MEDICAL BREATHING AIR		-	860500**	WHITE ON BLACK
MEDICAL NITROUS OXIDE		-	860501**	WHITE ON BLUE
MEDICAL OXYGEN		-	860502**	BLACK ON WHITE
MEDICAL SUCTION		-	860503**	BLACK ON PRIMROSE
MEDICAL VACUUM	-	-	860504**	BLACK ON PRIMROSE
SPARE MEDICAL GAS	-	-	830883**	BLACK ON BISCUIT

** 10mm legend height: legend repeats 50 times on a 100 x 500mm strip.

▲ Legend repeats 13 times on a 100 x 200mm strip. Either cut off individual markers manually, or wrap entire 100 x 200mm sheet around a pipe for maximum adhesion. Each legend measures 10 x 100mm.

† Supplementary safety markers are shown as a guide only and are not printed on markers. See page 20 for full range.

* High-Visibility markers are recommended for pipes over 250mm O.D. or whenever the pipe must be viewed from a far distance.



PIPE & VALVE MARKING

Self-Sticking Vinyl Pipe Markers

WATER (WHITE ON JADE GREEN)					
PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
BLANK	-	-	876340	876336	-
ASH SLUICE WATER	-	-	830955		-
AUXILIARY COOLING WATER	-	-	830956	830958	-
BACKWASH	-	-	830957	830959	-
BOILER FEED WATER	-	-	879525	879527	-
BORE WATER	-	-	830130	830129	-
BRINE	-	-	860116	862117	-
CHILLED DRINKING WATER	■	-	830964		-
CHILLED WATER	-	-	879353	876998	842476
CIRCULATING WATER	▨	830966	879130	879330	-
COLD WATER	-	830967	890067	892068	842477
COLD WATER FLOW	-	-	860131	862132	-
COLD WATER RETURN	-	-	860130	862131	-
CONDENSATE	-	830968	879094	879294	842478
CONDENSER WATER	-	-	879082	876671	842479
COOLING WATER	-	-	879148	879348	842480
DE-IONIZED WATER	-	-	830054	830053	-
DEMINERALISED WATER	-	830973	891808	893809	842481
DISTILLED WATER	-	830974	830975	830976	-
DOM. COLD WATER	-	-	860117	862118	-
DOM. HOT WATER	▨	-	890072	892073	842482
DOMESTIC WATER	-	-	891809	883810	842483
DRAIN WATER	-	830977	830978	830979	842485
DRINKING WATER	■	-	860118	862119	-
EFFLUENT	-	-	830981	830982	842486
FEED WATER	-	-	830983	843779	-
FILTERED WATER	-	830984	890074	892075	842487
FRESH WATER	-	830992	830993	830994	842488
HEATING/COOLING WATER	-	830997	830998	830999	-
HEATING HOT WATER	-	-	891805	893806	842489
HIGH PRESSURE HOT WATER	▨	831023	831024	831028	842490
HIGH TEMPERATURE HOT WATER	▨	-	890076	892077	842491
HOT ABLUTION WATER	-	-	831029		-
HOT WATER	▨	831030	890077	892078	842492
HOT WATER FLOW	▨	-	860129	862130	-
HOT WATER RETURN	-	-	860128	862129	-
JACKET WATER	-	-	831031		-
LOW TEMP. HOT WATER	▨	831033	891806	893807	-
MAINS WATER	-	-	838576	838575	842493

WATER (WHITE ON JADE GREEN)					
PIPE OUTSIDE DIA. (O.D.)		OVER 250MM O.D.*	OVER 75MM O.D.	40MM - 75MM O.D.	UP TO 40MM O.D. ▲
Legend	Rec. Safety Signal †	HI-VIS 89 x 475mm	57 x 475mm	31 x 475mm	10 x 100mm
MAKE UP WATER	▨	831034	831035	831036	-
NON POTABLE WATER	▨	831037	879028	879228	842494
OVERFLOW	-	-	830055	830056	842495
POLLUTED WATER	-	831053	890401	860002	-
POTABLE WATER	-	831202	831203	831204	842496
PROCESS WATER	-	-	860120	862121	-
PURIFIED WATER	-	-	860121	862122	-
RAIN WATER	-	-	860122	862123	-
RAW WATER	-	-	879140	879340	842497
RETURN	-	-	890402	860003	851758
SALT WATER	-	-	860123	862124	-
SAMPLE WATER	-	-	-	830656	-
SCUPPERS	-	-	-	831054	-
SOFT WATER	-	-	860124	862125	-
SOLAR HOT WATER	-	-	-	831057	-
STORMWATER	-	-	879874	879876	-
SUMP WATER	-	-	831059	831060	-
SUPPLY	-	-	890403	860004	-
TOWNS MAIN WATER	-	831061	-	831063	-
TOWNS WATER	-	-	891807	893808	-
TREATED WATER	-	-	860125	862126	842498
WARM WATER	-	-	831066	831067	-
WASTE WATER	-	-	831068	831069	-
WATER	-	-	876661	893205	-

ALL MARKERS LISTED COMPLY WITH AS 1345-1995 IDENTIFICATION OF THE CONTENTS OF PIPES, CONDUITS AND DUCTS.

PIPE SIZE OUTSIDE DIAMETER (O.D.)	PIPE MARKER SIZE	NUMBER OF PIPE MARKERS
Up to 40 mm O.D.	10 X 100 mm (13 x legend per sheet)	13/Sheet 10 Sheets/ pack
40 to 75 mm O.D.	31 X 475 mm	10/ Pack
Over 75 mm O.D.	57 X 475 mm	10/ Pack
Over 250 mm O.D.	89 X 475 mm	10/ Pack
Medical Gases	10 x 100mm (50 x legend per sheet)	50/ Sheet 10 Sheets/ pack

** 10mm legend height: legend repeats 50 times on a 100 x 500mm strip.
 ▲ Legend repeats 13 times on a 100 x 200mm strip. Either cut off individual markers manually, or wrap entire 100 x 200mm sheet around a pipe for maximum adhesion. Each legend measures 10 x 100mm.
 † Supplementary safety markers are shown as a guide only and are not printed on markers. See page 20 for full range.
 * High-Visibility markers are recommended for pipes over 250mm O.D. or whenever the pipe must be viewed from a far distance.



Roll Form Pipe Markers

Roll Form Pipe Markers provide an economical solution for any pipe marking application. Printed on self-adhesive polypropylene, these economical markers are suitable for larger marking jobs on clean pipes. Markers come on a roll, paper backed and with perforated edges for easy flow indication.

Available in a select range of pipe marker legends, and as custom.

STANDARD PACKAGE: ROLL OF 50 MARKERS AND 50 CHEVRONS (FLOW INDICATORS)
ROLL LENGTH: 19M (APPROX.)

PIPE SIZE OUTSIDE DIAMETER	PIPE MARKER SIZE (H x W)
40 mm to 75 mm	31 x 380 mm



ALKALIS / ACIDS (WHITE ON VIOLET)

PIPE OUTSIDE DIAMETER (O.D.) 40MM TO 75MM O.D.

Legend	Rec. Safety Signal †	380mm x 31mm
CAUSTIC SODA		846907

AIR (WHITE ON LIGHT BLUE)

PIPE OUTSIDE DIAMETER (O.D.) 40MM TO 75MM O.D.

Legend	Rec. Safety Signal †	380mm x 31mm
AIR		846909
COMPRESSED AIR		846911
HIGH PRESSURE AIR		846910
INSTRUMENT AIR		846912

WATER (WHITE ON MID BLUE)

PIPE OUTSIDE DIAMETER (O.D.) 40MM TO 75MM O.D.

Legend	Rec. Safety Signal †	380mm x 31mm
POTABLE WATER**	-	846939

** NOTE: As per AS 1345, Potable Water should be a green marker with blue supplementary colour band. Blue marker is offered due to popular demand.

ELECTRICAL (WHITE ON ORANGE)

PIPE OUTSIDE DIAMETER (O.D.) 40MM TO 75MM O.D.

Legend	Rec. Safety Signal †	380mm x 31mm
ELECTRICAL		846936



ALL WORDING/COLOUR COMBINATIONS LISTED ARE STANDARD MARKERS AND COMPLY TO AUSTRALIAN STANDARDS AS 1345-1995 & AS 2700-2011.

All wording/colour combinations listed are "Standard" markers and conform to Australian Standards

WATER (WHITE ON JADE GREEN)

PIPE OUTSIDE DIAMETER (O.D.) 40MM TO 75MM O.D.

Legend	Rec. Safety Signal †	380mm x 31mm
CHILLED WATER	-	846913
COLD WATER	-	846914
CONDENSER WATER	-	846915
COOLING WATER	-	846916
DRAIN WATER	-	846917
HEATING HOT WATER	-	846918
HOT WATER	-	846919
NON POTABLE WATER	-	846920
POTABLE WATER		846921
PROCESS WATER	-	846922
RAIN WATER	-	846923
RAW WATER	-	846924
TOWNS WATER	-	846925
WATER	-	846926

OILS (WHITE ON BROWN)

PIPE OUTSIDE DIAMETER (O.D.) 40MM TO 75MM O.D.

Legend	Rec. Safety Signal †	380mm x 31mm
FUEL OIL	-	846937
HYDRAULIC OIL	-	846938

FIRE PROTECTION (WHITE ON RED)

PIPE OUTSIDE DIAMETER (O.D.) 40MM TO 75MM O.D.

Legend	Rec. Safety Signal †	380mm x 31mm
FIRE FIGHTING WATER	-	846935

** 10mm legend height: legend repeats 50 times on a 100 x 500mm strip. Legend repeats 13 times on a 100 x 200mm strip. Either cut off individual markers manually, or wrap entire 100 x 200mm sheet around a pipe for maximum adhesion. Each legend measures 10 x 100mm.

† Supplementary safety markers are shown as a guide only and are not printed on markers. See next page for full range.

* High-Visibility markers are recommended for pipes over 250mm O.D. or whenever the pipe must be viewed from a far distance.





PIPE & VALVE MARKING

Supplementary Markers

These supplementary safety markers are designed to communicate additional information about the contents of a pipe. Where marking pipes or ducts that contain materials for human consumption or wherever a special hazard to operators may be present, supplementary marking may be required to comply to AS1345-1995, Clause 8.1 and/or 8.2. Supplementary markers produced in "Bands" simply wrap around the pipe to provide 360° visibility of the signal colours. Alternatively, cut the band to your own length and get multiple "marks" from a single band. Made from self-adhesive outdoor vinyl.



MATERIALS FOR HUMAN CONSUMPTION




75 x 800mm
833430
25 x 200mm
833428

HAZARDOUS MATERIALS



75 x 800mm
833378
25 x 200mm
833376



75 x 800mm
833381
25 x 200mm
833379



75 x 800mm
833384
25 x 200mm
833382

STANDARD PACKAGE: 1

SIZE (W x L)	MATERIAL	QUANTITY
25 x 200mm	Self-Adhesive Vinyl	10
75 x 800mm	Self-Adhesive Vinyl	10



RADIOACTIVE HAZARD



75 x 800mm
833387
25 x 200mm
833385

BIOLOGICAL HAZARD



75 x 800mm
833390
25 x 200mm
833388

FIRE PROTECTION



75 x 800mm
833427
25 x 200mm
833391



Pipe Banding Tapes

High gloss durable vinyl film with pressure sensitive adhesive. Used for numbers & letters for indoor use only.

PIPE BANDING TAPE (B-946)

Solid colour. Ideal companion to your pipe markers.

ARROW TAPE (B-946)

Specially formulated to withstand the elements. Use outdoors or indoors with vinyl pipe markers. Solid colour or arrow pipe banding tape provides 360° pipe colour code visibility, improving operational safety and plant efficiency.

ROLL CALCULATION GUIDE	
PIPE DIAMETER (MM)	COLOUR BANDS PER ROLL
25	260
50	150
75	100
100	80
125	60
150	50
175	40
200	35
225	30
250	30



STANDARD PACKAGE: 1

PART NO.											
ROLL SIZE (W x L)	YELLOW	GREEN	RED	BLUE	ORANGE	WHITE	BROWN	BLACK	GREY	PURPLE	CLEAR
25mm x 27m	36301	36304	36302	36303	91428	91429	36305	36306	36307	36308	36309
50mm x 27m	55260	55263	55261	55262	91430	91431	36310	36311	36312	36313	36314
100mm x 27m	36287	36290	36288	36289	91432	91433	36315	36316	36317	36318	36319

PART NO.							
ROLL SIZE (W x L)	BLACK / YELLOW	WHITE / GREEN	WHITE / RED	WHITE / BLUE	BLACK / WHITE	BLACK / ORANGE	BLACK / GREY
25mm x 27m	91424	91425	91426	91427	91413	91414	91415
50mm x 27m	91420	91421	91422	91423	91417	91418	91419
100mm x 27m	91287	91290	91288	91289	91409	91410	91411

Custom Pipe Marker Form

This Custom Pipe Markers Order Form is for the convenience of you and your authorised Brady Distributor. If you have any questions, please contact your distributor.

1. PIPE MARKER STYLES/DETAILS

COILED WRAP AROUND PIPE MARKERS (CWAP)

OUTSIDE SIZE DIA. OF PIPE	MAX. CHAR. PER MARKER	LETTER HEIGHT	STYLE DESCRIPTION	COLOUR FIELD WIDTH
13 to 38mm	22	13mm	Size 0	200mm
44 to 63mm	13	19mm	Size I	200mm
50 to 200mm	13	32mm	Size II	300mm

HIGH PERFORMANCE HIGH VISIBILITY (HPHV)

200mm & above	16	88mm	Size HPHV	600mm & Two 100mm Arrows
---------------	----	------	-----------	--------------------------

**Arrows are pre-printed on all coiled wrap around pipe markers. Min. Order 5.

ECONOMY ROLL FORM PIPE MARKERS (ERF)

OUTSIDE SIZE DIA. OF PIPE (INCLUDING INSULATION)	MAX. CHAR. PER MARKER	LETTER HEIGHT	STYLE DESCRIPTION	COLOUR FIELD WIDTH
40 to 75mm O.D.	23	20mm	Small 31 x 380mm	200mm
Over 75mm O.D.	19	30mm	Large 57 x 380mm	200mm

* Minimum Order of 4 rolls (50 markers per roll).



All markers except roll form pipe markers come supplied with two arrows. You cut off the arrow you don't need or, apply supplementary safety marking over them. Roll form pipe markers have a perforated edge where you can remove and place arrows in the appropriate direction.

SELF ADHESIVE VINYL (SAV)

OUTSIDE SIZE DIA. OF PIPE (INC. INSULATION)	MAX. CHAR. PER MARKER	LETTER HEIGHT	STYLE DESCRIPTION
Less than 40mm O.D.†	20	7mm	Mini Wrap-Around† 10 x 100mm
40 to 75mm O.D.	23	20mm	Small 31 x 475mm
Over 75mm O.D.	19	30mm	Large 57 x 475mm
Over 250mm O.D.	20	50mm	Hi-Vis 89 x 475mm

Larger sizes available on request.

* Minimum Order 1 Pack of 10.

† Miniature labels are printed 13 uncut legends per 100mm x 200mm sheet and are designed to be wrapped around pipe and/or cut to length.

COLOUR SELECTION GUIDE

PIPELINE SERVICE	BACKGROUND COLOUR	LEGEND COLOUR
Water - Potable	MID-BLUE	White
Water	JADE GREEN	White
Steam	SILVER-GREY	Black
Oil - Mineral, Vegetable or Animal Flammable or Combustible Liquids	BROWN	White
Gases, Either Gaseous or Liquefied	SAND	Black
Acids and Alkalis	VIOLET	White
Air	LIGHT BLUE	White
Other Fluids, Including Drainages	BLACK	White
Firefighting Materials	RED	White
Electricity	ORANGE	White
Communications	WHITE	Black

2. ORDER FORM

STYLE	QUANTITY	SIZE	BACKGROUND COLOUR	LEGEND COLOUR	LEGEND
See above	Minimum	See chart above	See colour selection guide	See colour selection guide	See ordering information above for maximum character height (Include supplementary signal/symbol only if you want it printed on the body of the marker)

3. CONTACT DETAILS

DISTRIBUTOR BILLING LOCATION:

Company Name: _____
 ABN: _____
 Address: _____
 City: _____ State: _____
 Post Code: _____ Purchase Order No.: _____
 Contact Name: _____
 Phone: _____ Fax: _____

DISTRIBUTOR SHIPPING LOCATION:

Name/Title: _____
 Company Name: _____
 Address: _____
 City: _____ State: _____ Post Code: _____
 Attn: _____
 Phone: _____ Fax: _____
 Email: _____

FAX OR EMAIL THIS FORM TO YOUR DISTRIBUTOR

PIPE & VALVE MARKING

Nylon Ties

One piece nylon tie provides easy fastening of valve tags without tools. 200mm in length and ties can be hooked together if longer lengths are required. Non-corrosive 100% nylon. Operating temperatures from -40°C to +85°C.

STANDARD PACKAGE: 100 IDENTICAL TIES

PART NO.	COLOUR
873039	Black
873040	Blue
873043	Purple
873044	Red
873045	Yellow



Easy fastening without any tools

Metal Write-On Tags

Available in a variety of colours to help classify and identify. Write your own wordings using most marking pens. The durable metal can be bent and straightened without cracking. Tags are 76 x 127mm with a 6mm hole. Fix with nylon ties.

STANDARD PACKAGE: 1

PART NO.	COLOUR
848778	Yellow
848777	White
848779	Red
852335	Grey
848808	Orange



Blank Metal Valve Tags

Available in Brass, Stainless Steel and Aluminium. Blank for self-engraving/stamping.

STANDARD PACKAGE: 25 TAGS



PART NO.	SIZE (MM)	MATERIAL	SHAPE
23210	38	Brass	Round
23212	38	Brass	Square
23211	51	Brass	Round
23213	51	Brass	Square
44400	38	Stainless Steel	Round
44401	38	Stainless Steel	Square
44402	51	Stainless Steel	Round
44403	51	Stainless Steel	Square
848686	38	Aluminium	Round
861758	38	Aluminium	Square
861759	51	Aluminium	Round
848738	51	Aluminium	Square
860314	114	Brass	Bead Chain
849049	114	Nickel	Bead Chain



PIPE & VALVE MARKING

Blank Plastic Valve Tags

Easy to write on vinyl. Rectangular tags measure 65 x 90mm. Round tags are 75mm in diameter.

STANDARD PACKAGE: 25 TAGS

COLOUR	PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
RED	-	-	46981	Round Tag
GREEN	46976	Rectangular Tag	46984	Round Tag
WHITE	46980	Rectangular Tag	46986	Round Tag
BLUE	56928	Rectangular Tag	46983	Round Tag
ORANGE	-	-	46985	Round Tag



Custom Valve Tags

Brass, Aluminium and Stainless Steel Tags are custom engraved to your specifications. Aluminium and Brass Tags can be colour-filled if desired (Black, Blue, Red or White). Aluminium Tags are also available in colour-coded anodised, custom laser-etched for enhanced visibility.

All tags are available in 38mm and 51mm, Round and Square. Colour-coded Aluminium Tags are available in Black, Dark Blue, Green, Gold, Light Blue, Olive, Orange, Pink, Red, Violet and Yellow, with contrasting wording.

Our custom Plastic Tags are engraved on a flexible, stain-resistant multi-layered acrylic material. The tags are durable and long-lasting. 7 colours available Black, Blue, Brown, Green, Red, White and Yellow (Note: Yellow and White tags come stock with Black text).



Engraved Brass



Engraved Stainless Steel

TAG SIZE (MM)	TYPE	MAX NO. CHARACTERS/LINE
38	Round	8
38	Square	12
51	Round	10
51	Square	16

TAG MATERIAL	TEMPERATURE LIMIT
Laser-Etched Coloured Aluminium (Anodised)	120°C
Engraved Brass	650°C
Engraved Aluminium (non-coloured)	815°C
Engraved Stainless Steel	1480°C
Engraved Acrylic	66°C



Laser Etched Anodised Aluminium (Coloured)



Engraved Acrylic (Coloured)

CONTACT YOUR BRADY DISTRIBUTOR FOR MORE INFORMATION TO ORDER CUSTOM VALVE TAGS.

SORBENTS & SPILL CONTROL



Brady's range of Sorbents & Spill Control products can assist you in meeting your obligations to provide a safe environment to your employees free from potential workplace risks. Sorbent products also ensure that the source of leaks, drips and spills are wiped clean allowing you to keep work areas "under control" and reduce liability. Here is a sample of products available in this section:

- PAGE 28 -



LARGE MOBILE SPILL KIT

- PAGE 31 -




20L VEHICLE SPILL KIT

- PAGE 33 -



RE-FORM™ GRANULAR ABSORBENT

- PAGE 36 -



SPILL PALLETS

Choosing Your Absorbents

KNOW WHAT YOU'RE ABSORBING

■ General Purpose Fluids (Water or Oil-Based)

SPC Recommends: General Absorbents

Use around machinery, under leaky pipes, in messy traffic areas or for general maintenance projects. Re-Form™ general absorbents made of recycled materials offer an environmentally friendly solution.

■ Oil-Based Fluids Outdoors/Water Repelling

SPC Recommends: Oil Only Absorbents

Specialised for oil and other petroleum-based spills including paints and non-water soluble chemicals, these absorbents will not absorb water and will float indefinitely. Re-Form™ oil only absorbents made of recycled materials offer an environmentally friendly solution.

■ Hazardous Chemical Fluids


SPC Recommends: Chemical Absorbents

Surfactant-treated polypropylene absorbents can be used on a wide range of chemicals, including hydrofluoric acid. They are chemically inert, so they will not react with aggressive fluids. Keep in mind that absorbents take on the properties of whatever they absorb, so the bright colour provides a visual indication to separate waste streams.




General for Water or Oil-Based Fluids:

- Coolants
- Solvents
- Gasoline
- Kerosene
- Vegetable Oil
- Paint



Oil Only For Oil-Based Fluids (Repels Water):

- Hydraulic Oil
- Motor Oil
- Brake Fluid
- Cooking Oil
- Turpentine
- Lubricants



Chemical For Hazardous Fluids:

- Acid and Bases
- Citric Acid
- Sodium Hydroxide
- Aggressive Chemicals



SORBENTS & SPILL CONTROL

A history of reliability. A name you can trust.

INNOVATIVE ABSORBENT AND SPILL CONTROL PRODUCTS YOU CAN RELY ON.

Since its founding in Somerset, New Jersey nearly 40 years ago, SPC has been successfully developing, manufacturing and shipping absorbent products. Throughout the decades, our customers have relied on SPC products to help them prevent slips, trips and falls within their facilities.

OUR GUIDING PRINCIPLES:

- Developing high quality products appropriately suited to your needs
- Providing unmatched service levels
- Leveraging our industry-leading sales force to recommend the right products for the right application

Better Applications

The table on the next page specifies which type of absorbent is most effective for each liquid shown

- General Purpose absorbents are suitable for all liquids excluding corrosive and aggressive chemicals
- Oil & Fuel absorbents are best suited to oil and fuel spills as they repel water
- Chemical polypropylene absorbents have been specially designed to absorb aggressive chemical and acid spills, but can also absorb all liquids



ABSORBENTS APPLICATION GUIDE



LIQUID	GENERAL	CHEMICAL	OIL & FUEL
Acetaldehyde	✓		
Acetic Acid		✓	
Acetic Anhydride		✓	
Acetone	✓		✓
Acetyl Chloride		✓	
Acrolein		✓	✓
Acrylonitrile	✓		
Acrylic Acid		✓	
Acrylic Emulsions	✓		
Allyl Alcohol	✓		
Aminobenzoic Acid		✓	
Ammonia (Anhydrous)	✓		✓
Ammonium Hydroxide	✓	✓	✓
Amyl Acetate		✓	✓
Amyl Alcohol	✓		
Aniline	✓		
Antifreeze	✓		
Aqua Regia		✓	
Aviation Fuel			✓
Benzene	✓		✓
Benzoic Acid		✓	
Benzonitrile		✓	
Benzoyl Chloride		✓	
Benzyl Alcohol	✓		
Boric Acid		✓	
Brake Fluid	✓		✓
Bromine		✓	
Butyl Acetate		✓	✓
Butyl Alcohol	✓		✓
Butyric Acid		✓	✓
Butylamine	✓		
Butyric Acid		✓	✓
Calcium Hydroxide		✓	
Carbolic Acid		✓	
Carbon Disulfide		✓	
Carbon Tetrachloride	✓		
Castor Oil			✓
Chlorine Water		✓	
Chloroacetic Acid		✓	
Chlorobenzene		✓	
Chloroform	✓		
Chromic Acid (50%)		✓	✓
Chlorosulfonic Acid		✓	
Citric Acid		✓	
Clorox (Full Strength Bleach)	✓		
Corn Oil			✓
Cottonseed Oil			✓
Cresol	✓		✓
Cyclohexane	✓		✓
Detergents	✓		
Dichlorobenzene		✓	✓
Diethylamine		✓	✓
Diethyl Ether	✓		✓
Disooctyl Phthalate	✓		✓
Dinitrobenzene		✓	✓
Dioxan	✓		
Ether	✓		✓
Ethyl Acetate	✓		✓
Ethyl Alcohol	✓		✓
Ethyl Benzene		✓	✓
Ethyl Chloride		✓	✓
Ethyl Ether	✓		✓
Ethyl Propionate	✓		✓
Ethylene Glycol	✓		
Formaldehyde	✓		
Formic Acid		✓	
Fuel Oil			✓
Gasoline			✓
Gearbox Oil			✓

LIQUID	GENERAL	CHEMICAL	OIL & FUEL
Glacial Acetic Acid		✓	
Glycerol	✓	✓	
Heptane	✓		✓
Hexane	✓		✓
Hydrazine		✓	
Hydrochloric Acid		✓	
Hydrofluoric Acid		✓	
Hydrogen Cyanide		✓	✓
Hydrogen Peroxide	✓		
Isobutyl Alcohol	✓		✓
Isobutyric Acid		✓	✓
Isopropyl Acetate	✓		✓
Isopropyl Alcohol	✓		✓
Kerosene			✓
Keytones	✓		✓
Linseed Oil			✓
Lubricating Oil			✓
Magnesium Hydroxide		✓	
Methyl Alcohol	✓		✓
Methyl Chloride		✓	✓
Methyl Ether	✓		✓
Methyl Ethyl Ketone	✓		✓
Methyl Propionate	✓		✓
Mineral Oil			✓
Motor Oil			✓
Naphthalene	✓		✓
Nitric Acid		✓	
Nitrobenzene		✓	
Nitrobenzoic Acid		✓	
Nitrotoluene	✓		✓
Octane	✓		✓
Oleic Acid		✓	✓
Olive Oil			✓
Paraffin	✓		✓
Perchloroethylene	✓		✓
Petroleum Ether			✓
Phenol	✓		
Phosphoric Acid		✓	
Plating Solutions		✓	
Potassium Hydroxide		✓	
Propanol	✓		
Propionic Acid		✓	✓
Propyl Alcohol	✓		✓
Propylene Glycol	✓		✓
Quinoline		✓	
Resorcinol		✓	
Salt Solutions (metallic)	✓		
Silicone Oil			✓
Silver Nitrate	✓		
Soap Solution (concentrated)	✓		✓
Sodium Bicarbonate	✓		
Sodium Chloride	✓		
Sodium Hydroxide		✓	
Sodium Hypochlorite	✓		
Sodium Nitrate	✓		
Stannic Chloride		✓	
Starch	✓		
Styrene	✓		✓
Sucrose	✓		
Sulfuric Acid		✓	
Synthetic Motor Oil			✓
Tannic Acid		✓	
Toluene	✓		✓
Transformer Oil			✓
Trichloroethylene	✓		✓
Triethylene Glycol	✓	✓	✓
Turpentine			✓
Urine	✓		
Vinyl Acetate	✓		✓
Vinegar	✓		
Xylene	✓		✓

* Our Application table is a guide only. Chemical SDS should be referenced when choosing absorbents.



SORBENTS & SPILL CONTROL

Portable Spill Kits & Refills

SMALL MOBILE SPILL KIT

- Be prepared with our portable spill kit that handles any type of spill
- Weatherproof highly visible bin allows you to easily take the kit to the spill
- Available in General Maintenance, Oil, Chemical and Eco-Friendly ranges
- Absorbs 100-120 litres
- Refill packs available

KIT CONTENTS:

- 2 x Socs (76mm dia. x 1.2m)
- 1 x Soc (76mm dia. x 3.66m)
- 50 x Pads (381 x 482mm)
- 3 x Pillows (460 x 460mm)
- 1 x Coveralls (XL)
- 1 x Gloves (Pair)
- 1 x Safety Goggles
- 3 x Disposal Bags
- 1 x Instructions for Use



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR CODE
852533	General Maintenance	
852557	Oil Only	
852561	Chemical	
875871	Re-Form™ General Maintenance	
875872	Re-Form™ Oil Only	

REFILLS:

PART NO.	DESCRIPTION	COLOUR CODE
852610	Refill General Maintenance	
876490	Re-Form™ Oil Only	
876492	Refill Chemical	
876494	Refill Re-Form™ General Maintenance	
876496	Refill Re-Form™ Oil Only	

LARGE MOBILE SPILL KIT

- Be prepared with our portable spill kit that handles any type of spill
- Weatherproof highly visible bin allows you to easily take the kit to the spill
- Available in General Maintenance, Oil, Chemical and Eco-Friendly ranges
- Absorbs 200-250 litres
- Refill packs available

KIT CONTENTS:

- 6 x Socs (76mm dia. x 1.2m)
- 3 x Socs (76mm dia. x 3.66m)
- 125 x Pads (381 x 482mm)
- 6 x Pillows (460 x 460mm)
- 2 x Coveralls (XL)
- 2 x Gloves (Pair)
- 2 x Safety Goggles
- 6 x Disposal Bag
- 1 x Instructions for Use



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR CODE
852562	General Maintenance	
852564	Oil Only	
852566	Chemical	
875871	Re-Form™ General Maintenance	
876294	Re-Form™ Oil Only	

REFILLS:

PART NO.	DESCRIPTION	COLOUR CODE
852613	Refill General Maintenance	
876491	Oil Only	
876493	Refill Chemical	
876495	Refill Re-Form™ General Maintenance	



Portable Spill Kits & Refills

HI-VIS GENERAL SMALL SPILL KIT

- **Helps you to comply with ISO:14001 Certification**
- Highly visible to avoid slips, trips & falls when in use
- Absorbs up to 100-120 litres per kit

Absorbs water, petroleum and non-aggressive chemicals. The bright yellow colour and warning symbols make these sorbents highly visible to warn people of the possible trip hazard when in use on the floor. Ideal for high traffic areas such as retail, restaurants, or warehouses where there may be a high chance of people tripping over the absorbents when in use on the ground. Manufactured from a high strength, dimpled material giving you a durable, high performance and low linting solution. Kits come in a handy weatherproof wheeled container. Bin size: 120L. Refill items sold separately so you only replenish what you need.

KIT CONTENTS:

- 2 x Socs (7.6cm dia x 1.2m)
- 1 x Soc (7.6cm dia x 3.66m)
- 50 x Pads (41 x 51cm)
- 3 x Pillows (46 x 46cm)
- 1 x Coveralls (XL)
- 1 x Gloves (Pair)
- 1 x Safety Goggles
- 3 x Disposable Bags
- 1 x Instructions for Use



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR CODE
878231	Hi-Vis General Small Spill Kit	



HI-VIS GENERAL LARGE SPILL KIT

- **Helps you to comply with ISO:14001 Certification**
- Highly visible to avoid slips, trips & falls when in use
- Absorbs up to 200-250 litres per kit

Absorbs water, petroleum and non-aggressive chemicals. The bright yellow colour and warning symbols make these sorbents highly visible to warn people of the possible trip hazard when in use on the floor. Ideal for high traffic areas such as retail, restaurants, or warehouses where there may be a high chance of people tripping over the absorbents when in use on the ground. Manufactured from a high strength, dimpled material giving you a durable, high performance and low linting solution. Kits come in a handy weatherproof wheeled container. Bin size: 240L. Refill items sold separately so you only replenish what you need.

KIT CONTENTS:

- 6 x Socs (7.6cm dia x 1.2m)
- 3 x Socs (7.6cm dia x 3.66m)
- 125 x Pads (41 x 51cm)
- 6 x Pillows (46 x 46cm)
- 2 x Coveralls (XL)
- 2 x Gloves (Pair)
- 2 x Safety Goggles
- 6 x Disposable Bags
- 1 x Instructions for Use



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR CODE
878232	Hi-Vis General Large Spill Kit	



SORBENTS & SPILL CONTROL

Value Range Kits

Save while not compromising on efficiency and effectiveness with our value range spill kits. Find General Maintenance, Oil Only, and Chemical options from our selection.



Our value range spill kits are the right price; the right size; and the right value.

GENERAL MAINTENANCE

Fast response for a medium to large sized spill for oils, coolants, solvents and water-based fluids anywhere in your facility.



SMALL KIT CONTENTS:

- 50 x Re-Form™ Plus Pads - Medium Weight
- 2 x Re-Form™ Granular Absorbents
- 2 x Re-Form™ Socs (76mm x 1.22m)
- 3 x Disposal Bags
- 1 x Gloves (Pair)
- 1 x Dustpan & Brush
- 1 x Mask



LARGE KIT CONTENTS:

- 100 x Re-Form™ Plus Pads Heavy Weight
- 2 x Re-Form™ Granular Absorbents
- 2 x Re-Form™ Socs (76mm x 1.22m)
- 2 x Re-Form™ Socs (76mm X 2.44m)
- 6 x Disposal Bags
- 1 x Gloves (Pair)
- 1 x Dustpan & Brush
- 1 x Mask

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	COLOUR CODE
876572	Small spill kit	94L	
876573	Large spill kit	195L	

OIL ONLY

Fast response for a medium to large sized spill of petroleum, hydrocarbons and other oil-based liquids.



SMALL KIT CONTENTS:

- 25 x Re-Form™ Oil Only Pads
- 2 x Re-Form™ Oil Only Socs (76mm x 1.22m)
- 1 x Granular
- 3 x Disposal Bags
- 1 x Gloves (Pair)
- 1 x Dustpan & Brush
- 1 x Mask



LARGE KIT CONTENTS:

- 100 x Re-Form™ Oil Only Pads
- 2 x Re-Form™ Oil Only Socs (76mm x 1.22m)
- 2 x Granular
- 3 x Disposal Bags
- 1 x Gloves (Pair)
- 1 x Dustpan & Brush
- 1 x Mask

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	COLOUR CODE
876574	Small spill kit	71L	
876575	Large spill kit	182L	

CHEMICAL

Fast response for a medium to large sized spill of aggressive chemical and acid spills.



SMALL KIT CONTENTS:

- 50 x Chemical Spill Pads
- 2 x Chemical Socs (76mm x 1.22m)
- 1 x Re-Form™ Socs (76mm x 2.44m)
- 3 x Disposal Bags
- 1 x Granular - Perlite 20L Bag
- 1 x Gloves (Pair)
- 1 x Dustpan & Brush
- 1 x Mask



LARGE KIT CONTENTS:

- 100 x Chemical Spill Pads
- 4 x Chemical Socs (76mm x 2.44m)
- 1 x Granular - Perlite 20L Bag
- 6 x Disposal Bags
- 1 x Gloves (Pair)
- 1 x Dustpan & Brush
- 1 x Mask

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	COLOUR CODE
876576	Small spill kit	104L	
876577	Large spill kit	173L	

Grab and Go Spill Response



20L VEHICLE SPILL KIT

- Portable spill kit helps ensure kits are not far out of reach
- Suitable for use in vehicles or for small spills
- Absorption capacity of 20 litres



KIT CONTENTS:

- 15 x Pads (381 x 482mm)
- 2 x Socs (76mm dia. x 1.2m)
- 1 x Gloves (Pair)
- 1 x Disposable Bag
- 1 x Instructions for Use

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	BAG SIZE (W x H x D)	COLOUR CODE
870655	General Maintenance	460 x 520 x 150mm	
870656	Oil Only	460 x 520 x 150mm	
870657	Chemical	460 x 520 x 150mm	
870984	Re-Form™ General Maintenance	460 x 520 x 150mm	
872385	Re-Form™ Oil Only	460 x 520 x 150mm	

BRADY MERCURY SPILL KIT 17L

- For neutralising mercury spills
- Reusable screw top bucket

Mercury powder is specifically designed to neutralise mercury spills. Then wipe clean with absorbent pads and scoop up any particles that remain.



KIT CONTENTS:

- Mercury Absorbent Powder (900g)
- 10 x Pads (381 x 482mm)
- 2 x Disposal Bags
- 1 x Goggles
- 1 x Neoprene Gloves (Pair)
- 1 x Small Scoop and Scraper

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	SIZE (W x H)
878503	Brady Mercury Spill Kit	17L	350 x 457mm

60L VEHICLE SPILL KIT

- This useful kit is mobile and compact for fast response
- Designed for trucks, vans and utes
- Absorption capacity of 50-60 litres



KIT CONTENTS:

- 1 x Soc (76mm dia. x 3.66m)
- 25 x Pads (381 x 482mm)
- 2 x Pillows (460 x 460mm)
- 1 x Gloves (Pair)
- 1 x Safety Goggles
- 2 x Disposable Bags
- 1 x Instructions for Use

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	BAG SIZE (W x H x D)	COLOUR CODE
852547	General Maintenance	1000 x 600 x 150mm	
852548	Oil Only	1000 x 600 x 150mm	
852549	Chemical	1000 x 600 x 150mm	
876295	Re-Form™ General Maintenance	1000 x 600 x 150mm	
876296	Re-Form™ Oil Only	1000 x 600 x 150mm	

BODILY FLUIDS SPILL KIT 34L

- For the safe clean up of bodily fluids
- Reusable screw top bucket

Assortment of pads, neutraliser, and the appropriate PPE will make cleaning up bodily fluids safer and more efficient. Reusable screw top bucket keeps contents clean and easily accessible.



KIT CONTENTS:

- Granular (450g)
- 10 x Barrier-Backed Pads (381 x 482mm)
- 2 x Disposal Bags
- 1 x Case Sanitary Wipes
- 1 x Goggles
- 1 x Neoprene Gloves (Pair)
- 1 x Apron
- 1 x Small Scoop and Scraper

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	SIZE (DIA. x H)
878502	Bodily Fluids Spill Kit	34L	355 x 457mm



SORBENTS & SPILL CONTROL

Polypropylene Sorbents

POLYPROPYLENE SOCS

- Contains spread of fluids in facilities & around equipment
- Wrap around machines to stop leaks or as a barrier to stop spreading fluids
- Available in 2 different sizes to fit containment needs
- Available in general maintenance, oil only, Hi Vis and chemical



STANDARD PACKAGE: 12 (1.22M), 4 (3.66M)

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	BOX QUANTITY	SIZE (W x L)	COLOUR CODE
852693M	Spill Control Soc General Maintenance	45L/Box	12	76mm x 1.22m	
852694M	Spill Control Soc General Maintenance	45L/Box	4	76mm x 3.66m	
852693H	Spill Control Soc Oil Only	45L/Box	12	76mm x 1.22m	
852694H	Spill Control Soc Oil Only	45L/Box	4	76mm x 3.66m	
852693C	Spill Control Soc Chemical	45L/Box	12	76mm x 1.22m	
852694C	Spill Control Soc Chemical	45L/Box	4	76mm x 3.66m	
CH412	Spill Control Soc Hi Vis General Maintenance	45L/Box	12	76mm x 1.22m	
CH124	Spill Control Soc Hi Vis General Maintenance	45L/Box	4	76mm x 3.66m	

POLYPROPYLENE PADS

- Pads are thick, durable, highly absorbent and low linting
- Oil pads do not absorb water
- Chemical pads are non-reactive to chemicals
- Pads are perforated, only use what you need



STANDARD PACKAGE: 100

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	SIZE (W x L)	COLOUR CODE
853699	Spill Control Pads General Maintenance	98L/Box	381 x 482mm	
853701	Spill Control Pads Oil Only	90L/Box	381 x 482mm	
853700	Spill Control Pads Chemical	78L/Box	381 x 482mm	

POLYPROPYLENE ROLLS

- Protect your work area from spills and prevent damage
- Ideal for use in assembly lines, equipment or general manufacturing



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	SIZE (W x L)	COLOUR CODE
853050	Spill Control Roll General Maintenance	185L/Box	760mm x 46m	
853051	Spill Control Roll Oil Only	264L/Box	960mm x 44m	
863636	Spill Control Roll Chemical	147L/Box	760mm x 46m	



POLYPROPYLENE PILLOWS

- Excellent for absorbing spills and leaks in tight spaces
- Ideal for use under valves and machinery



STANDARD PACKAGE: 16

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	SIZE (W x L)	COLOUR CODE
852695M	Spill Control Pillows General Maintenance	105L/Box	460 x 460mm	
852695H	Spill Control Pillows Oil Only	105L/Box	460 x 460mm	
852695C	Spill Control Pillows Chemical	105L/Box	460 x 460mm	
CH1818	Spill Control Pillows Hi Vis General Maintenance	105L/Box	460 x 460mm	

HIGH VISIBILITY SAFETY ABSORBENTS

- Award winning, highly absorbent for all-purpose industrial applications
- Get the benefits of a sign and an absorbent in one unique product
- Colour and print make it ideal for areas where the risk of slips, trips and falls are greatest



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABS. CAPACITY	SIZE (W x L)	QUANTITY	COL. CODE
875553	Heavy Wt. Pad	113L/Box	381 x 482mm	100/Pack	
875554	Light Wt. Pad	166L/Box	381 x 482mm	200/Pack	
875555	Medium Wt. Roll	265L/Roll	735mm x 91m	Each	
875556	Heavy Wt. Roll	151L/Roll	762mm x 45.7m	Each	

Granular Absorbents

ENVIROPEAT

- Enviropeat is a non-toxic, all natural, 100% organic, sphagnum peat moss
- Contains naturally occurring bacteria within the peat which breaks down hydrocarbons over time returning it back to its natural state
- Absorbs wide range of hydrocarbons including oils, fuels, diesels, hydraulic fluids, paints, and solvents
- Excellent for use on both sealed and unsealed surfaces
- Extremely water repellent (hydrophobic) so can be used on land or water or in rainfall



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	SIZE
876612	Enviropeat	30L	25L

RE-FORM™ GRANULAR ABSORBENT

- Re-Form™ Industrial Absorbent absorbs more, costs less, is virtually dust free and contains no health hazards
- 100% recycled material - safe for the environment and employee use
- Absorbs oils, solvents, lubricants, coolants, water and most non-aggressive liquids on contact
- 1:1 absorbency ratio



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	ABSORPTION CAPACITY	SIZE
875913	Re-Form™ Granular Absorbent	13L	13kg

SORBENTS & SPILL CONTROL

Re-Form™ Eco-Friendly Sorbents



- Made from a minimum of 70% recycled cellulose
- Class A fire retardant
- 25-50% more absorbent
- Absorbs water-based chemicals, oils and petroleum based products
- Not suitable for highly aggressive chemicals

RE-FORM™ ECO-FRIENDLY SOCS

- Re-Form™ Multiwik™ SOCs are flexible tubes that absorb liquids, mold around corners and conforms to uneven surfaces
- They are wringable, incinerable, and not for use with aggressive acids & caustics
- Absorbs oils, coolants, solvents and water-based fluid
- Absorbs up to 45L/Box



PART NO.	DESCRIPTION	SIZE (W x L)	QUANTITY /CASE	COL. CODE
869814	Re-Form™ Soc	76mm x 1.22m	40/Pack	
869815	Re-Form™ Soc	76mm x 1.22m	12/Pack	
869816	Re-Form™ Soc	76mm x 2.44m	6/Pack	
869817	Re-Form™ Soc	76mm x 3.66m	4/Pack	

RE-FORM™ PLUS PADS & ROLLS

- Same absorbency as Re-Form™ material, but adds a spunbound coverstock on one side for durability
- Absorbs water based chemicals, oils and petroleum based products



PART NO.	DESCRIPTION	ABS. CAPACITY	SIZE (W x L)	QUANTITY /CASE	COL. CODE
869807	Plus Heavy Weight Pad. Perf'd	151L/Box	381 x 482mm	100/Pack	
869808	Plus Medium Weight Pad. Perf'd	121L/Box	381 x 482mm	100/Pack	
869809	Plus Light Weight Pad. Perf'd	90L/Box	381 x 482mm	100/Pack	
869810	Plus Heavy Weight Roll. Double Perf'd	234L/Box	724mm x 45.7m	1/Roll	
869811	Plus Heavy Weight Roll. Perf'd	113L/Box	362mm x 45.7m	1/Roll	
869812	Plus Medium Weight Roll. Double Perf'd	200L/Roll	724mm x 45.7m	1/Roll	
869813	Plus Medium Weight Roll. Perf'd	109L/Roll	362mm x 45.7m	1/Roll	

RE-FORM™ ECO-FRIENDLY PADS

- Economical, general purpose pads up to 50% more absorbent than comparable polypropylene
- Netted construction provides extra durability and strength
- Absorbs oils, coolants, solvents and water-based fluid, not for use with aggressive acids & caustics



PART NO.	DESCRIPTION	ABS. CAPACITY	SIZE (W x L)	QUANTITY /CASE	COL. CODE
869804	Heavy Weight Pad	151L/Box	381 x 482mm	100/Pack	
869805	Medium Weight Pad	121L/Box	381 x 482mm	100/Pack	
869806	Light Weight Pad	90L/Box	381 x 482mm	100/Pack	

Re-Form™ Oil Only Sorbents



- Made from 80% cotton-cellulose
- Repels water and floats
- 25-50% more absorbent
- Durable spunbound coverstock on both sides of pads
- Absorbs petroleum based liquids, grease, transmission fluid and coolant



RE-FORM™ OIL ONLY SORBENTS

- Made from 80% all natural cotton fibers
- Absorbs oil, grease, transmission fluid, coolant and other liquids
- Repels water and floats



PART NO.	DESCRIPTION	ABS. CAPACITY	SIZE (W x L)	QUANTITY /CASE	COL. CODE
872397	Re-Form™ Oil Only Soc	141L/Pack	76mm x 1.22m	12/Pack	



GREEN ECO-FRIENDLY SORBENT MADE FROM A MINIMUM OF 70% RECYCLED NEWSPRINT OR CELLULOSE.

WATCH: bradyid.com.au/spcvideos

RE-FORM™ OIL ONLY PADS

- Heavy weight pad
- High absorbency for petroleum based drips, spills and wiping applications
- Spunbound cover-stock on both sides for extra durability and strength
- Absorption capacity per box: 148 litres



PART NO.	DESCRIPTION	ABS. CAPACITY	SIZE (W x L)	QUANTITY /CASE	COL. CODE
871253	Oil Only Pad, Perf'd	148L/Box	381 x 482mm	100/Box	

RE-FORM™ OIL ONLY ROLLS

- Rolls are perforated, so you only use what you need
- Heavy weight rolls
- Perforation: 380mm (across roll width)



PART NO.	DESCRIPTION	ABS. CAPACITY	SIZE (W x L)	QUANTITY /CASE	COL. CODE
871254	Oil Only Roll, Perf'd	141L/Roll	362mm x 47.5m	1/Roll	




SORBENTS & SPILL CONTROL

Spill Containment

SPILL PALLETS

- Spill pallets are ideal for keeping work areas safe from unexpected spills and leaks
- Two drum pallet contains up to 260 litres
- Four drum pallet contains up to 485 litres
- Not for use with IBC's



SPILL DECKS

- Spill decks are an effective means of containing hazardous leaks
- Each modular deck has built-in clips to easily connect multiple decks
- Optional Sump Drain Kit available
- Not for use with IBC's



SOLID NESTABLE CONSTRUCTION, AND FORKLIFT FRIENDLY.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (D x W x H)	LOAD CAPACITY
862877	Spill Pallet 2 Drum 260L	660 x 1320 x 431mm	1100kgs
862878	Spill Pallet 4 Drum 485L	1320 x 1320 x 431mm	2250kgs
862879	Spill Pallet Ramp	825 x 1778 mm	N/A

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (D x W x H)	LOAD CAPACITY
862881	Spill Deck 2 Drum 80L	660 x 1320 x 152mm	1100kgs
862882	Sump Drain Kit	-	1100kgs

OVERPACK DRUMS

Overpack Drums are constructed from high density polyethylene with twist-off covers that make closure safe and easy. Ideal for overpacking of damaged or leaking drums and containers, collection of soiled sorbents, clean-up of contaminated sites, emergency response, direct containment and transport of hazardous solids.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (DIA. x H)
873597	Overpack Drum 76L	514 x 520mm
873598	Overpack Drum 113L	540 x 718mm
873599	Overpack Drum 205L	514 x 1098mm



FOR DANGEROUS GOODS & GHS LABELS AND PLACARDS, REFER TO THE DANGEROUS GOODS ID SECTION FROM PAGE 43.

FOR DANGEROUS GOODS SIGNS, REFER TO THE BRADY SAFETY SIGNS MINI-CATALOGUE



DANGEROUS GOODS STORAGE & ID

All sites storing and/or transporting dangerous goods must display adequate signage warning of the types of chemicals on site to be compliant with relevant State and Territory legislation. Brady offers a broad range of Dangerous Goods signage and we can custom make a sign to suit your individual site needs. Here is a sample of products available in this section:

- PAGE 40 -

CORROSIVE STORAGE CABINETS

- PAGE 41 -

SAFETY DATA SHEET BINDER

- PAGE 44 -

DANGEROUS GOODS LABELS

- PAGE 45 -

GHS PICTOGRAM LABELS

Justrite Flammable Liquid Storage Cabinets

- Complies to AS 1940:2017
- FM approved
- 10 year warranty
- Self closing

The robust design is constructed of 1.2mm, double-walled steel along with 38mm of insulating air space for fire resistance.

U Loc™ handle comes with a double key set and/or accepts an optional padlock. Fail-safe closing mechanism ensures three-point stainless steel bullet latching system.

The SpillSlope™ galvanised steel shelves safely direct incidental spills to back and bottom of leak - tight, 51mm lower sump. Adjustable on 76mm centres for versatile storage, with a safe allowable load of 159kg. Other extras include: dual vents, four adjustable levelling feet and a grounding connector.



STANDARD PACKAGE: 1

PART NO.	CAPACITY	EXTERNAL SIZE (H x W x D)	INTERNAL SIZE (H x W x D)
865578	30L (6 x 2.5L Bottles)	800 x 595 x 465mm	560 x 505 x 375mm
878329	60L	1005 x 595 x 465mm	765 x 505 x 375mm
865582	160L (6 x 20L Drums)	1230 x 1100 x 465mm	990 x 1020 x 375mm
865581	250L (9 x 20L Drums)	1760 x 1100 x 465mm	1520 x 1020 x 375mm
865580	350L (15 x 20L Drums)	1760 x 870 x 870mm	1520 x 785 x 785mm

ADDITIONAL SHELVING FOR CABINETS

PART NO.	DESCRIPTION
865890	Shelving Suitable for 865578
865892	Shelving Suitable for 865582 and 865581
865891	Shelving Suitable for 865580

* Cabinets are for indoor use only.





DANGEROUS GOODS STORAGE & ID

Value Range - Flammable Liquid Storage Cabinets

- **Complies to AS 1940:2017**
- 7 year warranty
- Can fit forklift underneath for ease of movement
- For indoor use only
- 160L and 250L sizes available

This value priced flammable cabinet range is approved for storing flammable liquids and complies to AS1940:2017. It is backed with a 7 year warranty and includes 3 adjustable shelves. The base has metal skids 100mm high able to fit a jack or forklift underneath for ease of movement when full or empty. This also adds strength in the base sump. The closing mechanism has only one moving part independent to the doors which are free to move 180 degrees to the outside panel without restricting the sequential closing system. Alloy 3 point latch locking reducing spark risk. Includes anti-static grounding wire.



STANDARD PACKAGE: 1

PART NO.	CAPACITY	EXTERNAL SIZE (H x W x D)	INTERNAL SIZE (H x W x D)
877758	160L (6 x 20L Drums)	1295 x 1100 x 500mm	1255 x 1060 x 460mm
877658	250L (9 x 20L Drums)	1825 x 1100 x 500mm	1785 x 1060 x 460mm

* Cabinets are for indoor use only.

Justrite 100L Underbench Flammable Liquid Storage Cabinets

- **Complies to AS 1940:2017**
- FM Approved
- Capacity: 100 litres

Features include: fully adjustable levelling feet, fully concealed sequential door closing mechanism that allows for full use of cupboard space, built in flash arresters allow for safe connection to a venting system if required, and have a failsafe three-point locking mechanism.



STANDARD PACKAGE: 1

PART NO.	CAPACITY	EXTERNAL SIZE (H x W x D)	INTERNAL SIZE (H x W x D)
865561	100L	800 x 920 x 565mm	675 x 830 x 480mm

* Cabinets are for indoor use only.



Justrite Slimline Flammable Storage Cabinets

- **Complies to AS 1940:2017**
- FM Approved
- Turns tight quarters into storage space
- Includes three "spill-catcher" adjustable steel shelves

Justrite Slimline Cabinet offers a big advantage when workspace is at a premium. Safety and convenience are built into its compact design. Double walled, air insulated, welded steel construction offers fire resistance. A three-point, self-latching door on a continuous piano hinge provides smooth, secure closure. Cabinet includes 150mm leakproof sump for spill control and other extras such as dual vents, adjustable levelling feet and a grounding connector. Finished in a chemical resistant powder coat paint, this unit combines durability and safety into a space saving design.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SHELVES	EXTERNAL SIZE (H x W x D)	INTERNAL SIZE (H x W x D)
878330	Slimline Cabinets Self-Close 110L	2	1230 x 670 x 465mm	990 x 590 x 375mm
878331	Slimline Cabinets Self-Close 170L	3	1760 x 670 x 465mm	1520 x 590 x 375mm

* Cabinets are for indoor use only.

Justrite Outdoor Flammable Liquid Storage Cabinets

- **Complies to AS 1940:2017**
- Sloped roof with 75mm overhang and drainage guttering to protect front doors
- Forklift channels for easy transportation, inclusive of bolt down bracket once stationed
- Two doors, self closing
- Three-point locking system, supplied keyed to lock
- Superior durability to withstand harsh weather conditions
- Comes with Flammable Class 3 and Danger No Smoking signs
- Shelves are 25mm thick

Purposely built for outdoor use, these weatherproof cabinets are made from durable 1.2mm welded steel construction with a dual wall insulation barrier and 150mm containment sump. They also include two close fitting doors, which have speed adjustable self-closing and latching that open to a full 180 degrees.

Other extras include two ventilation provisions inside the walls of the cabinets, metal flame arrester protection and screw in plug seal, sloped roof with 75mm overhang with drainage guttering to protect front doors from harsh outdoor weather. These cabinets also include forklift channels so they can be easily transported from one location to another.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SHELVES	STORAGE	CAPACITY	INTERNAL SIZE (H x W x D)	EXTERNAL SIZE (H x W x D)
876238	160L Cabinet	2	6 x 20L Drum Storage	120-160L	1120 x 1020 x 375mm	1230 x 1100 x 465mm
876074	250L Cabinet	3	9 x 20L Drum Storage	200-250L	1150 x 1020 x 375mm	1760 x 1100 x 465mm
876075	350L Cabinet	3	15 x 20L Drum Storage	350L	1650 x 785 x 785mm	1760 x 870 x 870 mm



DANGEROUS GOODS STORAGE & ID

Justrite Corrosive Storage Cabinets

- **Complies to AS 3780:2008**
- FM Approved
- Provide safe storage for acid and alkaline corrosives
- Tested by factory mutual research, the worlds leading testing laboratory
- Polyethylene and steel constructions

These Corrosive Storage Cabinets offer the greatest protection against corrosive spills and leaks.

The metal cabinets are constructed from 18 gauge steel and powder coated for added protection. Polyethylene cabinets offer maximum resistance against spills and will withstand the harshest of chemical vapours. All cabinets feature fully adjustable levelling feet, fully concealed sequential door closing mechanisms and have a 40mm air pocket between the internal and external walls to protect against fire. Polyethylene spill collection trays on each shelf protect against accidental spills and leaks.



STANDARD PACKAGE: 1

PART NO.	MATERIAL	CAPACITY	SIZE (H x W x D)
865575	Steel	30L	800 x 595 x 465mm
865576	Steel	60L	1005 x 595 x 465mm
865577	Steel	160L (6 x 20L Drums)	1230 x 1100 x 465mm
866044	Steel	100L	800 x 920 x 565mm
866045	Steel	250L (9 x 20L Drums)	1760 x 1100 x 465mm
866574	Polyethylene	15L	502 x 362 x 435mm
218697	Polyethylene	90L	889 x 914 x 635mm

* Cabinets are for indoor use only.

Justrite Manifest Cabinets

- Store emergency information needed by emergency services in case of a fire
- Lock compatible with 003 Emergency Services Key
- Manufactured from red zinc coated steel with full length piano hinges
- 5 year warranty
- Document holder included
- Made in Australia

Manifests are a means of providing information, and should be a part of an overall safety management strategy for premises storing or handling dangerous goods. Manifest Cabinets provide a means to store this information and should be installed at the entrance to the property.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W x D)
845557	Manifest Cabinet	500 x 400 x 130mm

* Cabinets are for indoor use only.





Value Manifest Cabinets

- For storing Emergency and HAZMAT information outside a site
- Includes 2 x 003 keys each
- Small size fits A4 sheets or thin binders
- Large size fits document binders (sold separately)

Manifest Cabinets Store HAZMAT information as required by Emergency Services in case of a fire and should be part of an overall safety management strategy. Emergency services workers have copies of the 003 key so that they can access the information. Manifests and site plans are required to be kept in a red weatherproof container. The box must be located near the main entry to the facility so that it is easily accessible to emergency services.




STANDARD PACKAGE: 1

PART NO.	STYLE	SIZE (H x W x D)
877688	Small	425 x 325 x 100mm
877689	Large	500 x 500 x 150mm

Safety Data Sheet Binder

High quality vinyl binder protects SDS's and is safety-striped for high visibility. Maintains and neatly organises up to 400 typical A4 SDS's.



STANDARD PACKAGE: 1

PART NO.	SIZE (H x W x D)
58678	260 x 320 x 65mm





DANGEROUS GOODS STORAGE & ID

Hazard Communication Station

The Hazard Communication Station is an easy, simple and highly visible way to make SDS binders and information available in the workplace. Ideal for placement in laboratories, office areas or on the shop floor. Units sold individually. Large enough to hold two 3-ring binders. Extra large bins hold employee handbooks. Binders and handbooks sold separately.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W x D)
58620	Hazard Communication Station	600 x 750 x 100mm

Binders sold separately, please see below.

Outdoor SDS Centre

In the event of an emergency ensure SDS's are readily available to response teams if entrance to a building is not possible. The Centre is made from a durable outdoor grade material and has four mounting holes for easy installation. SDS Centres should be placed in a highly visible area which is easily accessible at all times. Each station comes with one SDS binder.




STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W x D)
09650	Outdoor SDS Centre	380 x 400 x 180mm

Asbestos Management Register Binder

The Asbestos Management Register is made from high quality vinyl material and safety-striped for high visibility. Binder can hold all your typical A4 size documentation such as asbestos identification, risk assessment and control measures to support a strong management and control of Asbestos-Containing Materials (ACM).



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W x D)
873613	Asbestos Management Register	312 x 41 x 254mm

Removal Bags

ASBESTOS BAGS

Asbestos removal bags are designed to meet WH&S and EPA guidelines for the removal and disposal of asbestos fibres. These large bags hold up to 35kg or 120L. Bags are made from a sturdy 200 micron polypropylene.



CONTAMINATED WASTE BAGS

Ensure all your waste sorbents are bagged prior to disposal to ensure that the waste is deposited into the correct waste stream. Our heavy-duty waste bags are 40 microns thick and come with ties to secure the contents prior to disposal.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE	PACK QTY
848469	Asbestos Removal Bags	1100 x 700mm	25
852700	Contaminated Waste Bags	570 x 960mm	10






Hazchem Custom Sign Order Form

1. SELECT SIGN LAYOUT

Nominate in tick box which sign layout shown you require. Be sure to indicate your state if applicable. One sign per form.

TRANSPORT



Sample layout

PART NO.	SIZE (H x W x D)
868017	600 x 800mm steel

STORAGE & HANDLING



Sample layout

PART NO.	SIZE (H x W x D)
868018	430 x 820mm steel

COMPOSITE WARNING NOTICE



Sample layout - composite

SIZE (H x W x D)	
200 x 600mm steel	300 x 600mm steel
200 x 800mm steel	300 x 800mm steel



ALL DIAMONDS MUST BE A MIN. 100MM SQUARE. THE SIGN BACKING NEEDS TO BE LARGE ENOUGH TO ACCOMMODATE ALL 100MM SQUARE DIAMONDS REQUIRED TO DISPLAY.

2. SPECIFY INFORMATION

Specify on the blank template below the variable information you require for your sign.

UN No.	
HAZCHEM	
IN EMERGENCY DIAL 000, POLICE or FIRE BRIGADE	SPECIALIST ADVICE

Specify your required information on blank template above (chemical name, UN No., hazchem code, advice).

UN No.	
HAZCHEM	

Specify your required information on blank template above (chemical name, UN No., hazchem code, advice).

--

Specify your required information on the blank template above.

3. SELECT CLASS DIAMOND(S)

Tick the appropriate class diamond(s) you want to appear on your sign. NOTE: for the multiple class sign, place a numeral by each to indicate sequence - left to right - that they should appear.

- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: sequence:
- sequence: NO CLASS LABEL

Please Specify:

.....

3. CONTACT DETAILS

DISTRIBUTOR BILLING LOCATION:

Company Name: _____
 ABN: _____
 Address: _____
 City: _____ State: _____
 Post Code: _____ Purchase Order No.: _____
 Contact Name: _____
 Phone: _____ Fax: _____

DISTRIBUTOR SHIPPING LOCATION:


Name/Title: _____
 Company Name: _____
 Address: _____
 City: _____ State: _____ Post Code: _____
 Attn: _____
 Phone: _____ Fax: _____
 Email: _____

FAX OR EMAIL THIS FORM TO YOUR DISTRIBUTOR





DANGEROUS GOODS LABELS & PLACECARDS



Appropriate Dangerous Goods diamonds must be displayed adjacent to every major entrance to every building and to every storage area where D.G.'s are stored. An outer warning notice (HAZCHEM) must also be displayed at every vehicle access to premises.

CLASS	LEGEND	PAPER			OUTDOOR SELF-STICKING VINYL					METAL	POLY	
		25MM SQ	50MM SQ	100MM SQ	50MM SQ	100MM SQ	150MM SQ	200MM SQ	250MM SQ	270MM SQ	250MM SQ	270MM SQ
Class 1	Explosive 1	835530	835550	835570	835400	835420	835440	835460	835480	836000	842800	835607
	Explosive ** 1	859995	859996	859997	859998	859999	860000	863344	863345	863346	862296	863347
	Explosive 1.4	860005	860006	860007	860008	860009	860010	860011	860012	860013	862297	860014
	Explosive 1.5	860015	860016	860017	860018	860019	860020	863427	863348	863349	862298	863350
	Explosive 1.6	863351	863352	863353	863354	863355	863356	863357	863358	863359	862299	863360
Class 2	Flammable Gas 2	835531	835551	835571	835401	835421	835441	835461	835481	836001	842803	835608
	Flammable Gas 2 (white)	863361	863362	863363	863364	863365	863366	863367	863368	863369	862300	863370
	Non Flammable Non Toxic (black)	835532	835552	835572	835402	835422	835442	835462	835482	836002	842804	835610
	Non Flammable Non Toxic (white)	863371	863372	863373	863374	863375	863376	863377	863378	863379	862301	863380
	Toxic Gas 2	835533	835553	835573	835403	835423	835443	835463	835483	836003	842806	835613
Class 3	Oxidising Gas 2	835546	835566	835586	835416	835436	835456	835476	835496	836018	842805	835612
	Flammable Liquid 3 (black)	835534	835554	835574	835404	835424	835444	835464	835484	836004	842807	835614
	Flammable Liquid 3 (white)	863424	863425	863426	860058	860059	860060	860061	860062	860063	862302	860064
	Flammable Solid 4	835535	835555	835575	835405	835425	835445	835465	835485	836005	842808	835616
	Spontaneously Combustible 4	835536	835556	835576	835406	835426	835446	835466	835486	836006	842809	835617
Class 4	Dangerous When Wet 4 (black)	835537	835557	835577	835407	835427	835447	835467	835487	836007	842810	835619
	Dangerous When Wet 4 (white)	860065	860066	860067	860068	860069	860070	860071	860072	860073	862303	860074
	Oxidizing Agent 5.1	835538	835558	835578	835408	835428	835448	835468	835488	836008	842811	835621
	Organic Peroxide 5.2 (black)	860075	860076	860077	860078	860079	860080	860081	860082	860083	862304	860084
	Organic Peroxide 5.2 (white)	860085	860086	860087	860088	860089	860090	860091	860092	860093	862305	860094
Class 5	Toxic 6	835540	835560	835580	835410	835430	835450	835470	835490	836010	842813	835623
	Infectious Substance 6	835545	835565	835585	835415	835435	835455	835475	835495	836012	842815	835625
	Radioactive I 7	835547	835567	835587	835417	835437	835457	835477	835497	836019	842816	835627
	Radioactive II 7	835548	835568	835588	835418	835438	835458	835478	835498	836020	842817	835628
	Radioactive III 7	835549	835569	835589	835419	835439	835459	835479	835499	836021	842818	835629
Class 6	Fissile 7	863392	863393	863394	863395	863396	863397	863398	863399	863400	862307	863401
	Corrosive	835543	835563	835583	835413	835433	835453	835473	835493	836014	842819	835630
	Miscellaneous Dangerous Goods 9	837000	837001	837002	837003	837004	837005	837006	837007	836015	842820	835631
	Lithium Battery 9	-	-	878186	-	878187	-	878188	-	-	878189	-
	(Other) Dangerous Goods (white)	835544	835564	835584	835414	835434	835454	835474	835494	836017	842821	835632
Class 7	Dangerous Goods (orange)	863402	863403	863404	863405	863406	863407	863408	863409	863410	862308	863411
	Elevated Temperature Substances	863335	863336	863337	863338	863339	863340	863341	860132	860133	862309	860134
	Environmentally Hazardous Substance	-	835959	835960	835961	835962	835963	835964	835965	-	-	-
	Limited Quantity - Air	-	873076	873077	873078	873079	873080	873081	873082	-	-	-
	Limited Quantity - Sea	-	873083	873084	873085	873086	873087	873088	873089	-	-	-
Quantity		Roll of 1000	Roll of 1000	Roll of 1000	Pack of 50	Pack of 25	Pack of 10	Pack of 10	1 Each	1 Each	1 Each	1 Each

GHS Hazardous Chemical Labels

Brady can help you meet the labelling requirements of the Globally Harmonised System of Classification and Labelling of Chemicals (GHS). The WHS Regulations 2011 outline specific requirements for correct labelling of hazardous chemicals in the workplace. The key changes under GHS include new criteria for classification of chemicals, standardised label format and new GHS symbols.



GLOBALLY HARMONISED SYSTEM OF CLASSIFICATION AND LABELLING OF CHEMICALS (GHS)

CHEMICAL / PHYSICAL RISK			
	GHS EXPLOSIVE Explosives, self-reactives, organic peroxides	GHS FLAMMABLE Flammable gases, liquids, & solids; self-reactives; pyrophorics; self-heating	GHS OXIDISING Oxydizers
	GHS GAS PRESSURE Gasses under pressure		GHS CORROSIVE Corrosives
HEALTH RISK			
	GHS CORROSIVE Corrosives	GHS SEVERE TOXIC Acute toxicity (severe)	
	GHS ACUTE TOXIC Irritant, dermal sensitiser, acute toxicity (harmful)	GHS HEALTH DANGER Carcinogens, respiratory sensitisers, reproductive toxicity, target organ toxicity, germ cell mutagens	
ENVIRONMENTAL RISK			
		GHS ENVIRONMENTAL AQUATIC TOXICITY	

GHS Hazcom Training Program Employee Handbooks

The GHS Communication Training Program Handbooks are designed as helpful guides for your employees during their training. The employee handbooks, available in packs of 5, provide important information on the new GHS elements and serve as a valuable reference tool following training.



STANDARD PACKAGE: 5

PART NO.	DESCRIPTION
875780	Training Program Employee Handbook

Pre-Printed GHS Pictogram Labels

The GHS Pictogram labels are offered on die-cut sheets and are in accordance with the classification system used on GHS labels and safety data sheets. Choose the appropriate size depending on the container capacity.



STANDARD PACKAGE: 1

Container Capacity	Minimum Hazard Pictogram
≤ 500ml	15 x 15mm
> 500ml - ≤ 5L	20 x 20mm
> 5L - ≤ 25L	50 x 50mm
≥ 25L	100 x 100mm

HAZARD PICTOGRAM	VINYL			
	15MM SQ	20MM SQ	50MM SQ	100MM SQ
Flammable	875781	875782	875783	875784
Explosive	875789	875790	875791	875792
Oxidising	875797	875798	875799	875800
Gas Pressure	875805	875806	875807	875808
Corrosive	875813	875814	875815	875816
Severe Toxic	875821	875822	875823	875824
Health Danger	875829	875830	875831	875832
Acute Toxic	875837	875838	875839	875840
Environmental	875845	875846	875847	875848
Quantity	40	20	10	4



DANGEROUS GOODS STORAGE & ID

Custom GHS Labels

This Custom GHS Label Order Form is for the convenience of you and your authorised Brady Distributor. You can also order online at bradyID.com.au/GHS. If you have any questions, please contact your distributor.

1. IDENTIFY HAZARDOUS CHEMICALS

We recommend that you undertake a workplace inspection to identify and document hazardous chemicals.

2. DETERMINE CLASSIFICATION AND CAPACITY

Following identification of hazardous chemicals the classification of the chemicals and volume used or stored in your workplace should be determined. The classification details (including hazard class, category and division) can be found on the chemical Safety Data Sheet. You can also visit the Safe Work Australia website and refer to the classification and labelling for workplace Hazardous Chemical poster. The size of the label is determined by the volume of chemicals used or stored in conjunction with the container type.

3. SELECT LABEL SIZE

PART NO.	LABEL SIZES (MM) (W x H)	CONTAINER CAPACITY	GHS LABEL ELEMENTS	WORKPLACE APPLICATION
875873	50 x 50	≤ 500mL	· Product Identifier (name) · Hazard pictogram (Max 2)	Decanted Chemicals. Chemicals with known hazards handled in the workplace.
875874	125 x 90	> 500mL - ≤ 5L	· Product Identifier (name) · Hazard pictogram	Decanted Chemicals. Chemicals with known hazards handled in the workplace .
875875	180 x 180	> 5L - ≤ 25L	· Product Identifier (name) · Hazard pictogram · Signal Word	Decanted Chemicals. Chemicals with known hazards handled in the workplace.
875876	450 x 300	≥ 25L	· Product Identifier (name) · Identity & proportion of each chemical ingredient · Hazard pictogram · Signal Word · Hazard Statement	Hazardous Chemicals used or stored in the workplace that require correct labeling according to WHS Regulations 2011.

4. ORDER FORM

QUANTITY	SIZE (SEE CHART ABOVE)	HAZARD PICTOGRAM	SIGNAL WORD	HAZARD STATEMENT/S	ADDITIONAL INFORMATION

3. CONTACT DETAILS

DISTRIBUTOR BILLING LOCATION:

Company Name: _____

ABN: _____

Address: _____

City: _____ State: _____

Post Code: _____ Purchase Order No.: _____

Contact Name: _____

Phone: _____ Fax: _____

DISTRIBUTOR SHIPPING LOCATION:

Name/Title: _____

Company Name: _____

Address: _____

City: _____ State: _____ Post Code: _____

Attn: _____

Phone: _____ Fax: _____

Email: _____

Sodium Hypochlorite Solution ← Product Identifier
 (10-15% Available Chlorine)
 Contains:
 Sodium Hypochlorite 10- <30% ← Identity and proportion of each chemical ingredient
 Sodium Hydroxide <1%
UN 1791 2X
DANGER ← Signal Word
 Causes severe skin burns and eye damage
 Very toxic to aquatic life ← Hazard Statements
 Wear protective gloves/ protective clothing/ eye protection/face protection. ← Precautionary Statements
 Refer to the Safety Data Sheet before use. ← Other Information
 ABC Chemical Corporation, 123 Chemical Road, Chemical Town, State. ← Business Details
 Telephone: 1800 123 456

The label is provided as an example only to illustrate GHS elements only and is not drawn to scale.

DECANTED CHEMICALS: means to transfer a hazardous chemical from a correctly labelled container to another container within a workplace.

FAX OR EMAIL THIS FORM TO YOUR DISTRIBUTOR



Warning Triangle Kit

The Emergency Warning Triangle has red reflectors for both day and night visibility. The base is weighted for stability in high winds. Each kit contains three triangles in a double moulded plastic carrying case. Triangle sides are 42cm.



STANDARD PACKAGE: 1

PART NO	DESCRIPTION	SIZE (H x W x D)
844108	Warning Triangle Kit	420 x 420 x 420mm

FOR VEHICLE FIRST AID AND BREAKDOWN PACK, REFER TO THE
BRADY
FIRST AID
MINI-CATALOGUE

FOR A VARIETY OF DANGEROUS GOODS, EMERGENCY INFORMATION AND VEHICLE & TRUCK SIGNS

Refer to the
BRADY
SAFETY
SIGNS
MINI-CATALOGUE

BRADY
Safety Signs
 COMPLETE SOLUTIONS

Danger | Warning | Mandatory | Prohibition

PRODUCT CATALOGUE

OVERSIZE

FIRST AID

NO SMOKING

HAZCHEM

SDS LOCATED HERE

RISK OF ELECTRIC SHOCK

Flip-File Placard

Includes 15 legends so you're always prepared for the next load. "Flip" through until you display the legend you need. Heavy duty construction. Weather tested paint stays bright and resists chipping. Stainless steel rivets and hinges resist rust and corrosion.



LEGENDS ARE:

- Dangerous Goods
- Flammable Liq **3**
- Corrosive **8**
- Oxidizing **5.1**
- Toxic **6**
- Flammable Gas **2**
- Non-Flammable /Non-Toxic Gas **2**
- Explosive **1.1**
- Toxic Gas **2**
- Flammable Solid **4**
- Misc. **9**
- Please Drive Safely

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W x D)
876965	Australia	350 x 350mm
833256	New Zealand	25 x 25mm



VISUAL WARNING

Site safety is serious business. Mark your facility at each point of need with Brady's range of high performance visual warning products. Ensure your safety message is communicated effectively, keeping your employees and visitors safe from harm. Check out our top sellers in this section:

- PAGE 48 -

DELUXE FLOOR STAND: WET FLOOR



- PAGE 63 -

SKIPPER CONE BARRIER SYSTEM



- PAGE 69 -

ECONOMY BARRICADE TAPE: DANGER DO NOT ENTER



- PAGE 91 -

FLOORING TACTILE WARNING: SAFETY YELLOW



Visual communication in the workplace

A VISUAL WORKPLACE IS A SAFE WORKPLACE

Visual communication tools prevent injuries and ensure staff and visitors are aware of possible dangers and protective equipment requirements for designated work areas. Placement of your visual tools should easily locate potential hazardous areas and alert people to proceed with caution.

Safety communication messages should also be easy to understand and be reliable education and warning tools. To remain effective all messages should be regularly reviewed and appropriate safety training be provided to workers.

On this page we have outlined some suggestions that will help you create a visual workplace. Some of the communication benefits include:

- Reduced Injuries
- Ease of Translation
- Productivity Uplift
- Simplicity and Immediacy
- Workplace Specific

COLOUR CODED VISUAL COMMUNICATION

Due to the easy, non-verbal nature of verbal communication some workplaces apply a colour coded system to identify significant information.

RED

Identify or indicate the location of danger, fire protection equipment (reels, hydrants) and apparatus, stop buttons and emergency stop controls.

YELLOW

Designate places where caution should be exercised and where cautionary notices of a general nature should be displayed.

BLUE

Identify mandatory instruction areas (example PPE required area) or places where it is desired to convey information of a general nature.

GREEN

Used for denoting safety and for indicating the location of safety and first aid equipment (PPE, eye wash showers, exit signs).





Deluxe Floor Stands

- Lightweight and portable
- Will not dent or corrode
- Contoured hand holes
- Two-sided, measuring 280 x 670mm high (closed)
- Made from high density polyethylene
- Large message visible from over nine metres
- Strong hinged construction
- Quick and easy storage



STANDARD PACKAGE: 1

DESCRIPTION	SIZE (H x W)
Deluxe Floor Stands	670 x 280mm



FOR CUSTOM FLOOR STANDS, PLEASE CONTACT YOUR LOCAL BRADY DISTRIBUTOR





VISUAL WARNING

Heavy Duty Floor Stands

- Strong A-frame construction
- Folds for easy storage
- Hand hole for easy handling
- Sturdy polypropylene resists water and caustic chemicals
- Bright and bold for high visibility
- Special design prevents sagging



STANDARD PACKAGE: 1

DESCRIPTION	SIZE (H x W)
Heavy Duty Floor Stands	500 x 300mm



A-Frame Barricade Stands

- Use as a barricade or portable message stand
- Available in three colours
- Choose stand with sand bag slot to fill with sand for extra stability
- Display signage on your stand
- Style C has slots to allow sand bags for added stability where required



Style B Holds 600 x 900mm Sign
Style C Holds 600 x 600mm Sign
Style A Holds 600 x 600mm Sign

STANDARD PACKAGE: 1

PART NO.	STYLE	COLOUR	SIZE (H x W)
850299	A	White	635 x 915mm
850300	A	Yellow	635 x 915mm
859395	A	Orange	635 x 915mm
850296	B	White	635 x 1143mm
850297	B	Yellow	635 x 1143mm
850298	B	Orange	635 x 1143mm
850302	C	White	635 x 1143mm w/ Slots
850303	C	Yellow	635 x 1143mm w/ Slots
850304	C	Orange	635 x 1143mm w/ Slots





Changeable Message Kit

Create your own message with this lettering kit, to be used with Style B Heavy Duty Barricade Stands (see A-Frame Barricade Stands on previous page).

KIT CONTENTS:

- 300 x 100mm (H) Characters
- 8 x 200mm (H) Word Panels
- 22 x 200mm (H) Numbers
- 1 x Mounting Hardware




STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
854674	Message Kit

2 Legend Economy Floor Stands

ECONOMICAL - TWO SIGNS FOR THE PRICE OF ONE

- Made from 3mm thick corrugated plastic multiflute
- Printed on four sides. Displays one warning message when standing up. Simply fold sign all the way back to expose the second message
- Lightweight and weather-resistant - Ideal for temporary or short-term applications



Legend 1 Legend 2

STANDARD PACKAGE: 1

DESCRIPTION	SIZE (H x W)
2 Legend Economy Floor Stands	500 x 300mm

FOR CUSTOM AND OTHER FLOOR STANDS IN THE RANGE, PLEASE CONTACT YOUR LOCAL BRADY DISTRIBUTOR



Legend 1 839068 Legend 2



Legend 1 839070 Legend 2



Legend 1 839073 Legend 2




Legend 1 839069 Legend 2



Legend 1 839071 Legend 2



Legend 1 839080 Legend 2



Legend 1 839079 Legend 2



Legend 1 839076 Legend 2





VISUAL WARNING

Safety Traffic Cones


- Extra large, bright cones printed on four sides for maximum visibility
- Lightweight and durable moulded plastic construction for long life
- Lock-in sign attachment set for specific warnings

STANDARD PACKAGE: 1


DESCRIPTION	HEIGHT (CM)
Plain Cone	63
Message Cone	63
Plain Cone	89
Message Cone	89
Glow Cone	89



FOR CUSTOM CONES, PLEASE CONTACT YOUR LOCAL BRADY DISTRIBUTOR



77205 (89cm)
77198 (63cm)



77204 (89cm)



854835 (89cm)



854842 (89cm)



854839 (89cm)



77203 (89cm)
77201 (63cm)



854849 (89cm)



854834 (89cm)



77202 (89cm)
77200 (63cm)



854848 (89cm)



854837 (89cm)



854845 (89cm)
854846 (63cm)



854838 (89cm)



854831 (89cm)



854832 (89cm)



854847 (89cm)
(Glow in the dark)

Traffic Cone Accessories

- A. Removable weight provides extra stability and easily fits over the top of the cone
- B. Yellow warning chain locks directly onto cone

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
77228	63cm Removable Weight Ring
77208	89cm Removable Weight Ring
77207	Yellow Chain 6m
834363	206 x 206mm Red Plastic Frame

LOCK-IN SIGN FRAME



CHAIN



Yellow, plastic links lock directly onto cone.



Easily attach accessories to your traffic cones for a complete barrier system





Traffic Cone Signs

- Self-adhesive vinyl
- Adhere to Lock-In Sign Frame (previous page)
- Custom signs available
- Two units required for double facing unit



STANDARD PACKAGE: 1

DESCRIPTION	SIZE (MM)
Warning Signs	206 x 206

Econ-O-Cone Safety Cones

- Perfect for highlighting hazardous areas
- Four sided signs are 900mm high for maximum visibility with a 300mm square base
- Constructed from die-cut multflute making them lightweight, durable and stackable
- They accept our 8mm plastic chain shown below


STANDARD PACKAGE: 1

DESCRIPTION	HEIGHT (MM)
Econ-O-Cone Printed	900



PLASTIC CHAIN

Econ-O-Cones have fixing points on all four sides for easy chain mounting.




PART NO.	COLOUR	LENGTH (M)
37993	Black Chain	30
37996	White Chain	30
37997	Yellow Chain	30

ECON-O-CONE WEIGHTS

Sold in pairs, simply screw these powder-coated metal weights on for an additional 2.6kg to your Econ-O-Cone, giving a total weight of 3.3kg.

PART NO.	DESCRIPTION
842010	Weight Pair





VISUAL WARNING

Portable Cone Barrier System

- Highly visible, bright yellow hazard protection system
- Multilingual "caution" graphic
- Complete, expandable system for quick deployment
- Expand system with additional units **(851261)**

Whether re-directing foot traffic or warning of a hazard, put Rubbermaid's Safety Cones and Barricade System on the scene. Rubbermaid's innovative safety cones and barricade system complement any safety program. Self-retracting belt adjusts up to 1.8 metres and the weight rings provide superior stability. Cones can be easily stored and transported. The small base footprint requires minimum storage space when stacked.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
851261	Portable Cone Barrier System



SYSTEM INCLUDES:

- 1 x 914mm High Cone (additional cones can be ordered separately)
- 1 x Steel double weight ring (4.5kg)
- 1 x Belt Cassette (75mm x 1.8m)

Trivu[®] 3-Sided Safety Cones

- Inform and alert visitors and employees
- Stackable for convenient storage
- Sure to be seen from a distance

These one metre tall, high visibility fluorescent cones offer three-sided "viewing" from as far away as ten metres. Help reduce slip and fall injuries with your choice of messages. Cones have three convenient handles and are stackable.



Removable Weight Ring

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W)
848282	Blank	1000 x 330mm
848280	Do Not Enter w/ Picto	1000 x 330mm
848281	Removable Weight Ring 2.5kg	1000 x 330mm



848282

848280





Pyramids

- Tough moulded plastic, UV stabilised
- Customise the three faces with any text on class 1 reflective backing
- Stackable for easy storage
- Ideal for identifying temporary areas
- Perfect for use with solar warning beacons and reflectaline (below)



WEIGHT: 9kg

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR	SIZE (H x W)	B
874601	Pyramid	Red	885 x 790mm	B
874602		White	885 x 790mm	
874603		Yellow	885 x 790mm	
874604		Blue	885 x 790mm	
874605		Green	885 x 790mm	




Solar Warning Beacons

- Solar panel and light sensitive switch
- LED flashing light in 4 colours
- Class 1 reflective band
- Fully sealed from water & dust
- Attach to traffic cones or triangles
- 500m visual range
- Light sensor
- Flash rate 60 times per minute

STANDARD PACKAGE: 1

PART NO.	COLOUR	HEIGHT (MM)	B
874607	Red	200	B
874608	White	200	
874609	Yellow	200	
874610	White	200	
874610	White	200	



Reflectaline

- 3M™ Diamond Grade™ Class 1 reflective tags
- UV stabilised yellow cord

Ideal for use with pyramid and T-top bollards. Perfect for use on mine sites and other areas where a highly visible barrier is required day and night. Includes cord reel and stand. Available in Yellow and Orange / Yellow.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	LENGTH (M)	B
875146	Reflectaline Orange/Yellow	100m	B
874612	Reflectaline Orange/Yellow	500m	
874613	Reflectaline Orange/Yellow	1000m	
874614	Reflectaline Orange/Yellow	500m	
874615	Reflectaline Orange/Yellow	1000m	
875557	Galv Stand	Suits 500m and 1000m Reflectaline Reels	





VISUAL WARNING

Post and Rope System

- Premium portable barrier system at an affordable price
- Brushed stainless steel pole and top ring
- Attractive finish
- Ideal for shopping centres, exhibitions and showrooms
- 840 x 350mm (H x Base)

These affordable crowd control stand systems are tough and almost impossible to be toppled over. Superb centre of balance ensures this stand is ideal for all areas (even with children).

Pole and Top ring constructed from brushed stainless steel, ensures the post conceals finger print marks, scuffs and scratches, whilst the weighted base comes with a stainless steel cover plate.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR
875465	Post and Base	Brushed Steel Only
855034	Coloured Rope - 1.5m	Red
855036		Blue
855037		Black
872131	Wall Brackets	Chrome



Heavy Duty Guideline Posts

- Thicker, larger post and base
- Constructed of weatherproof plastic - won't rust like metal posts
- C-hooks sold separately (refer to next page)

These thicker, more substantial Guideline Posts measure 76mm in diameter, 105cm in height. Hollow base can be filled with sand or gravel for added stability. You have the choice to either run a longer chain straight through the post, or attach smaller lengths of chain to each post using a C-Hook (as pictured).

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR
854791	Heavy Duty Stanchion	Black
854793		Yellow
854794		Black/Yellow
845577	C Hook - Pack of 6	Black
845576		Yellow






Warning Chain & Standard Guideline Posts

- Durable, lightweight plastic chain and posts
- Attention grabbing, fast assembly


These Guideline Posts are 63mm in diameter, one metre high, with a 355mm diameter base. Base may be filled with sand or concrete (usually not necessary). Easy to set up, move and store. Simply remove the Stanchion ball top and insert the "C" Hook Connector to hold the plastic chain. S-Hooks measure H 55 x W 30mm and are 6mm thick.



Chains

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR
37992	Stanchion	Yellow
37987		Black
37991		White
37989		Black/Yellow
37993	Chain - 30 metres	Black
37996		White
37997		Yellow
37998	S Hooks - Pack of 12	Black
38002		Yellow
38003	Connect Links - Pack of 12	Black
38006		White
38007		Yellow
845577	C Hook - Pack of 6	Black
845576		Yellow





VISUAL WARNING


Tensabarrier® Post System

- 4-way connectivity
- Anti-tamper locking tape end
- Patented webbing brake system (CRS)
- 2.3m or 3.65m tape length options

World leading queue system solutions. Systems manufactured to the highest quality standards, easy to install, set-up and change, and are available in a range of different styles to suit your application. Tensabarrier® is the ideal system for crowd management, guidance and direction. Stanchions are sturdy and stand 955mm high with a 350mm diameter base and post diameter of 50mm. Overall weight is 11kg per stanchion.



Black Post



Stainless Steel Post



STANDARD PACKAGE: 1

PART NO.	WEBBING LENGTH	POST COLOUR	WEBBING COLOUR
851974	2.3m	Black	Black
847454	2.3m	Black	Black/Yellow Chevron
847455	2.3m	Black	Red/White Chevron
842049	2.3m	Black	Black w/ White Stripe
851971	2.3m	Stainless Steel	Black
851981	3.65m	Black	Black
851983	3.65m	Black	Black w/ White Stripe
851978	3.65m	Stainless Steel	Black
854894	-	Black	Receiver Post (w/o Webbing)
854896	-	Stainless	Receiver Post (w/o Webbing)
842052	-	-	Receiver Clip (Wall Mount)






Retracta-Belt Crowd Control


- Built in 4-way connectivity
- 3 metre belt with brake feature
- Concrete base with stainless steel cover
- Posts are 63mm diameter, 990mm high
- 3 metre belts with brake feature and self-locking clips
- Available with a choice of six standard colours
- 201 grade stainless steel in a brushed finish
- Thickness: 0.7mm
- Base: 350mm diameter

STANDARD PACKAGE: 1

PART NO.	TAPE COLOUR
878024	Black
878409	Blue
878410	Red
878411	Black/Yellow
878412	Yellow
878413	Red/White



BELT COLOUR OPTIONS



Retracta-Belt Extreme


- Non-metallic construction for harsh or corrosive sites
- Built in 4-way connectivity
- Non-marking rubber base, gentle on floors
- Posts are 63mm diameter, 990mm high
- 3 metre belts with brake feature and self-locking clips
- Available with a choice of six standard colours
- Extruded UPVC in highly visible Yellow colour
- Thickness: 1.6mm
- Base: 380mm diameter

STANDARD PACKAGE: 1

PART NO.	TAPE COLOUR
878420	Black/Yellow
878421	Black
878422	Red
878424	Blue
878425	Yellow
878423	Red/White



BELT COLOUR OPTIONS



NB: Do not extract tape past stated length as cassette may be damaged.





VISUAL WARNING

Heavy Duty Tensabarrier® Posts

- Highlight hazardous areas
- Indoor or outdoor use
- Patented webbing brake system (CRS)
- Modular cassette design offering four point 4-way connectivity

Free-standing and suitable for indoor or outdoor applications. Each post measures 955mm high and contains 3.65 metres of retractable webbing. The posts are heavy duty and have an anti-roll base with quick, easy attach/detach fittings. They are extremely portable with ergonomic hand grabs to aid mobility and weigh only 8kg. Receiver / End posts available, see table.

STANDARD PACKAGE: 1

PART NO.	STYLE	POST COLOUR	WEBBING COLOUR
850385	Standard	Red (Reflective)	Red/White Diagonal Stripe
850388	Standard	Black	Black/Yellow Diagonal Stripe
850391	Standard	Yellow	Black/Yellow Diagonal Stripe
861331	Standard	Red	Red/White Diagonal Stripe
850399	Dual-Line	Red (Reflective)	Red/White Diagonal Stripe
850403	Dual-Line	Black	Black/Yellow Diagonal Stripe
850404	Dual-Line	Yellow	Black/Yellow Diagonal Stripe
861332	Dual-Line	Red	Red/White Diagonal Stripe
856675	Standard	Red	Receiver Post
854885	Standard	Yellow	Receiver Post
856677	Dual-Line	Red	Receiver Post
856676	Dual-Line	Yellow	Receiver Post




Outdoor Tensabarrier® Stanchion System

- Specifically designed for outdoor use
- Ultra-violet stabilised PVC post
- 3.65 metres of retractable tape
- Modular cassette design offering four point 4-way connectivity
- Patented webbing brake system (CRS)

Use as many posts as needed to form a barrier of any required length and configuration. The retractable weather resistant tape spans 3.65 metres and is available in two colours. The PVC post is UV resistant to prevent fading. The rugged PVC base is designed to be filled with sand for base stability.

STANDARD PACKAGE: 1

PART NO.	POST COLOUR	TAPE COLOUR
851566	White	Red/White
848909	Red	Red/White
851654	Yellow	Yellow/Black



A number of posts can be used together to form a barrier of any required length and configuration.



**CUSTOM OPTIONS AVAILABLE.
CALL YOUR DISTRIBUTOR FOR A QUOTE**

NB: Cassette's fitted with approx. 10% extra tape. Do not extract tape past stated length as cassette may be damaged.



Tensabarrier® Wall Mount Barrier Units

- Four webbing lengths available – 2.3m, 4.6m, 7.7m or 9m
- Range of webbing options
- Anti-tamper tape end and patented webbing brake system (CRS)
- Suitable for outdoor use

i IDEAL FOR PREVENTING UNAUTHORISED ACCESS TO AREAS IN YOUR FACILITY

These wall mount units come in powder-coated black casing, and are ideal for closing off an area or walkway. Simply pull webbing from cassette and attach to Wall Clip (supplied) – retracts back into cassette when released. Fittings not included.



*Image for illustration purposes only.



2.3m Barrier Unit




4.6m and wider Barrier Unit

STANDARD PACKAGE: 1

PART NO.	WEBBING LENGTH (M)	BELT COLOUR/DESIGNS WEBBING OPTIONS
851985	2.3	Red Webbing (2)
851989	2.3	Black/Yellow Diagonal Stripe (7)
851986	2.3	No Entry (4)
851988	2.3	Caution Do Not Enter (6)
851997	4.6	Danger Forklift Truck (5)
851998	4.6	Caution Do Not Enter (6)
851999	4.6	Black/Yellow Diagonal Stripe (7)
852000	4.6	Red/White Diagonal Stripe (8)
852003	7.7	Black/Yellow Diagonal Stripe (7)
873467	9.0	Black/Yellow Diagonal Stripe (7)
874880	9.0	Red/White Diagonal Stripe (8)



WEBBING COLOUR OPTIONS

	
1	2
	
3	4
	
5	6
	
7	8





VISUAL WARNING


Retracta-Belt Wall Mount

- Ideal for where floor space is limited such as warehouse, loading docks; etc
- Includes wall receiver bracket and self-locking belt clip
- Optional magnetic belt clip available

A heavy duty polycarbonate body housing a 7.6 metre retractable belt. Available with a choice of six standard colours.



BELT COLOUR OPTIONS



STANDARD PACKAGE: 1

PART NO.	COLOUR	BELT LENGTH (M)
872189	Black/Yellow	7.6
872191	Yellow	7.6
872190	Red	7.6
877664	Red/White	7.6
877663	Blue	7.6
872192	Black	7.6



Magnetic Mount Retractable Barrier

- Compact and robust design
- Includes magnetic base and magnetic belt clip

Hi-impact polycarbonate housing and a magnetic backing gives this retractable barrier durability and flexibility of being able to be quickly repositioned. Comes with a 7.6 metre Red/White or Yellow/Black retractable belt. Safety bungy prevents damage if accidentally dislodged.



STANDARD PACKAGE: 1

PART NO.	COLOUR	BELT LENGTH (M)
871681	Black/Yellow	7.6
877655	Red/White	7.6

BELT COLOUR OPTIONS





Skipper™ Cone Barrier System

- Unique and versatile way to barricade any outdoor area, creating a safe environment
- Features a Red/ White or Black/White high visibility retractable 9m tape
- Simply click on to the top of most traffic cones
- Features a lock/unlock function to keep webbing tense
- Wide range of Accessories available
- Weight: 795g



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W x D)
873884	Skipper 9m Tape - Black/Yellow	240 x 145 x 145mm
863831	Skipper 9m Tape - Red/White	240 x 145 x 145mm



Skipper™ Post and Base System

- To be used with Skipper™ Cone Barrier system (above). The Skipper unit attaches firmly to the top of the post as easily as it does to traffic cones
- The Post and Base system can be used indoors and outdoors, and can withstand strong windy conditions
- Simply pour water or sand into the base for strength and stability
- The unique, interchangeable base allows the post to be sunk into the ground with a spike or attached to its sturdy base for use on hard surfaces

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	HEIGHT (MM)
873122	Post & Base	1120
877264	Spike Base	1120












VISUAL WARNING





Skipper™ Accessories (Outdoor)

Complete your Skipper™ Cone Barrier Control System by purchasing accessories to suit your outdoor applications.

PART NO.	IMAGE	DESCRIPTION	SIZE (H x W x D)
863833	 Dummy Receiver	A dummy unit has the same body as a standard Skipper unit, but contains no tape. It is to act as the end point of a cordon line.	240 x 145 x 145mm
873886	 Safety Light - Amber	A multifunctional, LED system that attaches to Skipper and Skipper XS units. Has a light sensor and an integrated rechargeable battery compartment.	122 x 140 x 140mm
854788	 A4 Sign Holder	This A4 sign holder is designed for use with both Skipper and Skipper XS unit, allowing you to easily display warnings, promotional messages and directions.	348 x 266 x 28mm
854789	 Wall Support Bracket	Designed to be used with the Skipper unit and ideal for situations where using a cone or post is not appropriate. Can be screwed into place for permanent/semi-permanent use.	168 x 124 x 130mm
854790	 Magnetic Support Bracket	Designed to be used with the Skipper unit and ideal for situations where using a cone or post is not appropriate. Can be attached to vehicles, shelving and other metal surfaces.	168 x 124 x 130mm
872032	 Wall Receiver Clip	Act as an end-point for Skipper and Skipper XS barriers. Simply pull out the tape and slide it into the receiver clip. Can be screwed into place for permanent/semi-permanent use.	168 x 124 x 130mm
872194	 Magnetic Receiver Clip	Act as an end-point for Skipper and Skipper XS barriers. Simply pull out the tape and slide it into the receiver clip. Can be attached to vehicles, shelving and other metal surfaces.	168 x 124 x 130mm

Skipper™ XS System (Indoor)

The Skipper™ XS range of products is designed for use in internal environments such as warehouses, factories and facilities management.

PART NO.	IMAGE	DESCRIPTION	SIZE (H x W x D)
876921	 Skipper™ XS System	The Skipper XS unit has all the great versatility of the standard Skipper unit, but is for use without cones or posts. Ideal for sectioning off hazards in any interior environments, the XS range allows for connection to any indoor surface, from high gloss and glass, to worktops, shelving, door frames and pillars. Comes with 9 metres of retractable tape, as well as new connector points for affixing to its own unique range of accessories.	126 x 145 x 145mm
876922	 XS Clamp	The clamp is used to attach the Skipper XS unit and/or tape end to angular surfaces such as door frames, work surfaces and racking. The clamp holder/receiver can be positioned either horizontally or vertically depending on the desired application.	223 x 140 x 103mm
876923	 Magnetic & Cord Strap Holder/Receiver	The cord strap clips utilise a robust bungee cord to tourniquet to structures such as pillars, trees and scaffolding. Designed to attach to angular surfaces, the cord strap clips are highly practical for indoor and warehouse environments, and can both hold the Skipper XS unit and receive its tape end clip.	105 x 131 x 19mm
876920	 Suction Pad Holder/Receiver	Suction pad connects to high gloss surfaces and glass.	45 x 78 x 117mm






Expanding Barrier System

- Suitable for indoor and outdoor use
- Can be used in wall mounted or free-standing configuration
- Compact and lightweight
- Spare parts and accessories are sold separately (refer to next page)


A versatile and portable solution to all your pedestrian and vehicular traffic control problems. The unique design of the extruded aluminum slats and vertical posts makes the system strong and lightweight, while the injection moulded plastic feet ensure the complete unit is durable and corrosion free.

The barrier system comes with attachments required for using your barrier in either the free-standing or wall-mounted configuration. This means that two separate barriers are now rolled into one. It also comes with a sign mounting bracket and wall receiver bracket that allows your barrier to be locked to a wall or post when fully extended.



852519
Free-Standing Config.

852519
Wall-Mounted Config.



852518
Free-Standing Config.

852518
Wall-Mounted Config.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (M)	COLOUR
FREE-STANDING/WALL-MOUNTED			
852517	Expanding Barrier 5.4kg	3.0	Red & White
852519	Expanding Barrier 5.4kg	3.0	Black & Yellow
852518	Expanding Barrier 8.3kg	6.0	Red & White
852520	Expanding Barrier 8.3kg	6.0	Black & Yellow
FLEXI			
855026	Flexible Barrier	5.4	Red & White
855027	Flexible Barrier	5.4	Black & Yellow



SPECIFICATIONS

Material: Powder Coated Aluminium. Feet U/V Stabilised Moulded Plastic. Wall Brackets Black ABS.

Finish: Red/White Or Black/Yellow Powder Coat

Height: 980mm to top of posts

Width: Open 3.0m, closed 300mm or open 6.0m, closed 480mm



Flexi Barrier





VISUAL WARNING

Expanding Barrier System Parts and Accessories

• Suitable for expanding barriers (on the previous page)

Plastic Moulded Feet - Replacement black plastic foot moulded from durable ABS plastic.

Locking Castors - Expanding Barrier locking castors quickly and effectively convert your new or existing barrier making it much easier to move about. Sold individually, no special tools or modifications are required, simply attach the castors with the fixings supplied.

Mounting Post - A freestanding post for installation of Expanding Barriers where there is not a wall or structure to mount off - simply mount using the brackets supplied. Black powder coated steel with a flange base.

Wall Mount Bracket - Additional wall mount bracket for Expanding Barriers.

Wall Receiver Bracket - Allows Expanding Barriers to be locked into position to temporarily close off an area, restrict access or prevent unauthorised removal.

Post Base Weight - Adds 1.5kg per post and are ideal for high wind areas. Weights are sold individually.

A4 Sign Pocket - Display your signs / messages with this double-sided holder. Fitted into the top of the post.



877413 - Plastic Moulded Feet



878244 - Locking Castors



876088 - Locking Castors



878427 - Wall Mount Bracket



878427 - Wall Receiver Bracket



875166 - Post Weight

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	PART NO.	DESCRIPTION
877413	Black Plastic Moulded Feet	878427	Wall Mount Bracket
876088	Locking Castor - Suit Plastic Feet	878428	Wall Receiver Bracket
878244	Locking Castor - Suit Single Post	875166	Post Base Weight 1.5kg
878426	Mounting Post	877656	A4 Sign Pocket



878426 - Mounting Post




877656 - A4 Sign Pocket

Heavy Duty Expanding Barriers

- Greater level of security and safety
- Suitable for indoor or outdoor application
- Can be linked together to form a continuous barrier
- 6.7 or 7.8 metre models available

A combination of aluminium slats, galvanised slide components and stainless steel fixings. Comes standard with 4 heavy duty swivel castors and fixed dolly wheels for ease of movement from one location to another. Can also be wall mounted at one end and rolled out as required with minimal effort (wall receiver bracket sold separately and available upon request). The wheels are extended for extra stability.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x L)
872193	Heavy Duty Expanding Barrier	1.43 x 6.7m
877027	Heavy Duty Expanding Barrier	1.80 x 7.8m






Mobile Safety Barriers

- For indoor use
- 3.9m long with 16 articulating panels
- Two 127mm non-marking wheels
- Four locking straps to secure barrier in closed position
- Easy to store
- Shipped assembled
- Flexible – can be set straight, curved or in a circle

Rubbermaid's Mobile Safety Barrier is mobile and easy to transport, set-up, take-down as well as efficient to store. It is also easy to see with a generous field for high visibility. The focus on safety and security has become a high priority to many companies as they become more aware of the need to secure and restrict access to potentially hazardous areas. Because of this, there is a growing need for superior solutions to ensure the overall safety of the general public.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
851268	Mobile Barrier

SPECIFICATIONS

- Open Size:** 1016 x 3960 x 254mm (H x L x W)
- Closed Size:** 1016 x 610 x 330mm (H x L x W)
- Sign Panel Size:** 180 x 260mm (L x H)
- Weight:** 16.8kg

Economy Plastic Expanding Barrier

- Sturdy plastic construction
- Lightweight and portable
- Built-in handle and locking strap for ease of handling
- Corrosion resistant

Compact and lightweight the Economy Plastic Expanding Barrier is suitable for indoor or outdoor use. The plastic slats and legs are durable and lightweight, but for extra stability the legs allow for water filling and give it some needed weight in windy conditions. When fully extended the economy expanding barrier is 2.4 metres wide and retracts to 250mm when fully closed.


A versatile and portable solution to all your pedestrian traffic control problems. Available in Black/Yellow only. Weighs 3kg.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
877256	Economy Expanding Barrier

NB: Product comes unassembled with instructions.





VISUAL WARNING

Standard Barricade Tape

Printed Barricade Tapes warn against hazards or dangerous work zones with specific warning messages. The durable, yet lightweight tape comes in easy-to-use rolls so that it can be put up quickly to block off large areas of danger. Wrap it around poles and barrels, or staple it to wood. When the hazard is removed, roll up the tape for reuse.



STANDARD PACKAGE: 1

DESCRIPTION
Standard Barricade Tape

*Tapes with symbols are shown on page proportionately larger for pictogram clarity.



AUTHORIZED PERSONNEL ONLY 75mm x 60m 91468 75mm x 300m 834500	CAUTION CAUTION 75mm x 60m 91212 75mm x 300m 834501	CAUTION DO NOT ENTER 75mm x 60m 91224 75mm x 300m 873593
CONFINED SPACE DO NOT ENTER 75mm x 300m 91257	RESTRICTED AREA DO NOT ENTER 75mm x 300m* 855434	DANGER ASBESTOS DUST HAZARD 75mm x 60m 91255
DANGER HIGH VOLTAGE 75mm x 300m* 834555	CAUTION DO NOT ENTER 75mm x 300m* 834552	SECURITY LINE DO NOT CROSS 75mm x 300m* 834562
[Yellow] 75mm x 300m 834548	[Black/Yellow Diagonal] 75mm x 60m 91214 150mm x 300m 834513	[Orange] 75mm x 300m 834549
DANGER DO NOT ENTER 75mm x 300m 834530 150mm x 300m 834539	DANGER DO NOT ENTER 75mm x 60m* 870935	DANGER 150mm x 300m* 834538
DANGER ASBESTOS HAZARD 75mm x 300m 834529	[Red/White Diagonal] 75mm x 300m 834550	

WHICH BARRICADE TAPE IS BEST FOR YOU?

- STANDARD BARRICADE TAPE:** For general purpose application.
- HEAVY DUTY BARRICADE TAPE:** For use in heavy winds or when extra strength is needed.
- ECONOMY BARRICADE TAPE:** For short term or temporary use.
- PLASTIC FLAGGING TAPE:** Economical one time use. Throw away after using.

We can custom make barricade tape to your requirements, call for a quote.

Heavy Duty Barricade Tape

- Durable 0.15mm thick, tear resistant tape
- Ideal for tough jobs
- Perfect for extended use and longer distances



STANDARD PACKAGE: 1

DESCRIPTION	SIZE (W x L)
Heavy Duty Barricade Tape	75mm x 300m



91104



834571 - Danger



834679 - Caution Do Not Enter



834684 - Caution

MARK HAZARDOUS ZONES WITH HIGH VISIBILITY POLYETHYLENE TAPE





Economy Barricade Tape

- 0.05mm thick for indoor/outdoor use
- Bright and visible from distance
- Helps to prevent potential accidents



STANDARD PACKAGE: 1

DESCRIPTION	SIZE (W X L)
Economy Barricade Tape	75mm x 150m



834575 - Caution Do Not Enter



834576 - Caution



834588 - Danger Do Not Enter



834580 - Danger



834579



834584



FOR CUSTOM BARRICADE TAPE, PLEASE CONTACT YOUR BRADY DISTRIBUTOR

Woven Barricade Tape

- Made of B-903 polypropylene
- Contains ultraviolet inhibitors for permanent outdoor marking



STANDARD PACKAGE: 1

PART NO.	SIZE (W x L)	COLOUR
872373	19mm x 30m	Red/Black
91176	51mm x 60m	Yellow/Black
872374	51mm x 60m	Red/Black
860592	51mm x 60m	Red



Plastic Flagging and Safety Tape

- Easy-to-tear and tie
- Available in standard and fluorescent colours

Flag boundary stakes, trees and hazardous areas with bright 30mm wide tape. Clearly visible even from a distance. Use indoors or out. Standard colour rolls are 90 metres long, fluorescent rolls are 45 metres long. Inside core dimension is 38mm.



Fluoro. Green

Fluoro. Lime

Fluoro. Orange

Fluoro. Pink

Fluoro. Red

Black/White

Blue/White



White



Green



Yellow



Red



Black



Black/ Yellow

STANDARD PACKAGE: 1

PART NO.	COLOUR	LENGTH (M)
847305	Fluoro. Red	45m
847308	Fluoro. Orange	45m
847309	Fluoro. Green	45m
847310	Fluoro. Lime	45m
847311	Fluoro. Pink	45m

PART NO.	COLOUR	LENGTH (M)
847313	Yellow	90m
847316	Red	90m
847317	Black	90m
847318	White	90m
847319	Black Stripe	90m
847321	Yellow Stripe	90m






VISUAL WARNING

Biodegradable Tapes

- Ideal for ecologically-sensitive areas
- Complete degradation occurs in 6 to 12 months depending on environmental conditions
- Non-toxic so will not harm wildlife, livestock or the environment
- Bright colour makes it easy to see
- RoHS Compatibility Pass 2011/65/EU(Pass 2015/863)
- Made from 69% wood fibre



STANDARD PACKAGE: 1

PART NO.	LEGEND	SIZE (W x L)	
91090	Caution	76mm x 45.7m	
91091	Caution Do Not Enter	76mm x 45.7m	
91092	Caution Men Working Overhead	76mm x 45.7m	
91088	Danger	76mm x 45.7m	
91089	Danger Do Not Enter	76mm x 45.7m	



91088 - Danger



91089 - Danger Do Not Enter



91090 - Caution



91091 - Caution Do Not Enter


Biodegradable Marking Whiskers


- Practically indestructible
- Ideal for marking property lines or underground utilities
- 150mm in length

Polypropylene whiskers can not be covered with blowing dust or dirt, can be installed quickly and easily, and mowed over with minimal damage.



STANDARD PACKAGE: PACK OF 25

PART NO.	COLOUR	LENGTH (MM)	
872668	Blue	150	
872669	Green	150	
872670	Orange	150	

PART NO.	COLOUR	LENGTH (MM)	
872671	Pink	150	
872672	Red	150	
872673	Yellow	150	





Non-Detectable Underground Warning Tape

- **Manufactured in accordance with AS/NZS 2648.1 1995 and AS/NZS 4275 Part 0 1995**
- Coloured polyethylene tape printed with a black warning message to identify the danger of the service laid beneath
- Lead free pigments with virgin grade film
- Soil tolerance from pH 2.5 to pH 11.0 inclusive
- Available in various sizes and colours

Underground marker tape should be laid over underground services halfway between the service and the surface in the trench so that a warning can be given before any damage to the service is caused during an excavation.


STANDARD PACKAGE: 1

PART NO.	LEGEND	SIZE (W x L)	COLOUR															
838501	Caution - Buried Communication Cable Below	100mm x 250m	White/Black															
838506	Danger - Buried Electrical Main Below	100mm x 250m	Orange/Black															
838511	Danger - Buried Fire Main Below	100mm x 250m	Red/Black															
842752	Danger - Buried Irrigation Main Below	100mm x 250m	Blue/Black															
847400	Danger - Buried Potable Water Main Below	100mm x 250m	Green/Black															
847401	Danger - Buried Recycled Water Main Below	100mm x 250m	Lilac/Black															
847402	Danger - Buried Sewer Main Below	100mm x 250m	Cream/Black															
842753	Danger - Buried Stormwater Main Below	100mm x 250m	Blue/Black															
838521	Danger - Buried Water Main Below	100mm x 250m </tr <tr> <td>847403</td> <td>Danger - Buried Comm/Gas/Elect Mains Below</td> <td>200mm x 500m</td> <td>Orange/Black</td> </tr> <tr> <td>838505</td> <td>Warning - Electric Cable Below</td> <td>150mm x 500m</td> <td>Orange/Black</td> </tr> <tr> <td>838515</td> <td>Danger - Buried Gas Main Below</td> <td>150mm x 500m</td> <td>Yellow Black</td> </tr> <tr> <td>847404</td> <td>Danger - Buried Gas Main Below (w/ Mesh)</td> <td>100mm x 100m</td> <td>Yellow Black</td> </tr>	847403	Danger - Buried Comm/Gas/Elect Mains Below	200mm x 500m	Orange/Black	838505	Warning - Electric Cable Below	150mm x 500m	Orange/Black	838515	Danger - Buried Gas Main Below	150mm x 500m	Yellow Black	847404	Danger - Buried Gas Main Below (w/ Mesh)	100mm x 100m	Yellow Black
847403	Danger - Buried Comm/Gas/Elect Mains Below	200mm x 500m	Orange/Black															
838505	Warning - Electric Cable Below	150mm x 500m	Orange/Black															
838515	Danger - Buried Gas Main Below	150mm x 500m	Yellow Black															
847404	Danger - Buried Gas Main Below (w/ Mesh)	100mm x 100m	Yellow Black															



Detectable 'Wavelay' Underground Warning Tape

- Non-adhesive coloured low density polyethylene tapes printed with a warning message to identify pipes and cables laid beneath the ground
- Manufactured using stainless steel tracer wires in a sinusoidal wave pattern, laminated between two layer of polyethylene tape. This unique design allows the wires to stretch by over 25% before breaking
- Detectable up to 600mm underground, these tapes are a necessity for all excavation work
- The printed text and wires are protected by a clear laminated film
- The tensile strength of the corrosive resistant wire is 680N/mm



STANDARD PACKAGE: 1

PART NO.	LEGEND	SIZE (W x L)	COLOUR
847391	Danger - Buried Electrical Main Below	100mm x 250m	Orange/Black
847392	Danger - Buried Fire Main Below	100mm x 250m	Red/Black
847393	Danger - Buried Gas Main Below	100mm x 250m	Yellow/Black
847394	Danger - Buried Irrigation Main Below	100mm x 250m	Blue/Black
847397	Danger - Buried Sewer Main Below	100mm x 250m	Cream/Black
847399	Danger - Buried Water Main Below	100mm x 250m	Green/Black
847390	Caution - Buried Communication Cable Below	100mm x 250m	White/Black





VISUAL WARNING

Danger Message Bunting

- An effective visible barricade to warn people away from hazardous areas
- Approx. 45 flags on a 30 metre length
- Message on every 5th flag
- Easily attachable to posts or poles
- Made in Australia



STANDARD PACKAGE: 1

PART NO.	LEGEND	LENGTH (M)
872674	Danger Authorised Entry Only	30m, 45 flags
872675	Danger Keep Out	30m, 45 flags
872676	Danger Radiation	30m, 45 flags

Safety Bunting

- Hi-Vis fluorescent PVC triangle flags
- Ideal for zoning off specific areas within work sites or at functions
- Approx. 45 flags on a 32 metre length
- Easily attachable to posts or poles
- Reusable hi-strength 4mm nylon rope
- Made in Australia



STANDARD PACKAGE: 1 ROLL

PART NO.	DESCRIPTION	LENGTH (M)
877692	Bright Red Polyethylene (Economy)	32m, 45 flags

Protector Caps

- Fits pickets, posts or rods
- Available in Yellow only



Shown fitted to picket

STANDARD PACKAGE: 1

PART NO.	SIZE (DIA. x H)
846167	60 x 65mm





Barricade Fencing

- UV stabilised
- Bagged for storage and protection
- To join or fasten to star pickets use nylon cable ties

Can be easily erected and supported either by steel fencing pins or pinned to wooden fence posts for more permanent use.

Economy Fence Netting

All purpose temporary fence which is ideal for short term work. Comes with suspension cord top and bottom for easy installation.



848435



877655



875310

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	WEIGHT (PER M) ²	SIZE	COLOUR
848435	Economy Fence Netting	60g	0.9 x 50m	Red/Yellow
877655	Reflective Strip Fence Netting	90g	0.9 x 50m	Orange/Yellow
875310	Supreme Heavy Barrier Fencing	450g	1 x 30m	Orange/Yellow
848435	Nylon Cable Ties - 100 pack	-	200mm	Natural
873045				Yellow



Construction Mesh and Shade Cloth

- Lightweight knitted HDPE mesh
- Suitable for scaffolding and fencing
- Button eyelets top and bottom
- Available in new safety colours
- 10 Year manufacture warranty against UV degradation
- 120gsm per square metre

STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (W x L)
871667	Blue	1.83 x 50m
871668	Green	1.83 x 50m
871672	Black	1.83 x 50m







VISUAL WARNING

Impact Protectors

- A range of profiles available to warn of protruding corners, edges, vulnerable pipes
- Protects walls, kerbs, trolley parks, vehicles, machinery and racking
- Recyclable, flexible and age resistant foam
- Can simply be cut to smaller lengths required
- High Visibility Yellow and Black colours warn of potential hazard
- Use to warn of potential danger or help prevent impact injury



NB: Dimensions shown in mm.

STANDARD PACKAGE: 1

PART NO.	PROFILE	FITTING	HEIGHT (MM)
871853	Profile Protect - Semi Circular 40/40/8	Push-On	1000
875459	Surface Protect - Semi Circular 40/32	Self Adhesive	1000
871855	Profile Protect - Trapeze 40/80/8	Push-On	1000
871856	Pipe Protect - Curvature 70-100mm Dia.	Self Adhesive	1000
871857	Pipe Protect - Curvature 50-70mm Dia.	Self Adhesive	1000
875460	Surface Protect - Rectangle 60/20	Self Adhesive	1000
871859	Corner Protect - Trapeze 40/40	Self Adhesive	1000
871860	Profile Protect - Trapeze 40/40/8	Push-On	1000
871852	Profile Protect - Semi Circular 40/40/20	Self Adhesive	1000






Warning Tapes - Self-Adhesive

- To outlast and outperform paint and other tapes
- Self-adhesive backing (all tapes) provides for easy application
- Mark work station floors, aisles, stairways or anywhere there is heavy foot traffic
- Regular tapes are removable and recommended for indoor use only
- Use reflective tape on posts, barricades and machines
- Reflective tapes are suitable for both indoor and outdoor use, ideal in low-lit environment




CLASS 2 REFLECTIVE TAPES (B-957)



STANDARD PACKAGE: 1 ROLL, 4.5M

SIZE	PART NO.									
50mm	836309	836308	76310	76321	838986	838985	78989	845668		
75mm	836313	836312	-	-	838988	838987	78990	845669		

NON-REFLECTIVE TAPES (B-950)



STANDARD PACKAGE: 1 ROLL, 16.4M

SIZE	PART NO.									
50mm	55296	852369	55302	76317	55292	76316	850652	848606	-	860403
75mm	55297	848361	55303	76319	55293	76318	850653	860406	859508	860404







VISUAL WARNING

Exterior Vinyl Tapes

- Long-lasting exterior vinyl tapes
- Clearly identify guardrails, fences, vehicles, equipment, loading docks and heavy traffic areas
- Pressure-sensitive adhesive provides a permanent bond to any smooth, clean and dry surface
- Tapes are waterproof and fade-resistant
- Withstand chemicals, acids, oils and harsh weather conditions
- Matte surface makes it easy to write messages on solid tapes
- 32 metre roll





STANDARD PACKAGE: 1 ROLL, 32M

SIZE	WHITE	ORANGE	RED	BLUE	BLACK	GREEN
25mm	852381	852383	852384	852385	852386	852387

SIZE	YELLOW/BLACK	WHITE/BLACK	RED/WHITE
25mm	852409	852410	852411
50mm	852412	852413	852414
75mm	852415	852416	852417
100mm	852418	852419	852420

Promotional Grade Reflective Tapes

- Self-adhesive, 9 metre roll
- Outdoor lifespan up to three years
- Identify doors, floors, fire equipment, stairs and more
- Class 2 reflective with promotional grade retroreflection



STANDARD PACKAGE: 1 ROLL, 9M

SIZE	WHITE	RED	YELLOW	FLURO YELLOW
25mm	848369	848612	860325	848889
50mm	849196	851541	848691	-
75mm	-	860324	-	-



3M™ Reflective Vehicle Marking Tapes


- **Meet compliance requirements: Australian Design Rule 13/00, 2005, ATA Industry Technical Council Advisory Procedure for Heavy Vehicle Visibility, UNECE R104 Mandatory European regulations***
- Class 1A Diamond Grade™ Conspicuity Markings Tape has outstanding reflectivity at every viewing angle at every viewing distance
- Excellent water resistance
- Easy application to trucks, trailers and large vehicles
- Available in bright vivid colours including White, Yellow, and Red. The 983 series also comes in Fluorescent Yellow/Green
- Now available in 3 metre and 15 metre rolls with self-contained packaging instructions



983 Rigid Edge Sealed Series: Continuous rigid tape typically used for flat, rigid surfaces. Suitable for use on aluminium, stainless steel and automotive paint.

997 Flexible Edge Sealed Series: Continuous flexible tape typically used for rigid, round and contoured surfaces. Suitable for use on aluminium, stainless steel, automotive paint, truck canvas/curtain sides.

997S Series: Flexible segmented tape typically used and suitable for truck canvas/ curtain sides.



983 RIGID EDGE SEALED SERIES

PART NO.	COLOUR	SIZE (W x L)
878438	White	50mm x 3m
878439	Yellow	50mm x 3m
878440	Red	50mm x 3m
878441	Fluorescent Yellow/Green	50mm x 3m
878442	White	50mm x 15m
878443	Yellow	50mm x 15m
878444	Red	50mm x 15m
878445	Fluorescent Yellow/Green	50mm x 15m
878446	Fluorescent Yellow/Green	76mm x 15m
878447	White	55mm x 50m
878449	Yellow	55mm x 50m
878450	Red	55mm x 50m
878451	Fluorescent Yellow/Green	50mm x 45.7m
878452	Fluorescent Yellow/Green	76mm x 45.7m

997 FLEXIBLE EDGE SEALED SERIES

PART NO.	COLOUR	SIZE (W x L)
878371	White	50mm x 15m
878453	Yellow	50mm x 15m
878372	Red	50mm x 15m
873838	White	52mm x 50m
873839	Red	52mm x 50m
873840	Yellow	52mm x 50m

997S SERIES

PART NO.	COLOUR	SIZE (W x L)
873841	White	52mm x 50m
873842	Red	52mm x 50m
873843	Yellow	52mm x 50m

*Applies to 50m roll size only and excludes Fluoro Colours








VISUAL WARNING

Class 1 Ultra High-Intensity Exterior Tapes

- **Complies to AS/NZS 1906.1:2007**
- Designed with Class 1 illuminating honeycomb shapes
- Highest grade of reflectivity
- Designed to provide adequate reflection for up to 5 years outdoors
- 4.5 metre roll
- Core diameter of 75mm




STANDARD PACKAGE: 1 ROLL, 4.5M

SIZE	WHITE	YELLOW
50mm	852373	852375
75mm	852374	852376

SIZE	RED/WHITE	BLACK/YELLOW
50mm	852377	852379
75mm	852378	852380

Class 1 Ultra High-Intensity Exterior Tapes - Bulk Rolls

- **Complies to AS/NZS 1906.1:2007**
- Bulk rolls 50mm x 50m
- Highest grade of Class 1 reflectivity
- Weather proof for indoor/outdoor applications



STANDARD PACKAGE: 1 ROLL, 50M

SIZE	WHITE	YELLOW	BLUE	RED	GREEN	ORANGE
50mm	850200	862294	862295	850199	863935*	863934*

* Meets Class 1A and 1W Retro-Reflective Standards.

CLASS 1 EXTERIOR TAPE COMPLIES WITH AS/NZS 1906.1, GREEN AND ORANGE MEETS CLASS 1A AND 1W RETRO-REFLECTIVE STANDARDS






BradyGlo™ Luminous Products

GLOW-IN-THE-DARK TAPES (B-324)

- Meets and exceeds the International Maritime Organisation Standard IMO Resolution A.752(18)
- Illumination time 10+ hours
- No mechanical or electrical power source needed
- Tapes feature self-adhesive backing

BradyGlo™ "Glow-in-the-Dark" luminous material was designed to provide safe LLL (Low-Level-Lighting) egress pathway during power outages and emergency situations by illuminating a path through stairwells, hallways and rooms.



STANDARD PACKAGE: 1 ROLL OF 4.5M

SIZE	PART NO.			
50mm	76430	90971	90973	76432
75mm	76431	90972	90974	76433

GLOW-IN-THE-DARK FOOTPRINTS AND ARROWS (B-324)

- Meets and exceeds the International Maritime Organisation Standard IMO Resolution A.752(18) and AS 1319-1994
- Illumination time 10+ hours
- No mechanical or electrical power source needed



Phosphorescent Arrows




Phosphorescent Footprints

PART NO.	DESCRIPTION	SIZE (MM)
93275	Arrows (Roll 100)	76
55358	Footprint Left (Ea)	305
55359	Footprint Right (Ea)	305

GLOW-IN-THE-DARK ANTI SKID TAPE (B-916)

- Made from Brady B-916 grit coated polyester tape
- Easy to clean
- Material is non-toxic, non-radioactive and environmentally friendly

Glow-in-the-dark anti-skid tape provides slip resistance as well as helping warn people of hazards in darkness.



Anti Skid Cleat



Roll

PART NO.	DESCRIPTION	SIZE (W x L)
99048	Tape Roll	25mm x 18m
99049	Tape Roll	50mm x 18m
99050	Tape Roll	100mm x 18m
99052	Tape Roll	150mm x 18m
99055	Cleat 10pk	150mm x 610mm
99054	Cleat 50pk	150mm x 610mm





ToughStripe® Floor Marking

SUPERIOR DURABILITY

- Spend less time replacing damaged or worn lines for a better-looking, more efficient facility
- Withstands forklift traffic without tearing or lifting
- Low-profile design minimises tears and scratches from skids, pallet jacks, etc.
- Rugged polyester with ultra-aggressive adhesive

EASY APPLICATION

- Quickly lay down smooth, straight lines – without the help of co-workers
- Can be easily applied by one person working alone
- Stiff polyester with liner prevents tape stretching and reduces wrinkles and wavy, uneven lines
- No special floor preparation required – just clean with common cleansers

* For maximum performance, apply ToughStripe® Floor Marking products to flat, non-coated concrete

HIGH VISIBILITY

- Get the same visibility of painted floor markings – and pay less
- High-gloss surface shines like new paint
- Low profile minimises debris build-up along the edges that occurs with thicker (extruded) floor tapes
- Surface resists marks and smudges
- Available in a variety of high-impact colours

DIECUT SHAPES

- Utilise different shapes, colours and sizes for more effective, durable floor markings
- Dashes, dots, arrows, footprints, and corner marks (L, T and + shapes)
- Longer lasting markings – minimises the risk of damage and facilitates fast repair

PRE-SPACED SHAPES

- Expedite installation and repair time
- Dots, arrows and dashes packaged in rolls (not individually) and evenly spaced 455mm apart on a continuous liner
- Quick and easy one person installation; simply lay down the line like a continuous tape, and then remove
- the clear transfer tape from on top of the floor markings
- Eliminates the need to apply markings one by one
- Quickly lay straight, evenly spaced shapes
- Ideal for high traffic areas – if damaged only replace damaged shapes

PAINLESS REMOVAL

- Easily remove floor markings without damaging the floor or leaving adhesive residue
- Does not chip and flake when being removed – comes off in one piece
- Clean removal without any unsightly adhesive residue or damage to the floor

TOUGHSTRIPES® FLOOR TAPE ADHESION RATES FOR FLOOR TYPES:



USE TOUGHSTRIPES® FLOOR MARKING PRODUCTS TO MARK:

- Aisleways and traffic lanes
- Work Cell outlines
- Equipment storage areas
- Material storage areas
- QA inspection areas
- Defects/scrap/rework areas
- “Keep clear” zones
- Hazard areas



ONLINE VIDEO:
WWW.BRADYID.COM.AU/TOUGHSTRIPES



Toughstripe® Floor Marking Tapes

TOUGHSTRIPE™
Floor Marking



- Made with Brady's B-514 polyester
- Easy to apply and remove
- Test-proven to withstand forklift traffic
- Less time / money spent replacing damaged floor tape
- Features a low profile design, minimising the risk of tears and scratches
- Made of durable polyester material that resists marks and smudges and an aggressive adhesive that keeps tape in place
- Also features a stiff liner, which prevents the tape from stretching
- Ideal for marking aisles, passageways and storage locations, and pointing out important safety equipment and egress paths
- Service temperature: -17°C to 53°C



STANDARD PACKAGE: 1

SIZE (W x L)	BLACK	BLUE	GREEN	ORANGE	RED	WHITE	YELLOW
51mm x 30m	872429	872433	872434	872435	872432	872430	872431
76mm x 30m	872439	872443	872444	872445	872442	872440	872441

SIZE (W x L)	BLACK/WHITE	BLACK/YELLOW	RED/WHITE	YELLOW DASH*
51mm x 30m	872438	872436	872437	872449
76mm x 30m	872448	872446	872447	

* Dash size 51 x 203mm at every 254mm. 60 dashes per roll.

Toughstripe® Max Floor Marking Tapes

TOUGHSTRIPE™
Floor Marking

- Provides greater thickness for resistance to cuts and scrapes in high-traffic areas
- Made of extruded polyvinyl chloride
- Durability in forklift and industrial vehicle traffic areas
- Aggressive adhesive performance when you need it, easy removal when you don't
- Tapered edges to minimise "pick points" and traffic bumps
- Easy installation with minimal tools



STANDARD PACKAGE: 1

SIZE (W x L)	BLACK/YELLOW	YELLOW	BLUE	GREEN	WHITE	RED	ORANGE
51mm x 30m	149630	149629	149631	149632	149633	149634	149635
76mm x 30m	149637	149636	149638	149639	149640	149641	149642
101mm x 30m	149644	149643	149645	149646	149647	149648	-





VISUAL WARNING

Pre-Spaced Shapes

Packaged in rolls (not individually) and spaced 455mm apart on a continuous liner, ToughStripe® Pre-Spaced Shapes make it easy to quickly lay straight, evenly spaced shapes. Simply lay down the continuous tape, and then remove the clear transfer tape. No need to apply markings one by one.



STANDARD PACKAGE: 1

DESCRIPTION	BLACK	BLUE	GREEN	RED	WHITE	YELLOW
89mm x 30m Dots - 55 Pre-Spaced	873318	873319	873320	873321	873322	873323
51mm x 127mm x 30m Arrows - 52 Pre-Spaced	-	-	873326	-	873328	873329
51mm x 203mm x 30m Dashes - 46 Pre-Spaced	-	873331	873332	873333	873334	873335

Diecut Shapes

DOTS



STANDARD PACKAGE: 1

DESCRIPTION	BLACK	BLUE	GREEN	RED	WHITE	YELLOW
89mm Dia. 350/Roll	873232	873230	873229	873228	873233	873231

FOOT PRINTS



STANDARD PACKAGE: 10

DESCRIPTION	BLACK	BLUE	GREEN	RED	WHITE	YELLOW
254 x 89mm (5 Left & 5 Right)	873238	873236	873235	873234	873239	873237

ARROWS



STANDARD PACKAGE: 100

DESCRIPTION	BLACK	BLUE	GREEN	RED	WHITE	YELLOW
51 x 127mm	873244	873242	873241	873240	873245	873243
76 x 203mm	873250	873248	873247	873246	873251	873249
102 x 254mm	873256	873254	873253	873252	873257	873254

CENTRE "+" MARKS



STANDARD PACKAGE: 20

DESCRIPTION	BLACK	BLUE	GREEN	RED	WHITE	YELLOW
51 x 125mm	873298	873296	873295	873294	873299	873297
76 x 203mm	-	873302	-	-	873305	873303
102 x 254mm	873310	873308	873307	873306	873311	873309

CENTRE "L" MARKS



STANDARD PACKAGE: 20

DESCRIPTION	BLACK	BLUE	GREEN	RED	WHITE	YELLOW
51 x 127mm	873262	873260	873259	873258	873263	873261
76 x 203mm	873268	873266	873265	873264	873269	873267
102 x 254mm	873274	873272	873271	873270	873275	873273

DIVIDER "T" MARKS



STANDARD PACKAGE: 20

DESCRIPTION	BLACK	BLUE	GREEN	RED	WHITE	YELLOW
51 x 127mm	873280	873278	873277	873276	873281	873279
76 x 203mm	873286	873284	873283	873282	873287	873285
102 x 254mm	873292	873290	873289	873288	873293	873291





Aisle Marking Machine

- Designed for use with our vinyl marking tapes or any of our warning tapes
- Vinyl tapes and aisle marking machine are designed for use together for curved or straight line marking
- Designed for 76mm core size with maximum tape size of 101mm (width)



SURFACE PREPARATION FOR APPLICATION:

- Pressure sensitive adhesives perform best on smooth, clean, dry surfaces. Use these guidelines for preparing surfaces for application:
- A final cleaning with a dry, lint-free cloth is advised to remove any solvent film.
- If surface is contaminated with oil or grease, clean it with an evaporative solvent such as methylethylketone.
- If surface is dirty, clean it with #600 emery cloth or 0000 steel wool, followed by solvent cleaning as above.
- Rough surfaces can be smoothed with sandpaper, then with steel wool, and solvent-cleaned to remove residual dirt.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
55538	Aisle Tape Applicator


Aisle Marking Tape

- Specially formulated B-725 vinyl tape ensures long wear
- Colour pigmented throughout resists showing scratches
- Helps prevent accidents and injuries

STANDARD PACKAGE: 1 ROLL, 33 METRES

MATERIAL: B-725

SIZE	YELLOW	RED	GREEN	WHITE	BLUE	ORANGE
50mm	58200	58201	58202	58203	58220	856874
76mm	58250	58251	58252	58253	58221	856875



Striped Marking Tape

- Mark aisle lanes prominently
- Constructed from durable self-adhesive vinyl
- Suitable for use with our aisle marking machine

PART NO.	LEGEND	SIZE
842596		50mm x 33m
842579		76mm x 33m
862403		50mm x 33m
842580		76mm x 33m





VISUAL WARNING

Safety Stair Markers

- Marker Labels provide important information or warning of hazards to workers and visitors
- Stair Markers can help highlight trip hazards from uneven surfaces or raised platform/step
- Each marker features a tough textured surface and peel-off backing for mounting
- Textured Self-Adhesive Vinyl



843678



843097



843325



843098



843099



843036



843378



843359

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
Safety Stair Markers	440 x 180mm




843036

Anti-Slip Tape

- Prevent potential accidents
- Easy self adhesive application
- Developed and Manufactured in the USA

Anti-Slip Tape helps prevent falls when applied to stairways, walkways, slippery work areas and ramps. Anti-Slip Tape has a durable grit surface which provides safe footing even when exposed to heavy traffic, water or grease. Adheres to any smooth, clean, dry surface. Not appropriate for outdoor timber. Available in handy 18m rolls in five popular colours.



Brown Yellow Red
100mm only Black

STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (W x L)
78190	Black	50mm x 18m
875182	Red	50mm x 18m
860776	Brown	50mm x 18m
78091	Yellow	50mm x 18m
78188	Clear	50mm x 18m
878454	Red	100mm x 18m


PART NO.	COLOUR	SIZE (W x L)
878455	Brown	100mm x 18m
860505	Yellow	100mm x 18m
856866	Clear	100mm x 18m
78191	Black	100mm x 18m
78193	Black	150mm x 18m





Safeline Anti-Slip Tape

- **P5 safety rating and meets compliance requirements of AS1428:2009 and AS4586:2013**
- Easy to install, just peel and stick
- Marine grade, durable, hard wearing and long lasting
- Withstand temperatures below -30°C and up to 120°C
- Up to 9 colour choices*
- Available in 25, 50, 100, 150, 200mm widths and 18m length



STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (W x L)	B
878456	Clear	25mm x 18.3m	
878457	Grey	25mm x 18.3m	
878458	Yellow	25mm x 18.3m	
878459	Black	25mm x 18.3m	
878460	Red	25mm x 18.3m	
878461	Clear	50mm x 18.3m	
878462	Grey	50mm x 18.3m	
878463	Yellow	50mm x 18.3m	
878464	Black	50mm x 18.3m	
878465	Red	50mm x 18.3m	
878466	White	50mm x 18.3m	
878467	Green	50mm x 18.3m	
878468	Blue	50mm x 18.3m	

PART NO.	COLOUR	SIZE (W x L)	B
878469	Brown	50mm x 18.3m	
878470	Clear	100mm x 18.3m	
878471	Grey	100mm x 18.3m	
878472	Yellow	100mm x 18.3m	
878473	Black	100mm x 18.3m	
878474	Clear	150mm x 18.3m	
878475	Grey	150mm x 18.3m	
878476	Yellow	150mm x 18.3m	
878477	Black	150mm x 18.3m	
878478	Clear	200mm x 18.3m	
878479	Grey	200mm x 18.3m	
878480	Yellow	200mm x 18.3m	
878481	Black	200mm x 18.3m	

Conformable Anti-Slip Tape

- Heavy duty industrial anti-slip tape
- Conforms to irregular surfaces
- Use inside or out

This extremely durable anti-slip traction system is designed to conform to irregular or uneven surfaces. The self-adhesive, high traction tape has a special aluminium backing which allows it to stick to rugged surfaces and around corners without losing performance. Combine with surface primer and edge sealing compound (available upon request) to form an unbeatable, long lasting system.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (W x L)	B
843817		50mm x 18m	
847165	Conformable Anti-Slip Tape	100mm x 18m	
850917		150mm x 18m	







VISUAL WARNING

Hazard Stripe Anti-Slip Tapes and Treads

- Reduce slips and make your workplace a safer place
- Provide maximum anti-slip resistance whilst warning of physical hazards
- Coarse sandpaper, abrasive, non-slip surface
- Available in Black/Yellow and Red/White stripe
- Identify caution areas, stairs, docks, ramps and aisles
- Available in rolls of tape or die-cut 'treads'



STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (W x L)
843825	Black & Yellow Stripe	50mm x 18m
843826	Red & White Stripe	50mm x 18m
843827	Black & Yellow Stripe	75mm x 18m
843828	Red & White Stripe	75mm x 18m
843829	Black & Yellow Stripe	100mm x 18m
843830	Red & White Stripe	100mm x 18m

PART NO.	COLOUR	SIZE (W x L)
843831	Black & Yellow Stripe	150mm x 18m
843832	Red & White Stripe	150mm x 18m
843833	Treads Black & Yellow	75 x 610mm*
843834	Treads Red & White	75 x 610mm*
843835	Treads Black & Yellow	150 x 610mm**
843836	Treads Red & White	150 x 610mm**

* Treads are 50 per package.
 ** Treads are 24 per package.

Marine Grade Anti-Slip Tapes and Cleats

- Marine-grade anti-slip tape
- Most durable anti-slip grit available
- Water-resistant adhesive
- Suitable for temperatures between 10°C to 60°C

Max-Grit provides an extra coarse surface that resists water, fuel, oil, acid and other dangerous floor conditions. The strong, granular surface provides the best anti-slip protection indoors and out. Maintains traction even in the wet. Available in black only. Combine with surface primer (available upon request) for an unbeatable, long lasting system. Suitable to use on steel ramps, ensure the surface is dry and clean before applying.



STANDARD PACKAGE: 1 ROLL OR PACK

PART NO.	DESCRIPTION	SIZE (W x L)
854800		50mm x 18m
854801	Marine Grade Anti-Slip Tape	100mm x 18m
854802		150mm x 18m

PART NO.	DESCRIPTION	SIZE (W x L)
854803		150mm x 600mm
854804	Cleat - Pack of 50	75mm x 600mm
854805		140mm x 140mm





Pedestrian Grade Anti-Slip Floor Coatings - Safe Step 100

- Walk on in eight hours
- Suitable for indoor or outdoor use
- Easy to apply
- Pedestrian grade

This is a single component epoxy ester non-slip floor and outdoor coating designed for application in areas of heavy pedestrian traffic. It is both chemical resistant and fire retardant in the cured state. Resists petrol, oil, acids, alkalis and aliphatic solvents. It is well suited for application on concrete, asphalt, timber and all metal surfaces. Comes as a single pack mixture and can be walked on within eight hours after application. Can be applied by brush or roller. Perfect for busy pedestrian ramps and stairs. Available in Light Grey, Dark Grey and Safety Yellow. Each four litre can covers 6m². This mixture cannot be resealed once opened. Surface should be primed to ensure maximum performance and longevity.



SURFACE PREPARATION:

Concrete: Remove oil, grease, dirt wax etc by using an emulsifiable water-based cleaner/degreaser. Clean with water and apply Concrete Etch and Cleaner (**859836**). 5L container is Diluted with 15L of water (20L) which should cover 20m² (1L/1 square metres). Smooth or glazed surfaces should be roughened and porous surfaces should be primed with Epoxy Sealer (**859837**). Coverage approx 1 Litre: 4-8m² concrete; 10m² steel.

Metal and Galvanised Surfaces: Remove all paint, rust and mill scale preferably by grit blasting and prime with Etch Primer (**859838**). Coverage approx. 1 Litre: 10m². Timber: Prime with Epoxy Sealer (**859837**). Coverage approx 1 Litre: 6m²

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR
833092		Dark Grey
833094	Anti-Slip Coating - 4 Litres	Light Grey
847236		Yellow
859836	Concrete Etch and Cleaner - 5 Litres	-
859837	Epoxy Primer/Sealer - 1.5 Litres	-
859838	Etch Primer - 1 Litre	-



Heavy Duty Anti-Slip Floor Coating - Safe Step 550

- Heavy duty formula designed for vehicle traffic
- Super strong high density
- Walk on in 12 hours
- The strongest anti-slip solution available from Brady for indoor and outdoor applications

This two-part epoxy anti-slip floor coating is a higher density formulation suitable for those heavy duty applications. Whether it be forklifts, trucks or just pedestrian traffic, this super strong floor coating is perfect for those industrial applications where durability (and traction) is a must! The easy to clean, tough, non-porous surface is also chemical and corrosion resistant. Ideal for use on wet areas, ramps, stairways, catwalks, platforms, walkways, chemical mining processing plants. Will cover approximately 10m² (including the colour pack). Simply mix the neutral base with one of the five different colours available.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR
852820	Neutral Base Coating Heavy Duty Anti-Slip - 8 Litres	-
852821		Light Grey
852823		Yellow
852824	Colour Pack - 1 kg	Red
852825		Beige



SURFACE PREPARATION:

Concrete: Remove any old paint and all loose material. Ensure surface is clean, free of dust, laitance, oils curing compounds or other contaminants. Remove oil/grease with a suitable degreaser. Hose down and dry, and use Concrete Etch and Cleaner (**859836**). 5L container is Diluted with 15L of water (20L) which should cover 20 m² (1L/1 m²). Hose down to neutralise.

Steel: Ensure the surface is free from oil and grease. Abrasive clean in accordance with AS 1627:9-2002 to 50 microns. Heavy Duty Anti-Slip may be directly applied to good quality dense prepared concrete. Porous, highly absorbent primer and steel should be primed with Epoxy Primer/Sealer (**859837**). Coverage approx 1 Litre: 4-8m² concrete; 10 m² steel.





VISUAL WARNING

TreadRite™ Slip Resistant Coating

- **Tested for compliance with AS 4586:2013, Slip resistance of new pedestrian surface materials (classification P5)**
- Easy to apply with uniform coverage
- Ideal for interior and exterior untreated timber, concrete, primed metal, brick & clay pavers
- Residential applications include small projects, stairs and railings. Not recommended for driveways
- Industrial applications include stairs, entrances and exit way
- Not suitable for surfaces where vehicles are in use. For use with foot traffic only



Dy-Mark TreadRite™ is a textured, acrylic based, UV stable coating ideal for creating durable, slip resistant surfaces around the home or workplace. The tough, dried finish resists cracking, peeling and exposure to petrol, oil and mild chemicals.

STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE
843819	Clear	4L
873385	Black	4L
873386	Yellow	4L
873387	Clear	10L
873388	Black	10L
873389	Yellow	10L



ViroTuff



- Water based, and environmentally friendly
- Liquid applied, anti-slip protective coating
- Applicable for indoor and outdoor uses

Formulated with cross-linking urethanes, polymers and special aggregates to provide a technically advanced anti-slip protective coating. ViroTuff provides a tough, durable, abrasion resistant, and semi-flexible trafficable coating.

ViroTuff is suitable for most properly primed substrates including: porous concrete, cement render, block work, plaster board, FC & CFC sheeting, timber & plywood, metal etched primed metal and porous tiles (excluding vitrified and glazed tiles). Apply test areas to doubtful surfaces. Surfaces should be sound and in good repair, stable, dry, clean and free of grease, oils, waxes, dust and contaminants that may diminish adhesion

STANDARD PACKAGE: 1

PART NO.	SIZE	COLOUR
878482	ViroTuff - 4 Litres	Dark Grey
878483		Safety Yellow
878484	ViroTuff - 15 Litres	Dark Grey
878485		Safety Yellow





Anti-Slip Stair Nosings

- **Conforms to all aspects of the relevant safety and public access Standards:**
- **Available with a standard 30mm leading edge or in A Series with a 10mm leading edge for NCC compliance**
- **AS1428 Design for Access and Mobility**
- **AS4586 Slip Resistance Classifications for New Pedestrian Surface Materials**
- A necessity for busy stairways, these heavy duty and durable Anti-Slip Stair Nosings ensure grip on steps, both outdoors/indoors
- Easy to install, the extrusions are pre-drilled and pre-cut in 900 or 1200mm lengths



SAFELINE KIT RANGE OF SAFETY STAIR EDGING - R13 CARBORUNDUM TAPE INSERT

- Cost effective range that does not compromise on aesthetic
- SafeLine Step (angle or tread) and Twin use SafeLine® Tape inserts, **comes pre-assembled as a kit** and available in a variety of colours
- Suitable for light duty pedestrian traffic flooring surfaces prone to water and oil spillage

COLOURS



STANDARD PACKAGE: 1

NAME	TO SUIT EXTRUSION	PART NO.	COLOUR	LENGTH (MM)	WIDTH (MM)
SafeLine Twin 	10mm (NCC Compliant)	874006	Yellow	900	71mm
		874009		1200	
		874007	Grey	900	
		874010		1200	
		874008	Black	900	
		874011		1200	
	30mm	874000	Yellow	900	71mm
		874003		1200	
		874001	Grey	900	
		874004		1200	
		874002	Black	900	
		874005		1200	
SafeLine Step 	10mm (NCC Compliant)	876542	Yellow	900	55mm
		876543		1200	
		876544	Grey	900	
		876545		1200	
		876546	Black	900	
		876547		1200	
	30mm	876548	Yellow	900	55mm
		876549		1200	
		876550	Grey	900	
		876551		1200	
		876552	Black	900	
		876553		1200	
	Tread - Surface mounted (NCC Compliant)	876554	Yellow	900	55mm
		876555		1200	
		876556	Grey	900	
		876557		1200	
		876558	Black	900	
		876559		1200	





VISUAL WARNING

Anti-Slip Angled Plates Treads

- **Meets compliance requirement for AS1428:2009, AS4586:2013, and NCC**
- High quality carborundum material rated to P5
- Available in a multitude of sizes and profiles
- Suitable for both internal and external applications
- Cost effective alternative to stair nosings
- Anti-Slip Angled Plates Treads are perfect for when the use of Stair Nosings is not practical such as on the rungs of ladders or when the priority is performance at minimal cost.
- Heavy duty, epoxy coated and UV stabilised, the plates comes with screws and pre-drilled holes ready to be installed, and extends 25mm. Ideal for mesh/grated stairs, requires saddle clips which is sold separately (available upon request).



STANDARD PACKAGE: 1

PART NO.	SIZE (W x L)
870761	50 x 900mm
870762	75 x 900mm
870763	100 x 900mm
870764	50 x 1200mm
870765	75 x 1200mm
870766	100 x 1200mm



EACH YEAR, THOUSANDS OF INJURIES ARE CAUSED BY SLIPS, TRIPS AND FALLS.

MUSCULOSKELETAL INJURIES, CUTS, BRUISES, FRACTURES AND DISLOCATIONS ARE COMMON, BUT MORE SERIOUS INJURIES CAN ALSO HAPPEN.

368 WORKERS

WERE KILLED AS A RESULT OF SLIPS, TRIPS, AND FALLS FROM 2003-2015.

56% OF SLIPS, TRIPS AND FALLS

WERE CAUSED BY ENVIRONMENTAL FACTORS.







Polypad® Tactile Indicators

- **Complies to AS1428:2009, AS4586:2013 with R12 slip resistance rating, and NCC**
- User friendly 600 x 900mm size available
- Withstands heavy pedestrian traffic
- Excellent anti-slip in both wet and dry conditions
- Suitable for internal, external, dry or wet areas
- High Performance polymers construction
- Both Warning Studs and Directional tactiles are available in all five colours

The Polypad® Tactiles come in two types: Large round stud pattern used for warning of hazard(s) and large ridge pattern for direction of travel. The adhesive (sold separately) is available as either a 2-part mixture for outdoor use or as a 1-part mixture for indoor use. No need to recess indicators! Adhere directly to surfaces.



Ridge Pattern for Directional

Stud Pattern for Warning

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR	SIZE (W x L)
845830	Warning	Safety Yellow	300 x 600mm
845831	Warning	Terracotta	300 x 600mm
845832	Warning	Pacific Blue	300 x 600mm
845833	Warning	Grey	300 x 600mm
845834	Warning	Black	300 x 600mm
861020	Warning	Safety Yellow	600 x 900mm
861023	Warning	Terracotta	600 x 900mm
861021	Warning	Pacific Blue	600 x 900mm
861024	Warning	Grey	600 x 900mm
861022	Warning	Black	600 x 900mm
861025	Directional	Safety Yellow	600 x 900mm
861028	Directional	Terracotta	600 x 900mm
861026	Directional	Pacific Blue	600 x 900mm
861029	Directional	Grey	600 x 900mm
861027	Directional	Black	600 x 900mm
861030	Installation Kit	-	For Rubber Indicators
845840	Two-Part Adhesive	-	2kg (Covers 1.5m ²)
845841	Two-Part Adhesive	-	5kg (Covers 3.5m ²)



COLOURS AVAILABLE



Safety Yellow



Pacific Blue



Black



Terracotta



Grey

INSTALLATION KIT CONTENTS:

- 1 x Knife
- 1 x 1kg Two-part Adhesive
- 1 x 10m Masking Tape
- 1 x Instruction Sheet
- 1 x Trowel
- 1 x Cutting Template

Each 1kg of adhesive covers 0.75m² or four 300 x 600mm tiles



COMPLIES TO AS/NZS 1428.4 TESTED TO AS/NZS 4586, R13 SLIP RESISTANCE, EXCEEDING THE R10 REQUIREMENT.

* GST applies to adhesive and installation kit. All tactile indicators are GST exempt.





VISUAL WARNING

PolyTile® Peel and Stick Adhesive Backed Tactile Indicators


- **Complies to AS1428:2009, AS4586:2013 with P5 slip resistance rating, and NCC**
- Fast, easy installation
- Available in both Hazard Studs and Directional Rib profiles
- No down time, installation can be walked on immediately
- Low cost effective supply/install

PolyTile® Tactiles are an effective way of providing guidance cues. Supplied with a super strong, PSA Peel and Stick Adhesive Backing, PolyTiles® can be installed internally quickly and cost effectively.

Manufactured from strong, durable polyurethane polymer which has greater wear resistance than steel. This provides a flexible, hard wearing and long lasting tactile which is suitable for extremely highly traffic installations such as in the transport and education sectors. Will not discolour, crack or degrade over time.



Hazard Stud



Directional Rib

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR	SIZE (W x L)
875903	Hazard Stud	Ivory	300 x 300mm
875904	Hazard Stud	Grey	300 x 300mm
875905	Hazard Stud	Yellow	300 x 300mm
875906	Hazard Stud	Terracotta	300 x 300mm
875907	Hazard Stud	Black	300 x 300mm
875908	Directional Rib	Ivory	300 x 300mm
875909	Directional Rib	Grey	300 x 300mm
875910	Directional Rib	Yellow	300 x 300mm
875911	Directional Rib	Terracotta	300 x 300mm
875912	Directional Rib	Black	300 x 300mm



COLOURS AVAILABLE





Suresteel® Tactile Indicators

- **Complies to AS1428:2009, AS4586:2013 with R13 slip resistance rating, and NCC**
- Patented Drill & Lock (D&L) on the Spigot range ensuring an easy, adhesive free install and can be walked on immediately
- One piece Spigot design ensure strength and reliability
- Marine grade 316 stainless steel and Carborundum grit-fill finishes available
- 35mm in diameter, 5mm protrusion height

As part of the Disability Discrimination Act compliance, it is now mandatory to provide Tactile Warning Indicators to stairs, ramps and many other changing conditions. Stainless Steel Studs now available in four styles: Stainless Steel and Grit (Carborundum)-Filled. The Carborundum-Filled option is available in two colours: Yellow and Black. These are ideal for metallic surfaces to achieve 60% luminance requirements under AS/NZS 1428. All styles have achieved a R13 Slip Rating which is the highest available under AS/NZS 4586. Wet core drill is required for hard surfaces eg. ceramic, marble and stone.

STANDARD PACKAGE: 1



PART NO.	DESCRIPTION	STUD TYPE
848447	Stainless Steel	Plain-Backed
861034	Grit, Yellow	Plain-Backed
861035	Grit, Black	Plain-Backed
861037	Installation Kit	For Plain Stud
861039	Additional Adhesive	For Plain Stud
876139	Grit, Black	Spigot
876140	Grit, Yellow	Spigot
876141	Stainless Steel	Spigot
861050	Installation Kit	For Spigot Stud




NB: 216 individual studs are required to cover a 600 x 900mm area, which is generally the minimum requirement for a single hazard (however two of these are required to cover the top and bottom of the hazard).

* GST applies to adhesive and installation kits. All tactile indicators are GST exempt.

Note: Adhesive in kits will cover a 600 x 900mm area at the top and bottom of a hazard. Additional adhesive for spigotted studs will be enough for approximately 300 studs, additional adhesive for non-spigotted studs will be enough for approximately 120 studs. With a depth of 600mm, 240 studs cover 1 lineal metre.




Grit Plain-Backed




Stainless Steel Plain-Backed



Grit Spigot



Grit Spigot



Stainless Steel Spigot

INSTALLATION KITS:

Spigot Installation Kit includes – template, 6mm drill bit with limit sheath, adhesive, caulking gun, installation instructions.

Plain-Backed Installation Kit comes with – template, cleaning agent, abrasive pad, adhesive, adhesive applicator gun, installation instructions. For additional adhesive see price table.



COMPLIES TO AS/NZS 1428.4 TESTED TO AS/NZS 4586, R13 SLIP RESISTANCE, EXCEEDING THE R10 REQUIREMENT.





VISUAL WARNING

SureSteel® Tactile Indicator Plates

- **Complies to AS1428:2009, AS4586:2013 with R13 slip resistance rating, and NCC**
- Easy to install
- Marine grade 316 stainless steel construction
- Architecturally attractive
- Ideal for difficult substrates
- Can be recessed, remove, and re-located

SureSteel® Tactile Plates are easy to install and provide a cost effective method over difficult substrates such as escalator maintenance hatches, carpet with underlay and timber decking.

SureSteel® Tactile Plates come with 6 pre-drilled and countersunk holes, so it's easy to locate the SureSteel Tactile Plates and secure them down.

They are available in 300 x 600mm sections which satisfy almost all installation requirements, with 72 stud pieces per plate.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (W x L)
872368	72 Studs	300 x 600mm



Note: All tactile indicators are GST exempt.

Safcord® Trip Prevention Device

- Made from durable nylon
- Can be cut to length
- Uses "hook and loop" method which locks cords in place

Prevent tripping hazards with SAFCORD® one of the easiest ways for securing electrical cords without the use of messy adhesives. Cords stay in place and will not shift around even from scuffing feet or vacuums until you lift it off. SAFCORD® is available in a range of size & colour options to meet your needs.



STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (W x L)
845614	Blue	100mm x 1.8m
845619	Blue	100mm x 9m
845615	Grey	100mm x 1.8m
845617	Grey	100mm x 9m
845616	Yellow	100mm x 1.8m
845618	Yellow	100mm x 9m



Prevent accidents on carpeting!





Cord Cover

- Cover up electrical leads
- Prevent tripping over cables
- Simple and easy to use

Protects electrical leads where they run across carpet. Made of tough flexible vinyl strip with carpet gripping velcro along both sides.

STANDARD PACKAGE: 1

PART NO.	SIZE (W x L)
872909	100mm x 1m
875209	100mm x 10m




Drop Over Cable Protectors

- Fast and easy way to protect small cables and cords
- Made from UV stabilised polyurethane material
- Ideal for public events, indoors or out

The modular design of these drop down cable protectors give you a fast and effective system for cable protection and trip prevention. The low profile protectors are compact and allow for easy set-up, breakdown or storage.

The "L" shape connectors allow you to easily attach additional modules together and the patented plate surface provides maximum traction. Available in two sizes and colours. Use Anti-Slip Rubber Pad Kit to ensure minimal movement on surface.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR	SIZE (W x L x H)
853643	Small - Holds 2 Cables	Black	134 x 915 x 19mm
853668	Small - Holds 2 Cables	Orange	134 x 915 x 19mm
853644	Large - Holds 3 Cables	Black	273 x 915 x 38mm
853669	Large - Holds 3 Cables	Orange	273 x 915 x 38mm
871849	Anti-Slip Rubber Pad Kit (Small)	-	-
871850	Anti-Slip Rubber Pad Kit (Large)	-	-



Tunnel Tape

- Keep your floor cables under control
- Prevent accidental tripping or disconnections
- 36m roll

Tunnel Tape forms a "tunnel" to safely hide cables and wiring. Made of durable 0.25mm, laminated polyethylene. Tunnel Tape has a special adhesive backing that adheres to any surface, even carpeting and can be hand torn, repositioned several times and will not leave a sticky residue when removed. Available in black or yellow/black stripes.



Avoid accidental trips and disconnections.

STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (W x L)
839052	Black	76mm x 36m
839053	Black	102mm x 36m
839054	Black	152mm x 36m
839055	Black/Yellow	76mm x 36m
839056	Black/Yellow	102mm x 36m
839057	Black/Yellow	152mm x 36m





FIRE SAFETY

Choose the correct extinguisher

Choosing your fire extinguisher is easy with this Portable Fire Extinguisher Guide. It is important to remember that fire extinguishers are for small fires only. **Call Brady on 1800 620 816 to re-order any extinguisher.**



Location signs are mandatory under AS2444. Identification signs advise what type of fire an extinguisher can and can't be used on. Extinguisher labels will include type of extinguisher, rating, fire classes suitable and how to use.



IN ALL CASES CALL THE FIRE BRIGADE IMMEDIATELY

SIGN	PRE 1997	CURRENT	EXTINGUISHING AGENT	A WOOD PAPER PLASTIC	B FLAMMABLE & COMBUSTIBLE LIQUIDS	C FLAMMABLE GASES	E ELECTRICALLY ENERGISED EQUIPMENT	F COOKING OILS & FATS	COMMENTS
			Dry Chemical Powder ABE	✓	✓	✓	✓	✗	Look carefully at the extinguisher to determine if it is BE or ABE unit as the capability is different
			Dry Chemical Powder BE	✗	✓	✓	✓	✓	Look carefully at the extinguisher to determine if it is BE or ABE unit as the capability is different
			Carbon Dioxide (CO2)	✓ Limited	✓ Limited	✗	✓	✗	Not suitable for outdoor use or smouldering deep seated A Class Fires
			Water	✓	✗	✗	✗	✗	Dangerous if used on flammable liquid, energised electrical equipment and cooking oil / fat fires
			Wet Chemical	✓	✗	✗	✗	✓	Dangerous if used on energised electrical equipment
			Foam*	✓	✓	✗	✗	✓ Limited	Dangerous if used on energised electrical equipment
			Vaporising Liquid	✓	✓ Limited	✓ Limited	✓	✗	Check the characteristics of the specific extinguishing agent. 5 yearly servicing must be done by ODS and SGG licensed persons
			Fire Blanket	✓ Limited	✓ Limited	✗	✗	✓	*Fire blankets may be used as a thermal barrier against radiated heat to control a fire in clothes being worn by a person
			Fire Hose Reel	✓	✗	✗	✗	✗	Dangerous if used on flammable liquid, energised electrical equipment

Limited indicates that the extinguisher is not the agent of choice for that class of fire, but that it may have limited extinguisher capability.
*Solvents such as alcohol or acetone mix with water and therefore require special foam.

Note - Class D Fires (involving eg. Magnesium) use special purpose extinguishers only

TURN POWER OFF BEFORE ATTACKING ELECTRICAL FIRES

* Fire Extinguisher Chart Supplied Courtesy of Megafire

Lockable Fire Extinguisher Cabinet

- Design offers simple allen grub screw to retain the glass
- Simple and reliable bolt latch
- Two pre-punched keyhole fixing points for easy installation
- Comes with spare piece of glass inside cabinet
- Suitable for internal and external weatherproof wall mounting



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (W x H x D)
864446	4.5kg Lockable Metal Cabinet	280 x 590 x 210mm
864445	9kg Lockable Metal Cabinet	280 x 760 x 230mm

Universal Fire Extinguisher Stands

- Safe and prominent sitting for your fire extinguisher
- Made from vacuum-formed non-grp construction
- Suitable for most fire extinguishers up to 9kg/9 litre
- Moulded base aids the positioning of your fire extinguisher



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (MM)
854343	Stand - 1 Extinguisher	720 x 290 x 285





ABE Dry Chemical Extinguishers



- **Complies with AS/NZS 1841.1:2007**
- Four sizes: 1.0kg, 2.0kg, 4.5kg and 9.0kg models
- Powder coated mild steel cylinders
- Forged brass discharge valve
- Powder coated handle and trigger

STANDARD PACKAGE: 1

PART NO.	APPLICATION	SIZE (KG)
844102 *	Workshops, Vehicles, Boats and Garages	1.0
848500 *	Electrical Switchboards, Buses, Garages	2.0
848376 **	Mining Vehicles, Cargo Carriers, Light Industry	4.5
848501 **	Flammable Liquid Road Tankers, Refineries Service Stations, Manufacturing Plants	9.0

* Extinguisher supplied with Heavy Duty Vehicle Bracket.
 ** Extinguisher supplied with Wall Hook for Mounting.

Water and Foam Extinguishers



- **Complies with AS/NZS 1841.1:2007**
- Powder coated stainless steel cylinders
- Forged brass discharge valve
- Powder coated handle and trigger
- Durable shock absorbing base
- Supplied with wall bracket

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L)
853033	Air/Water Extinguisher	9.0
853034	Foam Extinguisher	9.0

Wet Chemical Extinguisher

- **Complies with AS/NZS 1841.1:2007**
- Suitable for A and F class fires
- Ideal for use in commercial kitchens



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L)
869472	Wet Chemical Extinguisher	7.0

SAPPHIRE™ MRI Fire Extinguisher

- Can be safely used in an MRI room
- Non-magnetic stainless steel shell, valve, hose and nozzle

This extinguisher uses a sustainable chemical agent that is electrically non-conductive to reduce the risk of damaging sensitive equipment, leaving no messy residue.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (KG)
877686	Sapphire™ MRI Fire Extinguisher	6.0

NB: The Sapphire MRI Fire Extinguisher does not comply with AS1841.1 clause 8.2 (a) Body Colour.





FIRE SAFETY

CO₂ Dry Chemical Extinguishers



- **Complies with AS/NZS 1841.1:2007**
- Powder coated aluminium cylinders
- Forged brass discharge valve
- Powder coated handle and trigger
- Fixed discharge horn on 2.0kg model
- Hose and horn on 3.5kg and 5.0kg models
- Supplied with Wall bracket

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (KG)
850759	2.0kg CO ₂ Fire Extinguisher	2.0
864450	3.5kg CO ₂ Fire Extinguisher	3.5
864449	5.0kg CO ₂ Fire Extinguisher	5.0

Fire Blankets



- **Complies to Standard AS/NZS 3504-1995**
- Quick release design
- Choose from four sizes

The Fire Blanket is made from an incombustible glass fabric of twill construction. Rough woven finish prevents it from slipping once placed in position. Commonly used in factories for smothering small flammable liquid fires.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (M)
844104	Fire Blanket	1.0 x 1.0
861366	Fire Blanket	1.2 x 1.2
844106	Fire Blanket	1.2 x 1.8
866646	Fire Blanket	1.8 x 1.8

Hose Reel

- Sturdy steel construction
- Ideal in emergency situations
- Has a guide arm and a locking nozzle device



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (W x L)
858025	Hose Reel	19mm x 36m

Rotary Fire Alarm Bell

- Robust, hand operated fire bell
- Reliable, independent fire alarm warning indoors and out
- Supplied with pre-drilled flange for easy installation
- Sound output: 60dB(A) at 35m



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W)
872701	Rotary Fire Alarm Bell	280 x 229mm



Megaphone

- Ideal for fire or emergency evacuation
- Ensures clear communication between fire wardens and employees
- Push button, volume control, 20 watt power, and a 115db(A) siren.
- Sound distance is 50-100m depending on opened or closed space



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
872701	Megaphone

Rechargeable Air Horn

- Ideal in emergency situations
- Powerful siren emitting 115 dB(A) of sound
- Suitable for indoor and outdoor use
- No need to replace - simple recharge with air
- Provides approx. 30 blasts per charge



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
850342	Rechargeable Air Horn

Pre-Printed Vests



- **Complies to AS/NZS4602.1:2011**
- Increase visibility of wardens
- Cool, breathable and lightweight fabric
- Touch tape fastening for easy adjustment
- 50mm silver reflective tape

STANDARD PACKAGE: 1

SIZE / PART NO.								
PRINT TYPE	SML	MED	LGE	XL	2XL	3XL	4XL	5XL
Fire Warden	877945	877946	877947	877948	877949	877950	877951	877952
Warden	877953	877954	877955	877956	877957	877958	877959	877960
Chief Warden	877961	877962	877963	877964	877965	877966	877967	877968
Deputy Chief Warden	877969	877970	877971	877972	877973	877974	877975	877976

Fire Warden Hard Hat

- **Complies to AS/NZS 1801:1997 Type 1 ABS, for general industrial use**
- Australian made
- Pre-printed FIRE WARDEN logo for WHS requirements
- Manufactured with lightweight ABS Plastic - Type 1
- 6 point harness
- Adjustable headband
- Non-Vented



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR
878727	Fire Warden Hard Hat	Red



Chief Warden Hard Hat

- **Complies to AS/NZS 1801:1997 Type 1 ABS, for general industrial use**
- Australian made
- Pre-printed CHIEF WARDEN logo for WHS requirements
- Manufactured with lightweight ABS Plastic - Type 1
- 6 point harness
- Adjustable headband
- Non-Vented



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR
878728	Chief Warden Hard Hat	White





TRAFFIC & PARKING

Control traffic on your site and ensure the safety of your workers with these must have products. Use line-marking paint to mark out parking spaces, and signage to show the safe direction and access to your facility. Speed humps help everyone adhere to posted speed limits and safety mirrors ensure that hazardous areas are kept safe. Here is a sample of products available in this section:

- PAGE 101 -

WATER FILLED BARRIERS

- PAGE 104 -

FLUORESCENT CONES

- PAGE 107 -

ECONOMY BOLLARDS

- PAGE 108 -

RUBBER WHEEL STOPS

- PAGE 108 -

COLUMN CUSHION

- PAGE 110 -

ECONOMY RUBBER SPEED HUMPS

Make safe parking simple.

- Park Safe**
Segregate and mark parking bays
- Walk Safe**
Separate vulnerable pedestrians with barrier systems
- Stop It**
Prevent cars from rolling into buildings and walkways with wheel stops
- Slow Down**
Reduce danger with speed signs, humps and bollards
- Mirror Up**
Ensure visibility for difficult-to-see places
- Direct Traffic**
Make it obvious which way to go
- Cross Safe**
Sign up for safe road crossings
- Traffic Cones**
Traffic cones are handy to block hazards or restricted areas
- Control Speed**
Reduce traffic speed with speed limit signs
- Mark Lines**
Clearly layout roads and car parks with line marking machines






Water Filled Barriers

- Easy to manoeuvre and install
- Simply fill with water to provide a barrier which will stay in place until you are ready to move it

Water Filled Barriers can be used in any situation where you need to separate people or vehicles from potential dangerous situations. Brady offers two ranges of Water Filled Barriers for you to choose from:



HEAVY DUTY

WATER FILLED BARRIER

INTERLOCKING

WATER FILLED BARRIER

Application	HEAVY DUTY Construction Sites, Heavy Civil Sites, Low speed Zone Areas <40km/h, Car Parks Road Closures, Airports, Pedestrian Delineation, Crowd Control Events and Sporting activities, General Delineation	LIGHTWEIGHT Work Sites, Foot Paths, Pedestrian Delineation, Crowd Control, Events and sporting activities, Agriculture and Farming General Delineation
Crash Tested	No	No
Australian Made	Yes	No
Australian Compliance	AS 1742.3 for Pedestrian Control	N/A
Manufacturing Process	Roto Molded to ISO 9001- seams won't break open in hot weather, consistent wall thickness and strong corners. Design flexibility/application such as the ease to attach metal fencing into the molding.	Blow Molded - faster manufacturing process & low labour costs
Size (mm)	2000 (L) x 600 (W) x 900 (H)	1450 (L) x 250 (Top W) x 485 (Bottom W) x 800 (H)
Weight	330kg (filled), 32kg (empty)	200kg (filled to water level), 15kg (empty)
Material	Tough UV Stabilised Polyethylene	High-Density Polyethylene Plastic
Colours	Orange or White	Red or Yellow
Forklift Friendly	Yes	Yes
Easy Stacking	Yes	Yes
Easy to manoeuvre	Yes	Yes
Easy to Install	Yes	Yes
Custom Fencing	Yes	N/A
Custom Signs with Branding/Logo	Yes	Yes
Complimentary products	Lights attached at the top	N/A
Rotation Angle	Can be rotated up to 90° angle and up to 180°	Rotated to 180°
Hinge Pin	Yes - semi-retractable	N/A
Water Drainage Plugs	Two on either side	One at the back
Recyclable	Yes	N/A
Recommended when requirement is for:	Australian made, Australian standard compliance, low speed zone, flexible applications such as custom fencing and flexible work space installation	General delineation and low cost option for short term applications





TRAFFIC & PARKING

Water Filled Barriers



Water filled barriers can be used in any situation where you need to separate people or vehicles from potential dangerous situations. They are light weight and easy to manoeuvre and install. Simply fill them with water to provide a barrier, which will stay in place until you are ready to move it. Barriers are joined together using interlocking hinges and pins (included). Not designed for impact.

WEIGHT: 32kg (Empty); 330kg (Filled)

STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (L x W x H)
864592	White	2000 x 600 x 900mm
864593	Orange	2000 x 600 x 900mm

*Additional freight charges may apply

Loc-Block Water Filled Barriers



These light weight water filled barriers protect pedestrians and motorists from any potential dangerous situations. Ideal for foot paths or worksites, simply fill them with water to provide a secure barrier system which will stay in place until you are ready to move them. Barriers connect together with interlocking hinges. Not designed for impact.

WEIGHT: 16kg (Empty); 160kg (Filled)

STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (L x W x H)
873462	Red	1500 x 465 x 800mm
873464	Yellow	1500 x 465 x 800mm

*Additional freight charges may apply

Flakstak Barriers



This sturdy, free-standing barrier is constructed from high-density polyethylene with rubber swivel feet. The barrier can be flat-stacked for storage and transport. Suitable for single use or interlocked into various configurations. Ideal for outdoor use in high pedestrian traffic areas including special events, footpaths, car parks, utility and trench works etc. There is provision for flashing lamps, reflective delineators and signage.

WEIGHT: 14kg

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x H)
873888	Flakstak Barrier	2 x 1m

*Additional freight charges may apply





E Flare™ Protector Beacons



Eflare™ portable warning beacons are essential for alerting hazards and providing a safer working environment. Eflare™ does not produce toxic fumes, burn, affect distance judgement and there is no risk of fire or explosion while in use. Waterproof and shatterproof. Designed with a fluoro yellow body.

- Visible for more than 2km at night
- 360° high visibility LED beacons are shatterproof and waterproof
- Provide a safe and effective alternative to pyrotechnic or chemical flares
- Compact, easily deployable with up to 20+ hours
- Easily attaches to belts, clothing, vehicles, cones or bollards using accessories
- Flash rate of 165-185 fpm with 8 LEDs
- Requires 4 x AA cell batteries (not supplied)

*2 pack includes 2 x Eflares, 2 x Bases, 1 x carry case

PART NO.	TYPE	LIGHT COLOUR	SIZE (MM)	PACK QUANTITY
877915	250 Series Single	Red	145	1
876189	280 Series Single	Amber	150	1
876190	280 Series Single	Blue	150	1
876188	280 Series Single	Red	150	1
876192	280 Series Single	White/Amber	150	1
876198	283 Series Dual	Red/Amber	150	1
876200	283 Series Dual	White/Amber	150	1
876194	290 Series Single	Amber	200	1
876195	290 Series Single	Blue	200	1
876196	290 Series Single	Green	200	1
876197	290 Series Single	White/Amber	200	1
876193	290 Series Single	Red	200	1
876203	293 Series Dual	White/Amber	200	1
876201	293 Series Dual	Red/Amber	200	1
876202	293 Series Dual	Red/White	200	1
874048	350 Series Single	Amber	150	1
874047	350 Series Single	Red	150	1
876391	350 Series Single 2pk*	Amber	150	2
1 851562	Carry Bag for 2-3 flares	-	-	1
2 851561	Cone mount clip	-	-	1
3 876204	Magnetic clip	-	-	1
4 856023	Rubber stand base	-	-	1

Flashing Light



- 3 LED output. 3 Functions: On, Off and Flashing
- For belt mounting use bracket supplied for rigid mounting
- Requires 2 x AA batteries (not included)

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x H x W)
873162	Flashing Light	80 x 50 x 30mm





TRAFFIC & PARKING

Fluorescent Cones



- Highly visible fluorescent colours
- Manufactured from premium grade PVC injection moulding
- 3M 3340 Hi-Intensity reflective cone collars
- Most durable traffic cones available in the market

COLOURS AVAILABLE



SIZE	PART NO.			
	BLUE	LIME	ORANGE	YELLOW
450mm	874882	874881	874884	874883
700mm	874886	874885	874888	874887

Traffic Cones

- A. 150mm Reflective Collar (843925)
- B. 100mm Reflective Collar (843928)



Mini Cones



These highly visible fluorescent orange Traffic Cones are available in 710mm and 450mm sizes. Constructed of durable PVC material, their wide body design makes them resistant to tipping in high wind or heavy traffic situations. The Mini Cones are perfect for car parks. They are easy to stack and store.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
843234	710mm Traffic Cone
843925	150mm Collar
843235	450mm Traffic Cone
843928	100mm Collar
843236	305mm Mini Traffic Cone

Roto Light



This lightweight Roto Light attaches securely to your traffic control cones to ensure that they can be seen by all. Offering day and night warning even in harsh conditions, and is self-cleaning in snow and sleet. This wind powered rotating beacon does not require batteries or maintenance and is more cost effective than electronic flashing beacons.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
845605	Roto Light





Retractable Barrier Bars



Constructed from tough ABS plastic, the Barrier has soft Polyethylene rings on each end which will fit over the top of most types of traffic cones. The telescopic bar can be extended between 1100mm and 2100mm. Reflective stripes ensure visibility. Available in reflective Red/White or Black/Yellow. Ring Diameter of 80mm.

STANDARD PACKAGE: 1

PART NO.	COLOUR
843461	Black/Yellow
860877	Red/White

Collapsible Safety Cones



Rubber Base

Plastic Base

Reflective tape complies to AS/NZS1906.1:2007

The Collapsible Safety Cones are a must for any emergency situation. They offer protection for roadside and industrial emergencies and can be set up in seconds. The reflective strip ensures safety and visibility in day and night conditions. Cones come standard with built in water-proof LED flashing light, powered by 2 x AAA batteries. The lights have 3 phases, on, off and flashing.

Cones are also resistant to most wind conditions and the durable nylon construction is water-washable. Cones fold into a 50mm stub when not in use.

STANDARD PACKAGE: 1

PART NO.	SIZE (MM)	BASE	BASE SIZE (MM)	WEIGHT (KG)	HEIGHT (OPEN) (MM)	HEIGHT (CLOSED) (MM)
873879	450	Plastic	245 x 245	1.2	450	50
873880	450	Rubber	245 x 245	1.5	450	50
873881	700	Plastic	327 x 327	2	700	50
873882	720	Rubber	350 x 350	3	720	50

Heavy Duty Traffic Cones



Heavy duty traffic cones are the ideal choice in traffic control applications. The flexible 100% PVC construction ensures maximum safety on impact. The highly visible cones enhance the safety of work crews and motorists during emergencies and repair projects. They are easy to install and the durable design offers convenient storage and portability.

STANDARD PACKAGE: 1

PART NO.	SIZE (MM)
872383	700
872384	900





TRAFFIC & PARKING

T-Top Temporary Bollard

Complies to AS1742.3:2009

The T-Top Temporary Bollard is made of low density polyethylene, stands at a height of 1150mm and has a diameter of 100mm. With a weight of 6kg or 8kg base, the bollard is stable, even in high speed traffic conditions. Its bright fluorescent orange colour and reflective bands provide high visibility all hours of night and day and in all weather conditions. The unique T-Top provides a grip handle that makes the bollard easy to carry.



Improved post bottom reinforcing-rings for extra strength and durability



Convenient T-Top carry handle and moulded bolt hole for flashing light



Wide diameter weighted base ensures stability

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
843233	6 kg T-Top Temporary Bollard
846589	8 kg T-Top Temporary Bollard

T-Top Channeliser Cone



The extra large flanged bottom provides maximum stability in the all-rubber base

Complies to AS1742.3:2009

Made from high density polyethylene, the T-Top Channeliser Cone is able to withstand impact with minimal vehicle damage. They are highly visible, day and night and in all weather conditions. With a total weight of 8kg and an octagonal rubber base, the T-Top is stable in most arduous traffic conditions. The bright fluorescent orange colour and reflective bands provide high visibility. They stand at 1000mm in height, have a diameter of 270mm at the bottom tapering to 100mm at the top. The T-Top is stackable with the octagonal base still attached for easy transportation. They also come with a grip handle which makes each cone very easy to carry.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
848814	T-Top Channeliser Cone

Flexible Knock Down Bollard with Chain Loop



This flexible two piece knock down bollard features an elastic joint for temporary or permanent delineator applications. The removable bollard post twist locks into the rubber base and is supplied with a highly visible reflective band. The flexible knock down bollard is manufactured from tough red polyethylene and stands 800mm high. The bollard also features a moulded chain ring. Plastic chains available in 3 colours, Black, White and Yellow and are 30 metres in length.


STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
873875	Flexible Knock Down Bollard with Chain Loop
873876	Black Chain - 30 metres
873877	White Chain - 30 metres
873878	Yellow Chain - 30 metres





Pivoted Car Park Bollard



Put an end to parking bay poaching. This pivoted bollard provides orderly tenant parking and protects your bay from unauthorised access. The galvanised, powder coated bollard is constructed from tough 65mm square steel post. In the unlocked position the total height is only 90mm allowing vehicles to drive easily over it. Its internal locking system can't be tampered with. The base is made from rust proof, high tensile aluminium alloy. Four 12mm masonry anchors are required for installation of this 735mm tall bollard. Keyed Alike and Master Key systems available.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
843959	Pivoted Bollard

Fold Down Bollard




Reflective Sheeting
851931

Fold down bollards control vehicle access in driveways or parking areas. Made from a robust, fully welded steel construction and standing 800mm tall when upright, the fold down is the ideal solution for applications where access control is of paramount importance. Powder coated, the bollard is ideal for driveways, private laneways or car spaces. When lying flat the bollard is only 80mm high allowing sufficient vehicle clearance. The class 2 reflective sheeting ensures your bollard is highly visible at all times (sold separately). Fold down bollard is supplied with a 40mm padlock.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
851929	Fold Down Bollard
851931	C2 Reflective Sheeting
851930	Fixing Kit for new concrete

Economy Bollard



- For low traffic areas with low chance of collision
- 3mm thick walls
- Round yellow only
- Includes red reflective collar
- Removable cap to add concrete if desired

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	BELOW GROUND DEPTH (B1)	SURFACE MOUNT PLATE LENGTH (B2)
877932	Surface-mount 90 x 1000mm	-	200mm
877933	Below-ground 90 x 1000mm	300mm	-
877934	Surface-mount 140 x 1200mm	-	250mm
877935	Below-ground 140 x 1200mm	300mm	-





TRAFFIC & PARKING

Rubber Wheel Stop



- **Complies to AS2890.1:2004**

The Rubber Wheel Stop is ideal for parking areas to reduce property and vehicle damage. Constructed of durable recycled materials, they will not rust, chip or corrode. The wheel stops can be attached to asphalt or concrete (fixings included, spikes sold separately). The unit weighs 16.7kgs and has a 1650mm working length.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x W x H)
867966	Rubber Wheel Stop	1650 x 90 x 150mm

Group 1 Height Bars



- Indicates to vehicles car park height restrictions
- Hangs from ceiling
- Chain hanger kit included
- When you order, you need to specify what height you want printed on the bar label
- Includes reflective strip and "LOW CLEARANCE" text with your specified height in black letters printed on a white vinyl label
- Made from one piece aluminium extrusion
- Available in 2 & 3m lengths

PART NO.	SIZE (W x H x D)
878334	2000 x 150 x 45mm
878335	3000 x 150 x 45mm

Column Cushion





- Protects vehicles and columns from damage in the case of a collision
- Blow moulded LLDPE outer with foam filled polyethylene cushion core
- Can be used singularly or stacked
- Made from U.V. stabilised chemical resistant non-conductive material

PART NO.	SUIT COLUMN SIZE	OVERALL SIZE (DIA. x H)
878513	100mm Square	350 x 900mm
878514	150mm Square	350 x 900mm
878408	200mm Square	610 x 900mm
878448	250mm Square	610 x 900mm
878515	300mm Square	610 x 900mm
878516	350mm Square	870 x 900mm
878517	400mm Square	870 x 900mm
878518	450mm Square	870 x 900mm





Traffic Speed Humps



Complies to AS2890.1:2004

A modular steel speed control system consisting of truly independent strong steel modules. Finish off each end of the speed hump with a pair of end caps. Rounded end caps are manufactured from extremely durable rubber. Suitable for car parks, shopping centres or industrial complexes. Modules also have a built in bridge system to accommodate hoses or cables. Each speed hump comes complete with fixings.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x W x H)
852543	500mm Speed Hump	500 x 350 x 52mm
852544	1000mm Speed Hump	1000 x 350 x 52mm
859655	End Caps (Pair)	-

SPECIFICATIONS

- Length:** 500mm or 1000mm
- Width:** 350mm
- Height:** 52mm
- Top skin:** 3mm floor plate
- Ramp angle:** 2:1
- No of Fixings:** 4 (supplied)
- Weight:** 500mm - 9.2kg; 1000mm - 16.5kg
- End:** 5.2kg/pair (rubber)
- No. of Fixings:** 4 (supplied)
- Weight:** 9.2kg for 500mm & 17kg for 1000mm module
- Weight:** Middle - 19kg, End - 7.5kg
- No. of fixings:** 5 per Middle, 3 per end (supplied)

Heavy Duty Speed Humps





Manufactured to comply with AS2890.1:2004

A modular steel speed control system designed for heavy vehicle applications. The super strong chassis construction features a 6mm floor plate and is more than four times the load bearing contact area with the road surface than other products. Ideal for transport depots, factories, terminals and many more. Modules also have a built in bridge system to accommodate hoses or cables. Each speed hump comes complete with fixings.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x W x H)
852546	1000mm H/D Speed Hump	1000 x 350 x 52mm
895655	End Caps (Pair)	-
870988	500mm H/D Speed Hump	500 x 350 x 52mm



SPECIFICATIONS

- Length:** 500mm or 1000mm
- Width:** 350mm
- Height:** 52mm
- Top skin:** 6mm floor plate
- Ramp angle:** 2:1
- No of Fixings:** 6 (supplied)
- Weight:** 500mm - 9.2kg; 1000mm - 16.5kg
- End:** 5.2kg/pair (steel)





TRAFFIC & PARKING


Traffic Calming Rubber Speed Hump



Traffic calming speed humps are designed for situations where traffic speeds need to be controlled and a standard traffic speed hump is not suitable. Smoother approach and departure angles mean a wider range of vehicles can pass over them. The solid rubber construction ensures these traffic calmers are capable of handling heavy traffic. Safety yellow anti-slip insert panels increase visibility and improve pedestrian safety. All modules supplied with fixings.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x W x H)
855113	Speed Hump Middle Module	900 x 500 x 50mm
855114	Speed Hump End Modules (Pair)	900 x 270 x 50mm



SPECIFICATIONS


Material: Solid Natural and Recycled Rubber

Finish: Moulded Black Rubber with Yellow Panels

Weight: Middle Module 19kg, End Modules 16kg per pair

No. of Fixings: 5 per Middle, 3 per End (supplied)

Economy Rubber Speed Humps



• **Designed to comply with AS2890.1-2004**

- An economical and effective solution to slow traffic in your facility
- Durable, colours won't chip or wear
- Suitable for light traffic environments

Simply fix as many modules together as required with end caps** to create a speed hump that is as long as you need it. When laid in an alternating pattern, they conform to AS2890.1-2004. Made from a combination of recycled and natural rubber, they have a solid colour. A built in bridge design inside also accommodates a cable or hose. Comes complete with all fixings required. Medium duty, low volume traffic suitable for weight up to 5 tonne/axle.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x W x H)
859653	Black Rubber Body Module	250 x 340 x 50mm
859654	Yellow Rubber Body Module	250 x 340 x 50mm
859655	Rubber End Caps - Pair	123 x 340 x 50mm


*Additional freight charges may apply.

**End caps sold per pair and available in Black only.





Slo-Motion Speed Control System



- **Complies to AS2890.1-2004**
- Easy to install modular system supplied with all fixings ready for installation

Minimal noise design is suitable for residential areas. The durable system is manufactured from a high tech Linear Low Density Polyethylene and features excellent outdoor weathering characteristics. It will not fade, rot, rust or crack and has built-in prismatic reflectors for enhanced night visibility.

SPECIFICATIONS

Material: Injection moulded Linear Low Density Polyethylene (LLDPE)

Ramp Angle: 2:1


Weight: Body modules – 1.8kg, End modules – 0.8kg
Suitable for weight up to 20 tonne/axle

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR	SIZE (L x W x H)
868393	Speed Hump 250mm	Yellow	250 x 355 x 60mm
868394	Speed Hump 250mm	Black	250 x 355 x 60mm
868395	Speed Hump Rounded End Caps (Pair)	Black	180 (radius) x 60mm



Economy Cable Protector



- Prevents tripping accidents and damage to cables and hoses
- Ideal for warehouses, machine and production areas
- Hinged top for easy installation or removal of cables

This Economy Cable Protector helps prevent tripping hazards and is an economical way to ensure that your facility is kept safe and cables and hoses are not damaged. Each protector measures 900 x 600 x 75mm and features three 63mm wide channels inside. They can be interconnected so you can create custom size lengths. The anti-slip surface is weather and abrasion resistant. Load Rating up to 5 Ton.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x W x H)
859908	Economy Cable Protector	900 x 600 x 75mm






TRAFFIC & PARKING

Xtreme Vision™ Safety Mirrors

Xtreme Vision™ Safety Mirrors from Brady are the ideal solution for providing a wider, extended field of vision. Safety Mirrors allow optimum vision around corners, in aisles, hallways and blind spots, across assembly lines, entry/exit areas and areas where general surveillance is required. To select the mirror best suited to your requirements simply refer to our Viewing/Installation Guide.


Viewing & Installation Guide



Choosing the appropriate mirror:

To determine the correct mirror size, simply follow these step by step instructions:

STEP 1: Estimate the distance from the viewer to the proposed mirror location.



STEP 2: Estimate the distance from the proposed mirror location to the area/object to be observed.




STEP 3: Combine the previous distances (Step 1 and Step 2). The total distance is your guide to the correct mirror size. Use the table shown to choose appropriate mirror size. If in doubt choose the larger size.

Note: Viewing Distances are only a guideline and are recommended based on straight viewing. It is recommended to go up a size or two with multiple intersection or poor lighting areas.

VIEWING DISTANCE GUIDE

Size of Mirror (Dia.)	Best Distance
300mm	Up to 12m
450mm	Up to 15m
600mm	Up to 20m
760mm	Up to 25m
1000mm	Over 25m

Industrial Safety Mirrors



This strong industrial mirror features a 160° wide, 120° angle vision that provides a full overhead view of any area that requires frequent monitoring. Weatherproof and UV resistant this mirror is designed for both indoor and outdoor use. These lightweight acrylic mirrors have a rubber rim and heavy duty backing for weatherproofing. Each mirror is supplied with installation instructions and all necessary heavy-duty steel mounting brackets. Not for use in high wind areas.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (DIA.)
833068	Acrylic - Outdoor	457mm
833072	Acrylic - Outdoor	610mm
844159	Acrylic - Outdoor	812mm
844161	Acrylic - Outdoor	914mm
856109	Scratch Resistant Acrylic - Outdoor	457mm
856110	Scratch Resistant Acrylic - Outdoor	660mm
856111	Scratch Resistant Acrylic - Outdoor	762mm
856112	Scratch Resistant Acrylic - Outdoor	914mm
856230	Post Mount Attachment for Convex Mirror	-





Heavy Duty Traffic Mirrors



The Heavy Duty Traffic Mirror is specifically engineered for use as a safety, security and surveillance device in high traffic areas. These convex mirrors provide a large high resolution image for extra safety. When located in strategic positions, they can eliminate blind spots - giving a wider field of vision. The tough stainless steel, weatherproof mirror is virtually unbreakable and comes with a strong steel backing. Ideally used for hilly/winding roads, intersections, car parks and staircases. Each mirror is supplied with installation instructions and all necessary heavy-duty steel post mounting brackets. Wall Mount attachment sold separately.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (DIA.)
856096	Stainless Steel Post/Wall Mountable	457mm
844406	Stainless Steel Post/Wall Mountable	660mm
844404	Stainless Steel Post/Wall Mountable	800mm
873898	Wall Mount Attachment for Heavy Duty Traffic Mirror	-



Indoor Convex Mirrors



Durable and scratch resistant, these acrylic Indoor Convex Mirrors offer excellence in safety and security. This mirror allows easy viewing of unguarded areas. Ball and swivel plate are attached directly to the mirror to reduce weight and costly installations. Each mirror is supplied with installation instructions and mounting brackets. Not for use in high wind areas.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (DIA.)
851307	Convex Mirror	300mm
851308	Convex Mirror	660mm
851309	Convex Mirror	760mm
833066	Indoor Rectangular Mirror	610 x 400mm



Economy Convex Safety Mirrors



These lightweight acrylic mirrors are suitable for indoor use. Mirrors provide a wider, extended field of vision ideal for preventing accidents at intersections and in deterring theft. Available in a variety of sizes, each mirror is supplied with installation instructions and mounting bolts. Not for use in high wind areas.



STANDARD PACKAGE: 1

PART NO.	SIZE (DIA.)
844163	305mm
844164	457mm
833067	609mm
856093	667mm
844165	762mm
856094	812mm
856095	914mm






TRAFFIC & PARKING

Dome Mirrors

Dome shaped mirrors are widely used for general surveillance and accident prevention in retail and industrial environments. They are the ideal solution where general surveillance of a broad area is required. Three styles available - full dome, half dome and quarter dome.




Full Domes: Can be suspended on chains or fastened directly to the ceiling to provide a 360° view. Ideal at four-way intersections.



Half Domes: Use the half domes for 180° view. Reduces the risk of collision at corner intersections.



Quarter Domes: Use quarter domes for 90° view. Ideal for vision around corners, aisles, blind spots and/or entry and exit areas.



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (DIA.)
844168	Full Dome - 360° Ceiling Mount	457mm
844169	Full Dome - 360° Ceiling Mount	609mm
856113	Full Dome - 360° Ceiling Mount	812mm
844170	Full Dome - 360° Ceiling Mount	914mm
856223	Full Dome - 360° Ceiling Mount	1016mm
833064	Half Dome - 180° Wall Mount	457 x 300mm
833065	Half Dome - 180° Wall Mount	660 x 300mm
844167	Half Dome - 180° Wall Mount	914 x 300mm
844166	Quarter Dome - 90° Corner Mount	457mm
856114	Quarter Dome - 90° Corner Mount	660mm
856135	Quarter Dome - 90° Corner Mount	812mm
856134	Quarter Dome - 90° Corner Mount	914mm
856136	Quarter Dome - 90° Corner Mount	1016mm



Line Master Line Marking Machine



LINE MARKING PAINT

A fast drying, UV resistant acrylic paint, specially formulated to provide the longest lasting line in extreme environmental conditions. A 500g can will provide approximately 120m of quality line.

The Line Master allows accuracy in your line marking applications. Constructed of heavy-duty steel, the ergonomic design includes a built-in side line attachment for applications parallel to walls or tight spaces.

The lightweight handle can be removed and used for spot marking. The machine allows for line widths between 60mm and 100mm. Also included is a utility tray, storage for up to 5 cans, directional arrow and instructions

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	COLOUR
871160	4 Wheel Line Marking Machine	-
845724	Aerosol Line Marking Paint - 500gm	Black
845725	Aerosol Line Marking Paint - 500gm	Red
845726	Aerosol Line Marking Paint - 500gm	Blue
845727	Aerosol Line Marking Paint - 500gm	Green
845729	Aerosol Line Marking Paint - 500gm	Orange
845730	Aerosol Line Marking Paint - 500gm	White
845731	Aerosol Line Marking Paint - 500gm	Lead Free Yellow
845732	Aerosol Line Marking Paint - 500gm	Grey





Economy Pavement Marking Tape

The Economy Pavement Marking Tape provides a low cost way to mark your driveways, parking lots and construction sites. This tape is constructed of foil-backed vinyl, coated with sand and reflective beads to provide traction and reflect light. The adhesive bonds this tape temporarily to a clean, dry surface.

STANDARD PACKAGE: 1



PART NO.	COLOUR	SIZE (W x L)
852436	White	100mm x 45m
852437	Yellow	100mm x 45m


Custom Car Park Stencils

Create stencils for your car park that say exactly what you want. Available in letter sizes from 25mm to 300mm, the tough polypropylene construction means that they can be used again and again. Brady can custom make any text stencil, even with logos or pictograms. Contact your local distributor for a prompt quote.



LETTER SIZE AVAILABLE (MM)			
25	75	120	200
30	80	130	225
40	90	140	250
50	100	150	300
60	110	175	-

Car Park Stencil Kit



This Car Park Stencil Kit is ideal for organising and marking on car areas. Simply align the pre-spaced letters, tape down and paint. Stencils are constructed from reusable oil board. Each kit contains 254mm letters (A-Z), numbers (0-9), 483mm legends IN and OUT, 510mm Handicapped symbol and 1400mm and 1500mm directional arrows. Each stencil comes separately and can be aligned to each other.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
876978	Car Park Stencil Kit

Car Park Stencils



Use these tough polypropylene stencils for a quick and cost effective way to mark car parks, factory floors and any other traffic areas. Solvent resistant and reusable.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (DIA.)
842114	Visitors/Staff only	150mm
842115	Reserved/No Parking	150mm
842116	Disabled Symbol	200mm
842117	Keep Clear	200mm
842119	Arrow Symbols	-
842122	Alphabet Stencil	75mm



ASSET IDENTIFICATION

DuraGuard® Asset Tags

Use DuraGuard® Asset Tags on everything from computers, office equipment, desks, chairs, tables, file cabinets, tools, fire extinguishers, machinery equipment and electrical appliances.

Quick, easy and dependable identification printed to your exact specifications!
Choose from many sizes and options.

There is no limit to what you can use DuraGuard® for Service Call Tag, Product Tag with company details, Asset Identification, Computer ID, and much more.

A durable, all purpose solution that sticks to nearly every surface.



COLOURS AVAILABLE

- 
DARK BLUE
- 
BURGUNDY
- 
FLAME RED
- 
BLACK
- 
DARK GREEN
- 
LIGHT BLUE

KEY FEATURES

- Overlaminates protect against vandalism
- Universal adhesive adheres to most surfaces
- No set-up or logo charges
- 10 sizes to choose from
- Competitive pricing
- Professional-looking tags
- Available in either Standard or Tamper evident adhesive

SPECIFICATIONS

- **Application:** Indoor/Outdoor use. Ideal for office equipment, computers, tools, fire extinguishers, machinery, electrical equipment and more
- **Environment:** Moderate
- **Material:** Multi-layered Metallised Polyester (0.0762mm)
- **Finish:** Gloss

- **Adhesive:** Specially formulated adhesive sticks to a wide variety of surfaces
- **Supplied:** Brand and cut into convenient strips
- **Service Temp.:** -40°C to 145°C. Average outdoor durability is 3-5 years
- **Installation:** Simply apply to clean, dry surface (minimum 10°C temperature recommended) No application roller needed
- **Lead Time:** Made in Australia for reduced lead time

PART NO.	DESCRIPTION	SIZE (MM)
865424	DuraGuard® - No Barcode	37.5 x 12.5
865428	DuraGuard® - No Barcode	38 x 19
865423	DuraGuard® - No Barcode	50 x 12.5
874072	DuraGuard® - No Barcode	50 x 19
865422	DuraGuard® - No Barcode	50 x 25
865421	DuraGuard® - No Barcode	62.5 x 19
865420	DuraGuard® - No Barcode	62.5 x 25
865419	DuraGuard® - No Barcode	75 x 25
865418	DuraGuard® - No Barcode	75 x 37.5
865417	DuraGuard® - No Barcode	75 x 50
865427	DuraGuard® - With Barcode	38 x 19
865425	DuraGuard® - With Barcode	50 x 19
865416	DuraGuard® - With Barcode	50 x 25
865415	DuraGuard® - With Barcode	62.5 x 19
865414	DuraGuard® - With Barcode	62.5 x 25
865413	DuraGuard® - With Barcode	75 x 25
865412	DuraGuard® - With Barcode	75 x 37.5
865411	DuraGuard® - With Barcode	75 x 50

PART NO.	DESCRIPTION	SIZE (MM)
865402	Tamper Evident DuraGuard® - No Barcode	38 x 19
865401	Tamper Evident DuraGuard® - No Barcode	50 x 19
865410	Tamper Evident DuraGuard® - With Barcode	38 x 19
865409	Tamper Evident DuraGuard® - With Barcode	50 x 19



Can not be reapplied once removed



CONTACT OUR CUSTOMER SERVICE REPRESENTATIVES ON 1800 620 816 TO PLACE YOUR DURAGUARD ORDER (MINIMUM ORDER OF 100 TAGS) !



Barcode Scanners

CINO F560 1D Barcode Scanner

- Low cost handheld linear imager scanner
- Exceptional performance on both contact and distant reading
- Sleek, lightweight modern design and durable construction
- Manual, Presentation Mode or Auto Trigger



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
877608	CINO F560 1D Scanner

CINO FBC780BT Cordless 1D Barcode Scanner

- High performance and ruggedised construction
- Plug-and-play cordless migration by working with smart USB communication cradle
- Bluetooth 2.1 EDR wireless technology with more than 80m communication coverage
- Support both HID and SPP profiles to connect with most bluetooth-enabled hosts
- Memory storage up to 20,000 for batch scanning and 4-5 hours per full charge



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
865298	CINO FBC780BT Cordless Scanner

Opticon PX-20 2D Bluetooth Barcode Scanner

- High performance 2D Imaging Engine scanner
- Ready-to-go out of the box—just pair it with your Bluetooth device (Bluetooth 2.1)
- Ultra compact and lightweight design
- Programmable and support both HID, SSP and SPP profiles
- USB rechargeable, high capacity Lithium-Ion battery
- Ideal for field sales, retail POS, inventory management, asset tracking and many more



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
878625	Opticon PX-20 Bluetooth Scanner



PEOPLE IDENTIFICATION

Our product offering makes us a true one-stop shop for all things in people identification and security. We carry ID Card Printers to create your own ID Badges on demand, for visitors, contractors and staff. Partner them with our ID Consumables, in any combination, of Lanyards, Card Holders and Retractable. We specialise in managing visitors through our traditional sign-in books and our patented time expiry badge range - TEMPbadge. Here is a sample of products available in this section:

- PAGE 119 -

**SMART-51S
CARD
PRINTER**




- PAGE 119 -

**DUAL SIDE
CARD HOLDER**



- PAGE 120 -

**ARM
BADGE
HOLDER**




- PAGE 121 -

**KEYBAK®
SUPER 48
RETRACTABLE
KEY HOLDER**




- PAGE 122 -

**PRE-PRINTED
LANYARDS**



- PAGE 124 -

**ONE STEP
TEMPBADGE
LABELS**



FARGO® DTC1250e Card Printer Packages

- Includes Swift ID Badge Design Software
- High quality output
- Simple USB plug-and-play
- Inline card print and encoding
- Print speed: 6 sec/card (Black); 16 sec/card (YMCKO)
- 300 DPI resolution
- Dye sublimation/resin thermal transfer print method

BASIC PACKAGE:

- 1 x Single-sided DTC1250e Card Printer
- DTC1250 YMCKO EZ Ribbon (Roll of 250 Prints)
- 1 x Asure ID 7 Express Card Printing Software
- Ultracard Blank CR80 PVC White Cards (200 Cards)
- 1 x Logitech HD Webcam C922

VALUE PACKAGE:

- 1 x Single-sided DTC1250e Card Printer
- DTC1250 YMCKO EZ Ribbon (2 x Roll of 250 Prints)
- 1 x DTC Range Cleaning Kit
- 1 x Asure ID 7 Express Card Printing Software
- Ultracard Blank CR80 PVC White Cards (300 Cards)
- 1 x Logitech HD Webcam C922



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
878366	FARGO® DTC1250e Basic Package
878365	FARGO® DTC1250e Value Package



SMART-51S Card Printer Packages

- Print speed: max. 17 sec/card (YMCKO)
- 300 DPI edge-to-edge printing
- 2 lines LCD with LED buttons for font operation
- Supports transparent cards
- Low cost security with UV printing
- Input Hopper holds up to 200 cards
- SMART-51S can be upgraded to Dual Side (51D) or Dual Side with Lamination (51L)
- Dye sublimation/resin thermal transfer print method
- Includes SMART ID Card Design software



BASIC PACKAGE:

- 1 x Single-sided SMART-51S Card Printer
- YMCKO Ribbon (Roll of 250 Prints)
- Long Cleaning Card Kit (10 Cards)
- Ultracard 300mil Plain CR80 White PVC Cards (200 Cards)
- 1 x Logitech HD Webcam C922

VALUE PACKAGE:

- 1 x Single-sided SMART-51S Card Printer
- YMCKO Ribbon (2 x Roll of 250 Prints)
- Long Cleaning Card Kit (10 Cards)
- Ultracard 300mil Plain CR80 White PVC Cards (300 Cards)
- 1 x Logitech HD Webcam C922

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
878360	SMART-51S Printer Basic Package
878361	SMART-51S Printer Value Package

Lockable Card Holder

- Clear tough polycarbonate plastic
- Tamper proof card and key to help prevent loss or misuse
- Protects ID card holder from tampering
- End piece snaps in to lock cards inside
- One key supplied per pack of 10 card holders
- Fits CR80 size cards
- Max Capacity - up to 3 CR80 cards



STANDARD PACKAGE: 10

PART NO.	DESCRIPTION	SIZE (W x H)
873786	Portrait Lockable Card Holder	100 x 68mm

Dual Sided Card Holder

- Open Face Rigid plastic card holder
- Dual format badge can be hung in landscape or portrait orientation
- Dual-sided, holds 2 cards
- 2 sides feature slots for a clip or lanyard attachment
- Fits CR80 size cards
- Max Capacity - 2 CR80 cards, 1 on either side



STANDARD PACKAGE: 10

PART NO.	DESCRIPTION	SIZE (W x H)
873785	Dual Sided Card Holder	94 x 62mm



PEOPLE IDENTIFICATION

Arm Band Badge Holder



Black



Fluro Orange

- Fits any arm size
- Flexible identification solution
- Clear arm band holder with a black band
- Also available in hi-vis fluorescent orange for night workers
- Fits CR80 size cards
- Maximum Capacity - 1 CR80 card

STANDARD PACKAGE: 25

PART NO.	DESCRIPTION	SIZE (W x H)
854763	Fluro Orange Arm Band Badge Holder	105 x 110mm
878506	Black Arm Band Badge Holder	105 x 110mm

Flexible Card Holders



- Holds and protects ID cards
- Constructed from clear, thick, flexible vinyl
- Available in "soft" and "heavy duty" versions
- Slot closures at the front and back of the holder to lock in cards when used with lanyard attachments
- Maximum Capacity - 1 CR80 card

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (W x H)
868675	Portrait Soft Vinyl Card Holder	69 x 110mm
868676	Landscape Soft Vinyl Card Holder	110 x 69mm
868677	Portrait Heavy Duty Vinyl Card Holder	69 x 110mm
868678	Landscape Heavy Duty Vinyl Card Holder	110 x 69mm

A6 Event Size Card Holder



- Clear flexible vinyl card holder
- Ideal for trade shows and events
- Centred slot and outer holes for attaching to lanyard or clip
- Inner dimension: 110 x 155mm (W x H)

STANDARD PACKAGE: 100

PART NO.	DESCRIPTION	SIZE (W x H)
878362	Portrait A6 Card Holder	115 x 174mm

Press Seal Vinyl Card Holder



- Press seal flexible card holder
- Features a zip lock style seal protecting your card from moisture and dust
- Made from flexible vinyl material with a clear front and frosted back
- Fits CR80 size cards
- Maximum Capacity - 2 CR80 cards

STANDARD PACKAGE: 10

PART NO.	DESCRIPTION	SIZE (W x H)
878501	Portrait Press Seal Vinyl Card Holder	68 x 118mm





Carabiner Reels



- Stylish design
- Easy clip on/off action
- 92cm nylon cord
- Features a card holder strap
- 25mm customisable area
- Twist free feature
- Can be attached to a belt loop

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (W x H)
854685	Blue Carabiner Reel	35 x 60mm
854684	Red Carabiner Reel	35 x 60mm
854686	White Carabiner Reel	35 x 60mm
854683	Black Carabiner Reel	35 x 60mm

Enviro Friendly ID Retractable



- Made from 100% recycled plastic
- Belt clip attaches to your clothing to keep ID cards safe and secure
- 25mm customisable area
- Features a card holder strap
- 88cm nylon cord

STANDARD PACKAGE: 25

PART NO.	DESCRIPTION	SIZE (DIA.)
875550	Enviro Friendly ID Retractable	30mm

KeyBak® Securit Heavy Duty Retractable Key Holder



- Great for carrying tools and keys
- Zinc alloy carabiner clip to attach to almost anything
- Split ring attachment
- 1200mm Kevlar cord

STANDARD PACKAGE: 1



PART NO.	DESCRIPTION	SIZE
878363	KeyBak® Securit Heavy Duty Retractable Key Holder	50mm Dia.

KeyBak® Super 48 Retractable Key Holder



- Durable 1200mm Kevlar cord
- Unique lockable design
- Corrosion resistant
- Convertible belt clip/loop back attachment
- Unique lockable feature that increases weight capacity

STANDARD PACKAGE: 1



PART NO.	DESCRIPTION	SIZE (W x H)
873788	KeyBak Super 48 Retractable Key Holder	55 x 65mm



PEOPLE IDENTIFICATION

Pre-Printed Lanyards



- Easily identify visitors, contractors and staff on your grounds
- 16mm width lanyards
- 3 different prints (visitor, staff and contractor)
- Lanyards are combined with a safety breakaway to prevent them from becoming a safety hazard

STANDARD PACKAGE: 50

PART NO.	DESCRIPTION
874581	Contractor
875545	Staff
875544	Visitor

Lanyards with Swivel Hook and Breakaway



- Versatile "J" swivel hook holds keys, USB's and credentials
- Swivel hook made from nickel-plated steel
- Lanyards are combined with a safety breakaway to prevent them from becoming a safety hazard
- 13mm width lanyards

STANDARD PACKAGE: 50

PART NO.	COLOUR
878356	Black
878357	Royal Blue
878358	Red



THE ANATOMY OF A LANYARD

1. ATTACHMENT

Lanyard attachments allow the wearer to hold almost anything they could possibly need. We offer a large range of attachments - please contact your Brady distributor for more details.

2. FINISHING

Choose from a clean metal crimp or subtle stitch.

3. BREAK-AWAY

A safety break-away will disconnect under pressure and eliminate the risk of choking.

4. PRINT

Our large range of customised lanyards are based on print styles to suit your choice of colour or fabric.

5. MATERIAL

Select from one of our standard options, or talk to us about using a custom material. There are a range of widths between 10-25 mm.



Custom Lanyards: Order in 5 Easy Steps!

1. SELECT YOUR LACE TYPE:



MICROWEAVE LACE

Non-stretch lace that is ideal for printing intricate designs



FLAT BRAID LACE

Tubular shoelace style lace that is comfortable around the neck

2. SELECT YOUR WIDTH:

13mm
 16mm
 19mm
 25mm

3. SELECT YOUR ATTACHMENT:



SAFETY BREAKAWAY



SWIVEL CLIP (J HOOK)



TRIGGER SWIVEL SNAP HOOK



BULLDOG CLIP



SPLIT RING



SPLIT RING WITH CARD HOLDER STRAP

4. SELECT YOUR LACE PMS COLOURS:



Red
200C



Maroon
195C



Orange
151C



Yellow
115C



Teal
316C



Royal Blue
294C



Green
348C



Forest Green
5535C



Navy
289C



Purple
268C



White
C



Black
C

5. SELECT YOUR FINISH:



CRIMP



STITCH



PEOPLE IDENTIFICATION

Visitor Log Book



- The easy way to track important visitor information
- Use to record visitors to your premises
- A quick and easy way to account for visitors in an emergency
- Attractive 50-page book holds 1,000 entries

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
862026	Visitor Log Book

Visitor Pass Registry Book



- Visitor passes and log book in one
- Wire-bound registry book with self-adhesive paper passes
- Passes measure 88 x 45mm

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
874939	Standard Visitor Pass Register (500 passes)
875135	Sign Out Style Visitor Pass Register (400 passes)

ONEstep TEMPbadge Labels




- The easiest way to issue secure badges
- Pre-assembled time - dependent badges
- Quick and convenient
- 1 day expiry

STANDARD PACKAGE: 500

PART NO.	DESCRIPTION	SIZE (W x H)
878507	ONEstep TIMEbadge "Visitor"	76 x 50mm
863205	ONEstep TEMPbadge "Contractor"	76 x 50mm

Pre-Printed Cards



- Great add on to our pre-printed lanyards
- Visitors, contractors, or even staff can be identified at once
- Comes with pre-punched slot

STANDARD PACKAGE: 10

PART NO.	DESCRIPTION	SIZE (W x H)
875543	Pre-printed Contractor card	54 x 85.6mm
875547	Pre-printed Visitor card	54 x 85.6mm
875548	Pre-printed Staff card	54 x 85.6mm



Ribbed Entrance Mats




Charcoal



Slate



Red



With extremely coarse fibres for demanding heavy traffic and heavily soiled areas, this mat is ideal for scraping dirt off shoes.

The deep ribbed, 100% polypropylene fibres deflect dirt into the sunken channels. The channels have excellent water absorption and allow the mat to dry quickly. Flame resistant and UV stable, the heavy gauge vinyl backing protects floors from abrasion and moisture. To clean, simply vacuum, sweep or hose down.

STANDARD PACKAGE: 1

PART NO.	SIZE (W x L)	COLOUR
848736	600 x 900mm	Charcoal
848339	600 x 900mm	Slate
844150	900 x 1500mm	Charcoal
844148	900 x 1500mm	Slate
844154	900 x 1500mm	Red
844151	1200 x 1800mm	Charcoal
844149	1200 x 1800mm	Slate
844155	1200 x 1800mm	Red

Safety Slogan Carpet Mats



848831



848212



850789

Raise safety awareness and keep hallways clean with these durable safety slogan carpet mats. Mats are made of rugged nylon with a heavy duty vinyl backing. Premium 'flocked' construction – UV safe.


STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (W x L)
848831	Safety Starts Here	920 x 1530mm
848212	Watch Your Step	920 x 1530mm
850789	Stop - Think Safety	920 x 1530mm




MATTING

Checker Plate Ultra Soft Mat




The 20mm double-thick, sponge base construction provides the ultimate comfort. A high-tech look is coupled with great abrasion and chemical resistance. This checker plate mat can be customised to any width or dimension to fit the most unique work area. Supplied with safety bevelled edging.



STANDARD PACKAGE: 1

PART NO.	SIZE (W x L)	COLOUR
872213	600 x 900mm	Black
872215	900 x 1500mm	Black
872214	900 x 1500mm	Black w/ Yellow Border

Economy Anti-Fatigue Mat



Anti-fatigue matting at an affordable price. 12mm thick construction, this mat is made from a diamond-plate vinyl surface which is bound to a thick, soft PVC foam base.

STANDARD PACKAGE: 1

PART NO.	SIZE (W x L)	COLOUR
861924	600 x 900mm	Black w/ Yellow Border

Comfort Flow/Scrape Mat



Scrape



Flow

This mat is made of quality nitrile rubber construction, making it grease/oil proof and welding safe. It is lightweight, easy to clean and exceptionally comfortable to work on. Treated with anti-bacterial solution to guard against odours and degradation.

STANDARD PACKAGE: 1

PART NO.	SIZE (W x L)	STYLE
861057	600 x 900mm	Scrape
861058	600 x 900mm	Flow
861059	900 x 1500mm	Scrape
861060	900 x 1500mm	Flow
861061	1200 x 1800mm	Scrape
861062	1060 x 1700mm	Flow



Safety Cushion Mat




Comfort non-slip, 12mm thick mat has bevelled edges for safety and is ideal for factories, kitchens, food preparation areas, boats and behind counters.

The terracotta coloured mat is grease resistant and has a nitrile composition, whereas the black is ideal for general purpose use, being constructed of 100% natural rubber.

STANDARD PACKAGE: 1

PART NO.	SIZE (W x L)	COLOUR
872217	600 x 900mm	Black
872218	900 x 1500mm	Black
872216	900 x 1500mm	Terracotta

Access Ramp



Easy to install access ramp, ideal for schools, factories, warehouses, hospitals, aged care facilities, as well as retail stores. This maintenance-free ramp is made from recycled rubber.

STANDARD PACKAGE: 1

PART NO.	SIZE (L x W x H)
872220	900 x 200 x 25mm
872221	1067 x 305 x 32mm
872222	1270 x 457 x 44mm
872223	1524 x 610 x 55mm

Twin Umbrella Wrap Machine



Stop wet umbrellas dripping onto dry floors on wet days, creating a guaranteed slip hazard.

- No drips, no slips
- Stainless steel gloss
- Designed for bagging wet umbrellas at building street entrances
- Visitors pop their umbrella into a bag - choice of long or short
- Pull the bagged umbrella out and continue walking
- Umbrella bags are bio-degradable

PART NO.	DESCRIPTION
878622	Twin Umbrella Wrap Machine
878623	Short Refill Bags - Box Of 1000
878624	Long Refill Bags - Box Of 1000

STEPS & LADDERS

Gorilla Safety Step



- Available in safety yellow colour only
- Weight: 3.3kg
- Industrial rated 150kg

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (L x H)
875328	Gorilla Safety Step	510 x 370mm

Wheel Kit for Gorilla Step



- Only for use in conjunction with Gorilla Safety Step (see product on the left)
- 4 spring loaded castors makes your Gorilla Safety Step mobile
- Wheels retract once you step on it
- Industrial rated 150kg

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
878621	Wheel Kit for Gorilla Safety Step

Step Safe



- A secure, stable base for reaching high places
- Features a wide base platform and non-slip steps for extra stability
- 200kg load weight

The lightweight design ensures easy manoeuvrability around your facility. Optional anti-skid rubber stops are available for slippery surfaces. Available in safety orange or safety yellow.

STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (L x W x H)
850286	Safe Step - Orange	500 x 500 x 360mm
850287	Safe Step - Yellow	500 x 500 x 360mm
850290	Safe Step - Orange w/ Stops	500 x 500 x 360mm
850291	Safe Step - Yellow w/ Stops	500 x 500 x 360mm
853210	Replacement Rubber Stops (Set of 4)	-

Step Ladders



Complies to AS/NZS 1892.1-1996

- Perfect for the office or warehouse
- Available in three sizes
- Industrial rated 120kg

These step ladders are high strength, lightweight, powder coated steel construction. They come with wider steps and rubber grips for greater operator safety. The ladders fold flat for easy storage as a slimline unit making them suitable for all applications.

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	WEIGHT (KG)	SIZE (L x W x H)*
856172	2-Step Ladder	5	860 x 530 x 920mm
856173	3-Step Ladder	6.65	1050 x 590 x 1170mm
856174	4-Step Ladder	8.35	1220 x 610 x 1400mm

*Please ensure you have checked the dimensions of this product before ordering as these items cannot be returned once opened



PERSONAL PROTECTIVE EQUIPMENT

Ensuring employees follow the correct health and safety procedures and wear the appropriate personal protective equipment (PPE) and workwear when carrying out specific tasks is crucial if they are to reduce the risk of certain injuries. As an employer, it is your duty to provide them with the correct products to minimise the risk to workers' health and safety. Here is a sample of products available in this section:

- PAGE 131 -

BOLLE BLADE SAFETY SPEC



- PAGE 137 -

TRAFALGAR HI-VIS SAFETY VEST



- PAGE 134 -

3M™ RESPIRATOR STARTER KITS



- PAGE 138 -

DUPONT™ TYVEK® CLASSIC XPRT



Safety Helmet

- **Complies with Australian Standard AS/NZS 1801:1997**
- Vented and un-vented styles available
- Lightweight ABS plastic
- Contoured design allows for easy earmuff attachment
- 6-point terylene adjustable harness for greater comfort
- 25mm accessory slot
- Features a rain gutter to help prevent water dropping on wearer

STANDARD PACKAGE: 1

PART NO.	STYLE	COLOUR
866227	Un-Vented	White
866228		Red
866229		Yellow
866230		Orange
866231		Blue
868165		Green
866222	Vented	White
866223		Red
866224		Yellow
866225		Orange
866226		Blue
868166		Green



Un-Vented




Vented





PERSONAL PROTECTIVE EQUIPMENT

Custom Printed Safety Helmets



- 1 to 4 colour logo printing available
- Choice of print locations on safety helmet
- Minimum of 20 helmets applies for logo printing

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
878626*	Custom Printed Safety Helmet

*NB: Pricing is based on printing one logo.

LOGO PRINTING OPTIONS

POSITION	HORIZONTAL	VERTICAL
1A	60mm	30mm
1B	55mm	55mm
2	50mm	50mm
3	50mm	50mm
4	50mm	50mm
5	50mm	30mm

A & B denotes alternate printing size options.

PPE Storage Box

- Provides safe, clean and convenient storage for your hard hat
- Mounts easily to wall with screw (included) or tape
- Box made from ABS material
- Blue in colour with symbol printed
- Outer Dimensions: 236 x 315 x 200mm
- Inner Dimensions: 230 x 299 x 192mm

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
875964	PPE Storage Box





Rush Plus Safety Spec

- **Complies to AS/NZS 1337.1:2010 for Medium Impact Protection**
- Ultra lightweight
- Built-in brow protection
- Adjustable PVC nose bridge plus co-moulded temple arms for comfort and grip
- Platinum coating system applied on both sides, giving high performance anti-fog & anti-scratch

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
878627	Bolle Rush Plus Safety Spec Clear Platinum
878628	Bolle Rush Plus Safety Spec Smoke Platinum
878629	Bolle Rush Plus Safety Spec Esp
878630	Bolle Rush Plus Safety Spec Twilight Platinum
878631	Bolle Rush Plus Safety Spec Contrast
878632	Bolle Rush Plus Gasket Kit With Strap



Blade

- **Complies to AS/NZS 1337.1:2010 Medium Impact Protection**
- Lightweight, comfortable, one-piece rimless polycarbonate frame
- Exceptional eye coverage from high contour 10 base curve lens



STANDARD PACKAGE: 1

PART NO.	FRAME & LENS COLOUR	LENS COATING
878633	Smoke	Anti-Fog/Anti-Scratch
878634	Light Smoke	Hard Coat
878635	Ultra Light Smoke	Hard Coat

Prowler

- **Complies to AS/NZS 1337.1:2010 Medium Impact Protection**
- Black, high gloss, dual material frame (hydrated nylon front frame with rubber nose pads)
- Exceptional visual clarity through an 8 base curve, distortion-free lens



STANDARD PACKAGE: 1

PART NO.	FRAME COLOUR	LENS COLOUR	LENS COATING
878636	Black	Clear	Anti-Fog/Anti-Scratch
878637	Black	Smoke	Anti-Fog/Anti-Scratch
878638	Black	Silver Flash	Hard Coat
878639	Black	Blue Flash	Hard Coat





PERSONAL PROTECTIVE EQUIPMENT

Safety Glasses Dispenser

- Tough clear acrylic dispensers
- Bottom door keeps glasses in and folds down for easy dispensing
- Each dispenser holds approx. 20-25 glasses
- Mounts to the wall

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
852464	Deluxe Spec Dispenser
852465	Deluxe w/ Cover (Not Shown) Dispenser
852466	Orange Fluorescent Acrylic Dispenser
852467	Green Fluorescent Acrylic Dispenser
852468	Mirrored Front Panel On Acrylic Dispenser



852464


852466

852467

852468

Max[®] Disposable Earplugs

- **Complies to AS/NZS 1270:2002 SLC80 26dB Class 5**
- Self-adjusting polyurethane foam expands to fit virtually every wearer
- Contoured T-shape for easy handling and wear



Mach 1 Earmuff

- **Complies to AS/NZS 1270:2002 SLC80 22dB Class 4**
- Economical design provides adequate protection
- Lightweight construction provides comfort for intermittent and long-term wearers
- Dielectric design which is safe for all workplaces, especially electrical environments



STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	QUANTITY
878648	Max Earplugs Uncorded in poly bags	200 Pairs
878649	Max Earplugs Polycord in poly bags	100 Pairs
878650	Dispenser Refill Uncorded in Bag	200 Pairs
878651	Dispenser Refill Uncorded in Case	5 Pairs
878652	Max Earplugs Uncorded in Case	5 Pairs

PART NO.	DESCRIPTION
876122	Mach 1 Earmuff



Clarity Earmuffs

- **Complies to AS/NZS 1270:2002 SLC80 23dB Class 4**
- Designed for all-day comfort
- Robust construction withstands rough treatment in the toughest environments



HOWARD LEIGHT
by Honeywell

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
878729	Clarity C1 Headband Earmuffs
878644	Clarity C2 Multiple Position Earmuffs
878214	Clarity C3 Headband Earmuffs

Earplug Dispenser

- Removable inner slanted shelf used to direct plugs towards pocket; can be removed for greater capacity
- Holds a standard box of 200 disposable earplugs
- Can be wall mounted



*Earplugs not included

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W x D)
852472	Earplug Dispenser	330 x 305 x 203mm

PPE Storage Boxes

- Available in three sizes – Mini, Midi and Maxi
- Comes with 4 PPE labels
- Safe, clean and convenient storage of PPE
- Mounts easily to wall (fasteners included)

Inner dimensions (L x W x H):

- Mini box: 230 x 112 x 112mm
- Midi box: 230 x 218 x 118mm
- Maxi box: 230 x 299 x 192mm

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
875953	Mini Storage Box w/ 4 PPE Labels
876410	Midi Storage Box w/ 4 PPE Labels
875964	Maxi Storage Box w/ 4 PPE Labels
852853	Hook – Head Protection
852854	Hook – Hearing Protection





PERSONAL PROTECTIVE EQUIPMENT

Classic 8000 Series Cupped

- **Complies to AS/NZS 1716:2012**
- Lightweight construction for added comfort and increased wearer time
- Proprietary 3M™ cool flow™ Exhalation Valve helps to breathe easier during prolonged wear
- Galvanised steel nose clip for use in intrinsically safe environments
- Protects against dust and mist - sanding, drilling, blasting, carpentry, plastering



3M
Authorised Distributor
Safety Products

STANDARD PACKAGE: 10

PART NO.	DESCRIPTION
877399	Classic 8000 Series Cupped

Aura Particulate Respirators

- **Complies to AS/NZS 1716:2012**
- Can provide protection against mechanically (P1) and thermally generated particulates (P2)
- Foldable, easy to store, 3-panel design
- Sculptured nose panel conforms to the nose and contours of the face
- Embedded nose clip is concealed and is metal detectable
- Low breathing resistance filter gives effective filtration
- 3M™ Cool Flow™ exhalation valve offers improved comfort in hot humid environments



3M
Authorised Distributor
Safety Products

STANDARD PACKAGE: 10

PART NO.	DESCRIPTION	QUANTITY
853112	P1 Valved	Pack of 10
878656	P1 Unvalved	Pack of 20
878657	P2 Unvalved	Pack of 20
878658	P2 Valved	Pack of 10

Respirator Starter Kits

- These kits have been designed to provide respiratory protection in a convenient and easy way – an ideal solution to get you started
- All kits include a pair of 3M™ earplugs, 3M™ respirator cleaning wipes and a 3M™ respiratory protection guide

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION
878653	3M™ Welding Respirator Kit GP2
878194	3M™ Spraying Respirator Kit
878654	3M™ Multi-Gas Respirator Kit
878655	3M™ Dust/Particle Respirator Kit



3M
Authorised Distributor
Safety Products





Dust Mask Dispenser

- Have them ready for when needed
- Acrylic dispenser
- Holds more than 30 masks
- Clear case to easily see when it needs refilling
- Helps to encourage dust mask use within the workplace



*Masks not included

PART NO.	DESCRIPTION	SIZE (H x W x D)
851045	Dust Mask Dispenser	317 x 152 x 152mm

Hyflex® General Purpose 11-840

- **Complies to EN388, AS/NZS 2161.3**
- The best general purpose glove Ansell has ever produced
- Foam fitting design that moulds to the hand - increasing tactility
- Fortix™ technology allows for increased comfort and durability



STANDARD PACKAGE: 12 PAIRS

PART NO.	DESCRIPTION	SIZE
878640	Hyflex® General Purpose 11-840 Gloves	6
878641	Hyflex® General Purpose 11-840 Gloves	7
878642	Hyflex® General Purpose 11-840 Gloves	8
878643	Hyflex® General Purpose 11-840 Gloves	11

AlphaTec® Heavy Duty Chemical 58-535

- **Complies to EN374, AS/NZS 2161.10**
- Unique combination of grip and chemical resistance
- Exceptional grip in wet and oily environments
- Flexible nitrile polymer for enhanced dexterity
- Thickness of nitrile coating gives advanced chemical protection



STANDARD PACKAGE: 6 PAIRS

PART NO.	DESCRIPTION	SIZE
872998	AlphaTec® Heavy Duty Chemical Gloves	8
873000	AlphaTec® Heavy Duty Chemical Gloves	10

Hyflex® Cut Resistant 11-518

- **Complies to EN388, AS/NZS 2161.3**
- For precision handling of sharp, dry, ultra-fine parts
- Lightweight and breathable for all-day comfort
- High dexterity with high abrasion resistance



STANDARD PACKAGE: 12 PAIRS

PART NO.	DESCRIPTION	SIZE
878659	Hyflex® Cut Resistant 11-518 Gloves	6
878660	Hyflex® Cut Resistant 11-518 Gloves	7
878661	Hyflex® Cut Resistant 11-518 Gloves	8
878662	Hyflex® Cut Resistant 11-518 Gloves	9
878663	Hyflex® Cut Resistant 11-518 Gloves	10
878664	Hyflex® Cut Resistant 11-518 Gloves	11





PERSONAL PROTECTIVE EQUIPMENT

Touch N Tuff 92-670 Nitrile Gloves

- **Complies to EN 420:1994 EC Directive 89/686EEC**
- Powder free
- Chemical resistant nitrile
- Textured fingers for exceptional grip



STANDARD PACKAGE: 100 PAIRS

PART NO.	DESCRIPTION	SIZE
849311	Touch N Tuff 92-670 Nitrile Gloves	Small
849312	Touch N Tuff 92-670 Nitrile Gloves	Medium
849313	Touch N Tuff 92-670 Nitrile Gloves	Large
849314	Touch N Tuff 92-670 Nitrile Gloves	X Large

Glove Dispensers

- Clear acrylic
- The single, double and triple units vertically mount on either wall or counter



*Gloves not included

STANDARD PACKAGE: 1

PART NO.	DESCRIPTION	SIZE (H x W x D)
852469	Single box	131 x 284 x 111mm
852470	Double box	258 x 284 x 111mm
852471	Triple box	385 x 284 x 111mm

Generic Storage Boxes

- Made from corrosion resistant ABS with UV inhibitors
- Rubber door seal protects against dust and moisture
- Non-metallic hinges and latches prevent rust
- Can be mounted to walls
- Comes with 17 various labels for customisation

STANDARD PACKAGE: 1

PART NO.	COLOUR	SIZE (H x W x D)
852847	Green	534 x 356 x 242mm
852848	Red	534 x 356 x 242mm
852849	White	534 x 356 x 242mm
852850	Yellow	534 x 356 x 242mm





Hi-Vis Day Night Safety Vest

- 100% polyester construction making it durable and lightweight
- Silver reflective tape strips on the front and an 'X' mark on the back
- Velcro strip on the front ensures it stays on securely
- Available in hi-vis Fluoro Orange or hi-vis Fluoro Yellow
- Sizes small to 4XL



Trafalgar

STANDARD PACKAGE: 1

SIZE / PART NO.							
COLOUR	SML	MED	LGE	XL	2XL	3XL	4XL
Hi-Vis Fluoro Orange	102329	102330	102331	102332	102333	102334	102335
Hi-Vis Fluoro Yellow	102336	102337	102338	102339	102340	102341	102342

Hi-Vis Polo Shirt

- Perfect for daytime work environments where it is important to stay visible
- Made from 100% polyester, ensuring it is durable and lightweight
- Features a striped collar and pocket partition
- Available in 2 colours, two-tone Fluorescent Orange/Navy or two-tone Fluorescent Yellow/Navy
- Sizes small to 4XL



Trafalgar

STANDARD PACKAGE: 1

SIZE / PART NO.							
COLOUR	SML	MED	LGE	XL	2XL	3XL	4XL
Fluoro Orange/Navy	102343	102344	102345	102346	102347	102348	102349
Fluoro Yellow/Navy	102350	102351	102352	102353	102354	102355	102356

Bata Jobmate Safety Boots

- **Complies with AS/NZS 2210.3**
- Black rambler leather boots
- Pull-on tabs and elastic side gussets make it easy to slip on
- Reinforced steel toe
- Dual density polyurethane sole for maximum comfort and durability
- Oil and acid resistant outsole
- Comfortable PU cushion insole
- Available in sizes 7-12 (UK sizing)



STANDARD PACKAGE: 1 PAIR

SIZE	7	8	9	10	11	12
PART NO.	102361	102362	102363	102364	102365	102366





PERSONAL PROTECTIVE EQUIPMENT

Tyvek® Classic Xpert



CATEGORY III



EN 1149-5



TYPE 5-B



EN 1073-2*
CLASS 2



TYPE 6-B



EN 14126

BENEFITS

- High liquid and particulate protection
- Exceptional design and comfort
- Good breathability thanks to air and moisture vapour permeability
- Overall ergonomic shape for perfect fit and protection when moving

FEATURES

Hooded coverall. Robust yet lightweight (<180 g per garment). 3-piece hood for optimal fit to head and face when turning. Elasticated face, wrists and ankles as well as glued-in waist elastic. Ample crotch area for freedom of movement. Large, easy-to-grasp zipper puller. Chemical permeation of coloured Tyvek® is not identical to that of white Tyvek®. Please refer to permeation data.

SIZE	EACH PART NO.	UOM	PACK PART NO.	PACK UOM	CARTON PART NO.	CARTON UOM
SML	878037	Each	878162	Pack of 25	878101	Carton of 100
MED	878038	Each	878163	Pack of 25	878102	Carton of 100
LGE	878039	Each	878164	Pack of 25	878103	Carton of 100
XL	878040	Each	878165	Pack of 25	878104	Carton of 100
2XL	878041	Each	878166	Pack of 25	878105	Carton of 100
3XL	878042	Each	878167	Pack of 25	878106	Carton of 100

Tyvek® Dual



CATEGORY III



TYPE 5



EN 1149-5



TYPE 6



EN 1073-2*
CLASS 1

BENEFITS

- Tyvek® protection where you need it most
- Large breathable SMS back panel from head to ankle for increased comfort
- External stitched seams for enhanced protection against penetration from the outside to the inside of the garment

FEATURES

Hooded coverall. 3-piece hood and gusset for optimal fit. Elasticated face, wrists, waist and ankles. The large, breathable back panel, made of SMS nonwoven, offers lower protection against particles (down to 3 microns in size) and light water-based splashes, yet high levels of comfort

SIZE	EACH PART NO.	UOM	PACK PART NO.	PACK UOM	CARTON PART NO.	CARTON UOM
SML	878031	Each	878156	Pack of 25	878095	Carton of 100
MED	878032	Each	878157	Pack of 25	878096	Carton of 100
LGE	878033	Each	878158	Pack of 25	878097	Carton of 100
XL	878034	Each	878159	Pack of 25	878098	Carton of 100
2XL	878035	Each	878160	Pack of 25	878099	Carton of 100
3XL	878036	Each	878161	Pack of 25	878100	Carton of 100





Tyvek® 800 J



TYPE 3-B*



CATEGORY III



TYPE 4-B



EN 1149-5



TYPE 5-B



EN 1073-2*
CLASS 2



TYPE 6-B



EN 14126

BENEFITS

- An effective barrier against many low-concentration, water-based inorganic chemicals (even under pressure), small-sized hazardous particles as well as oil repellent
- Bright, over-taped seams aid wearer identification
- Soft and lightweight fabric that is permeable to both air and water vapour
- Ergonomic fit consistent with the shape and movement of the user

FEATURES

Hooded coverall. Robust yet lightweight (<300 g per garment). Self-adhesive zipper flap. Self-adhesive chin flap for tight seal of suit to mask. Elasticated face, wrists and ankles as well as glued-in waist elastic. Thumb loops to prevent sleeves from riding up.

SIZE	EACH PART NO.	UOM	CARTON PART NO.	CARTON UOM
SML	878043	Each	878107	Carton of 25
MED	878044	Each	878108	Carton of 25
LGE	878045	Each	878109	Carton of 25
XL	878046	Each	878110	Carton of 25
2XL	878047	Each	878111	Carton of 25
3XL	878048	Each	878112	Carton of 25

Tyvek® 500 HV



TYPE 5-B



TYPE 6-B



EN ISO 20471

BENEFITS

- **Compliant to the highest class of high visibility norm (EN 20471- Class 3/3)**
- All in one solution: high visibility, chemical, biological & antistatic protections
- No washing, no monitoring, no hassle
- Replaces or protects your high visibility reusable coverall
- Ergonomic design
- Ideal solution for working environments such as rail, road, underground, ports / airports, mining, waste where high visibility standards are required for the workers' safety

FEATURES

Designed for limited use only, Tyvek® 500 HV garments provide outstanding safety performance without the hassle of repeated washing and monitoring of its effect on colour.


SIZE	EACH PART NO.	UOM	CARTON PART NO.	CARTON UOM
SML	878049	Each	878113	Carton of 25
MED	878050	Each	878114	Carton of 25
LGE	878051	Each	878115	Carton of 25
XL	878052	Each	878116	Carton of 25
2XL	878053	Each	878117	Carton of 25
3XL	878054	Each	878118	Carton of 25





PERSONAL PROTECTIVE EQUIPMENT

Proshield® FR



BENEFITS

- Maximising wearer comfort: thanks to the open structure of its breathable non-woven SMS fabric
- Non-halogenated flame-retardant non-woven fabric, free of substances of very high concern to conform to reach compliance
- Antistatic treatment on both sides***

FEATURES

Hooded coverall. 3-piece hood and 3-piece gusset for optimal fit. Elasticated face, wrists, waist and ankles. Generous fit offering high freedom of movement when wearing Index 2 or 3 flame-retardant workwear beneath.

SIZE	EACH PART NO.	UOM	CARTON PART NO.	CARTON UOM
MED	878026	Each	878090	Carton of 50
LGE	878027	Each	878091	Carton of 50
XL	878028	Each	878092	Carton of 50
2XL	878029	Each	878093	Carton of 50
3XL	878030	Each	878094	Carton of 50


* Does not protect from ionizing radiation.

** EN ISO 14116:2008 requires a tensile strength of >150 N. This garment has a tensile strength of >30 N only.

*** Test conducted on certain FR fabrics and FR garments have demonstrated that antistatic properties reduce overtime. In the interests of safety, that's why we initially limit the shelf-life for the antistatic property of ProShield® FR to 18 months.

Note: An Index 1 garment should never be worn in direct contact to the skin, but on top of an Index 2 or Index 3 garment

Tychem® C



BENEFITS

- Protection against numerous concentrated inorganic chemicals and biohazards
- Protective seams, stitched and over-taped with barrier-tape, providing barrier performance equal to that of the fabric
- Double self-adhesive zipper flap offers high level of protection
- Option: Socks attached to the ankle, to be worn inside safety boots or shoes with additional knee-length boot flap to ensure a high protection level

FEATURES

Hooded coverall. Elasticated face, wrists, waist and ankles for an optimal fit, thumb loops prevent sleeves from riding up. Self-adhesive chin flap for tight seal of suit to face-masks.

SIZE	EACH PART NO.	UOM	CARTON PART NO.	CARTON UOM
MED	878063	Each	878127	Carton of 50
LG	878064	Each	878128	Carton of 50
XL	878065	Each	878129	Carton of 50
2XL	878066	Each	878130	Carton of 50
3XL	878067	Each	878131	Carton of 50



Tychem® 2000 C



TYPE 3-B*



CATEGORY III



TYPE 4-B



EN 1149-5



TYPE 5-B



EN 1073-2*
CLASS 1



TYPE 6-B



EN 14126

BENEFITS

- Double zip and double flaps permit limited re-use if not contaminated
- Double cuff system for good glove compatibility**
- Protective seams, stitched and over-taped with barrier-tape, providing barrier performance equal to that of the fabric
- Ergonomic fit helps wearers to handle tasks more easily and comfortably

FEATURES

Hooded coverall. Tunnelled elastics at face, wrists, waist and ankles for an optimal fit, thumb loops at sleeves prevent them from riding up. Self-adhesive chin flap for tight seal of suit to face-masks.

SIZE	EACH PART NO.	UOM	CARTON PART NO.	CARTON UOM
SML	878068	Each	878132	Carton of 20
MED	878069	Each	878133	Carton of 20
LGE	878070	Each	878134	Carton of 20
XL	878071	Each	878135	Carton of 20
2XL	878072	Each	878136	Carton of 20
3XL	878073	Each	878137	Carton of 20

* Does not protect against ionizing radiation.

** Cuffs recommended to be taped to gloves for a tight seal.

Tychem® 6000 F



TYPE 3-B*



CATEGORY III



TYPE 4-B



EN 1149-5



TYPE 5-B



EN 1073-2*
CLASS 1



TYPE 6-B



EN 14126

BENEFITS

- Barrier of a Tychem® F fabric with higher mechanical strength
- Protective seams, stitched and over-taped with barrier-tape, providing barrier performance equal to that of the fabric
- Double zip and double flaps permit limited re-use if not contaminated
- Double cuff system for good glove compatibility*

FEATURES

Hooded coverall. Elasticated face, wrists, waist and ankles for an optimal fit, including use of a comfort elastic at the wrists and face to avoid skin irritation. Self-adhesive flap for tight seal of suit to face-masks.





SIZE	EACH PART NO.	UOM	CARTON PART NO.	CARTON UOM
SML	878074	Each	878138	Carton of 10
MED	878075	Each	878139	Carton of 10
LGE	878076	Each	878140	Carton of 10
XL	878077	Each	878141	Carton of 10
2XL	878078	Each	878142	Carton of 10
3XL	878079	Each	878143	Carton of 10






PERSONAL PROTECTIVE EQUIPMENT



Accessories


TYVEK® ACCESSORIES

PRODUCT	DESCRIPTION
	<p>Tyvek® Lab Coat</p> <p>Labcoat with collar, in White and in sizes. Zipper closure. 2 pockets. Elasticated cuffs (tunnelled). Stitched internal seams.</p> <p>Each: MED 878060 / XL 878061</p> <p>Carton of 50: MED 878124 / XL 878125</p>
	<p>Tyvek® Apron</p> <p>Shin-length apron with neck and waist ties. White, one size (length 108 cm).</p> <p>Each: 878059</p> <p>Carton of 100: 878123</p>
	<p>Tyvek® Trousers</p> <p>Trousers. White without pockets. Elasticated waist, no elastic at ankles. Stitched internal seams.</p> <p>Each: XL 878062</p> <p>Carton of 50: XL 878126</p>
	<p>Tyvek® Overshoe</p> <p>Overshoe in White. Elasticated ankle. Stitched internal seams. Slip-retardant sole.</p> <p>Each: 878057</p> <p>Carton of 200: 878121</p>

PRODUCT	DESCRIPTION
	<p>Tyvek® Hood</p> <p>Hood with flange and elasticated face and neck. White, one size.</p> <p>Each : 878056</p> <p>Carton of 100: 878120</p>
	<p>Tyvek® Sleeve</p> <p>50 cm long sleeve white and in one size. Adjustable arm opening. Stitched internal seams. Upper-arm in blue-coloured thread for identification purposes.</p> <p>Each: 878055</p> <p>Carton of 200: 878119</p>
	<p>Tyvek® Overboot</p> <p>Knee-length overboot. White, one size. Elasticated top and fixation ties. Stitched internal seams. Slip-retardant sole.</p> <p>Each: 878058</p> <p>Carton of 200: 878122</p>

TYCHEM® ACCESSORIES

PRODUCT	DESCRIPTION
	<p>Tychem® F Gown</p> <p>Shin-length gown with wrap-over rear closure, hook and loop neck closure and waist ties. Elasticated wrists. Grey, L/XXL.</p> <p>Cat : III</p> <p>Type PB (3)*</p> <p>Each : 878089</p> <p>Carton of 25: 878153</p>
	<p>Tychem® F Apron</p> <p>Shin-length apron with neck and waist ties. Grey in one size.</p> <p>Cat : III</p> <p>Type PB (3)*</p> <p>Each : 878088</p> <p>Carton of 25: 878152</p>

PRODUCT	DESCRIPTION
	<p>Tychem® F Overboot</p> <p>Knee-length overboot with slip-retardant sole. Fixation ties. Sole is partially stitched: splash-proof, not fully liquid tight. Grey in one size.</p> <p>Cat : III</p> <p>Type PB (3)*</p> <p>Each : 878087</p> <p>Carton of 50: 878151</p>
	<p>Tychem® F Sleeve</p> <p>50 cm long and with wide elastics at cuffs and upper arm. Grey in one size.</p> <p>Cat : III</p> <p>Type PB (3)*</p> <p>Each : 878086</p> <p>Carton of 50: 878150</p>

* OSFA = one size fits all





LABELS & SAFETY TAGS

Brady offers thousands of high performance labels that can help your company communicate important safety and facility identification messages. Proper identification can significantly improve productivity, performance, safety and security. Brady's labels can be used for a variety of applications, including warehouse, packaging, production and more. Here is a sample of products available in this section:

- PAGE 144 -

SHIPPING & HANDLING LABELS

- PAGE 146 -

WRITE-ON LABELS

- PAGE 146 -

QUALITY ASSURANCE LABELS

- PAGE 147 -

PRODUCTION STATUS & MATERIAL TAGS

- PAGE 148 -

NUMBERS & LETTERS

- PAGE 150 -

BLANK SERVICE TAGS

IMPROVE YOUR PRODUCTIVITY, PERFORMANCE, SAFETY & SECURITY:
CHOOSE BRADY PACKAGING & WAREHOUSE LABELS





LABELS & SAFETY TAGS

International Shipping & Handling Labels

- Strongly communicates important instructions for handling and shipment to prevent damage
- Self-adhesive paper labels
- Wording and easy-to-understand graphics ensures a clear message



834408



834409



834410



834450



834412



834413



834421




834424



834425



834417



834418



834419

STANDARD PACKAGE: 1 ROLL

SIZE (H x W)	MATERIAL	LABELS PER ROLL
150 x 100mm	Adhesive paper	500

Miscellaneous Shipping & Handling Labels

- Ideal for marking shipment and handling information to protect parcels
- Self-adhesive paper labels with popular messages




150 x 100mm
834453




150 x 100mm
834454




150 x 100mm
834455



200 x 50mm
834456



150 x 100mm
834459



150 x 100mm
834460



100 x 100mm
834429



100 x 100mm
834431



100 x 100mm
834442



100 x 100mm
834432



100 x 100mm
834436



100 x 100mm
834443




100 x 100mm
834434



100 x 100mm
834435



100 x 100mm
834441



100 x 100mm
842568



100 x 100mm
842569



100 x 100mm
842570

STANDARD PACKAGE: 1 ROLL

SIZE (H x W)	MATERIAL	LABELS PER ROLL
100 x 100mm	Adhesive paper	500
100 x 150mm	Adhesive paper	500
200 x 50mm	Adhesive paper	500



Urgent & Fragile Shipping Labels / Tapes

- Suitable for marking delicate boxes and packages or noting important priority and handling information
- Self-adhesive labels and tapes

STANDARD PACKAGE: 1

PART NO.	MATERIAL	LABELS PER ROLL
842563	Shipping tape	1 (Continuous)
842565	Adhesive paper	500 / Roll
842599	Adhesive paper	500 / Roll
85185	Adhesive paper	500 / Roll
834458	Adhesive paper	500 / Roll
852438	Adhesive paper	500 / Roll
834461	Adhesive paper	500 / Roll



38mm x 66m
842563



500 x 200mm
842565



25 x 100mm
842599



60 x 60mm - 85195
100 x 100mm - 852438



100 x 100mm - 834461

Custom Packaging Tape

- Brand your cartons through use of packing tape
- Provides a security seal and product identification
- Transit advertising avenue - bring in new prospects
- Message can differ in its intent, can identify the product in the package
- Create legends to suit application



TO PLACE AN ORDER, PLEASE CONTACT YOUR LOCAL DISTRIBUTOR

PART NO.	DESCRIPTION	SIZE (W x L)	CARTON QUANTITY
871169	1 Colour	36 x 100mm	48
871170	1 Colour	48 x 100mm	35
873072	1 Colour	72 x 100mm	24
871171	2 Colour	36 x 100mm	48
871172	2 Colour	48 x 100mm	36
873073	2 Colour	72 x 100mm	24

PLEASE CONSIDER THE FOLLOWING OPTIONS WHEN PLACING ORDER

Tape Size	38mm x 100m, 50mm x 100m, 75mm x 100m	
Background Colour	Brown, White, Clear, Red, Yellow or Green	
Print Colour/s	1 Colour	2 Colour
Standard Print Colours:	Red, Black, Light Blue, Blue, Dark Blue, White, Yellow, Green, Orange, Brown and Violet	
Print Colour/s selected		
Is Artwork Supplied*	<input type="checkbox"/> Yes	<input type="checkbox"/> No



*Block makers quality artwork: Supplied with solid standard colour/s, with no PMS, no shadings/gradients, no reverse prints, in either AI, EPS, PDF or JPG. Artwork for tape to be no wider than 295mm. NB: It is in the customer's best interest to sign off the artwork before it goes to print. Any errors on final product, vendor will not be liable. Turnaround time is approximately 5 to 10 days from time of artwork approval. Other colour options available, please contact us for a quote.





LABELS & SAFETY TAGS

Jumbo Paper Write On Labels

Demand attention with these fluorescent self-adhesive paper labels. Accomplish your goal of high production, safety and quality control in the workplace with these large, inexpensive labels on a roll. Labels easily accept marking from pens, pencils and markers.



MAINTENANCE
BY _____
DATE _____

843837

CALIBRATED
BY _____
DATE _____
DUE _____

843838

REPAIRED BY
INITIALS _____
DATE _____

843841

ACCEPTED
BY _____
DATE _____

843843

RE-WORK
BY _____
DATE _____
REASON _____

843844

INSPECTED
DATE _____
INITIALS _____

843845

STOCK NO.

843839

REJECTED
BY _____
DATE _____
REASON _____

843840

HOLD
FOR _____
UNTIL _____

843842

CHECKED
BY _____
DATE _____

843846

STANDARD PACKAGE: 1

SIZE (H x W)	LABELS PER ROLL
50 x 38mm	500

Quality Assurance Labels

Available in removable fluorescent paper (REM) or permanent adhesive paper (PERM). Supplied as rolls.

ACCEPTED

SIGNED _____ DATE _____

500 Labels Per Roll

70 x 100mm
PERM - 833171
70 x 100mm
REM - 838407

1000 Labels Per Roll

30 x 45mm
PERM - 833176
30 x 45mm
REM - 838409

QUARANTINE
REASON _____

SIGNED _____ DATE _____

500 Labels Per Roll

70 x 100mm
PERM - 833172
70 x 100mm
REM - 838401

1000 Labels Per Roll

30 x 45mm
PERM - 833177
30 x 45mm
REM - 838403

REJECTED
REASON _____

SIGNED _____ DATE _____

500 Labels Per Roll

70 x 100mm
PERM - 833173
70 x 100mm
REM - 838404

1000 Labels Per Roll

30 x 45mm
PERM - 833178
30 x 45mm
REM - 838406

ACCEPTED
Date _____
Checked By _____

1000 Labels Per Roll

30 x 90mm
PERM - 833174
30 x 90mm
REM - 838408

QUARANTINE
Reason _____
Date _____
Checked By _____

1000 Labels Per Roll

30 x 90mm
PERM - 834307
30 x 90mm
REM - 838402

REJECTED
Reason _____
Date _____
Checked By _____

1000 Labels Per Roll

30 x 90mm
PERM - 833175
30 x 90mm
REM - 838405

UNCALIBRATED INSTRUMENT

500 Labels Per Roll

40 x 20mm
REM - 838412

CALIBRATED
BY _____ DATE _____
DUE _____

500 Labels Per Roll

40 x 20mm
REM - 838411



500 Labels Per Roll

50mm dia. PERM - 833179
50mm dia. REM - 838410



STANDARD PACKAGE: 1

SIZE (H x W)	MATERIAL	LABELS PER ROLL
70 x 100mm	Removable Fluorescent Paper - REM	500
70 x 100mm	Permanent Adhesive Paper - PERM	500
30 x 45mm	Removable Fluorescent Paper - REM	1,000
30 x 45mm	Permanent Adhesive Paper - PERM	1,000
30 x 90mm	Removable Fluorescent Paper - REM	1,000
30 x 90mm	Permanent Adhesive Paper - PERM	1,000
50mm Dia.	Removable Fluorescent Paper - REM	500
50mm Dia.	Permanent Adhesive Paper - PERM	500
20 x 40mm	Removable Fluorescent Paper - REM	500






Production Status Tags ^B

Production Status Tags come in a wide variety to help monitor and control production and equipment maintenance. These tags are 146mm x 76mm and made of a durable cardstock. The tags have a 10mm metal grommet and a blank backing. 300mm cotton string ties included.

DIMENSIONS: 146 x 76mm (W x H)

STANDARD PACKAGE: 100




Material Control Tags ^B

Made of B-851 polyester these economy tags withstand moisture, grease and dirt. With a write on surface and blank backing these tags can be fastened to almost anything. Tags are designed with two chamfered corners and a 9mm brass grommet hole.

DIMENSIONS: 146 x 76mm (W x H)

STANDARD PACKAGE: 25



i WE CAN MAKE CUSTOM MATERIAL CONTROL TAGS. PLEASE CONTACT YOUR LOCAL DISTRIBUTOR.


Non-Tear Tytags

Suitable for interior and exterior use. These tough non-tear Tyvek® tags are weatherproof and resistant to chemicals. Accepts pen and felt-tip marker.

Versatile Tytags are sold as blanks in three convenient sizes, but can also be custom printed to your individual needs.

STANDARD PACKAGE: 1 ROLL

PART NO.	SIZE (H x W)	LABELS PER ROLL ^B
842560	75 x 40mm	250
842561	100 x 50mm	250
842562	150 x 75mm	1,250





LABELS & SAFETY TAGS

Bradylite® Reflective Numbers & Letters

Bradylite® Reflective Numbers and Letters provide high visibility identification at night or during inclement weather. This Class 2 Reflective material (B-997) reflects light 100 times brighter than a plain white surface. Engineering grade markers perform during storms, snow, humidity and other tough environmental conditions. Slit liner allows for fast application and easy removal.



5000 Series
44 x 72mm



5900 Series
25 x 38mm



5905 Series
25 x 38mm



5920 Series
25 x 38mm




SUITABLE FOR LOW TEMPERATURE APPLICATIONS. B-997 BRADYLITE® HAS A COLD TEMPERATURE ADHESIVE. THIS ENGINEERING GRADE REFLECTIVE SHEETING CAN BE APPLIED AT TEMPERATURES AS LOW AS -27°C MAKING THIS AN IDEAL MATERIAL FOR COLD WEATHER USE.

STANDARD PACKAGE: 25

PART NO.	SIZE (W x H)	CHARACTER HEIGHT (MM)	COLOUR
5900-*	25 x 38mm	25	Black on White
5905-*	25 x 38mm	25	Yellow on Black
5920-*	25 x 38mm	25	Black on Yellow
5000-*	44 x 72mm	63	Yellow on Black

* Add single digit number or letter in place of asterisk to complete part number. Characters available are: A-Z, 0-9. Use DSH to order dash and BLNK to order blank (5900 and 5920 series only).

Indoor & Outdoor Numbers & Letters - Stock Sizes




3400 SERIES

- Marker Size: 6 x 9mm
- Character Height: 6mm
- Markers Per Card: 144



3410 SERIES

- Marker Size: 9 x 12mm
- Character Height: 9mm
- Markers Per Card: 78



1520 SERIES

- Marker Size: 14 x 19mm
- Character Height: 14mm
- Markers Per Card: 32



1530 & 3430 SERIES

- Marker Size: 22 x 38mm
- Character Height: 25mm
- Markers Per Card: 10



1534 & 3440 SERIES

- Marker Size: 22 x 57mm
- Character Height: 49mm
- Markers Per Card: 10



1550 & 3450 SERIES

- Marker Size: 38 x 90mm
- Character Height: 74mm
- Markers Per Card: 6



1560 & 3460 SERIES

- Marker Dimensions: 44 x 127mm
- Character Height: 98mm
- Markers Per Card: 5






15 OUTDOOR SERIES (B-946)

Ideal for effectively marking items where long-term durability in tough environments is required. Superior chemical and UV resistance. Designed for permanent applications. Material also resists oil, mild solvents and scratches without damage to appearance or legibility. Also available in combination packs.

34 INDOOR SERIES (B-507)

For fast general purpose marking, made from cloth B-507 material. Ideal for temporary or permanent indoor applications. Special high tack sticks to almost any clean, dry surface.



Number & Letter Cards

MATERIAL: 15 Series: B-946 Outdoor. 34 Series: B-507 Indoor

COLOUR: Black text on yellow background

STANDARD PACKAGE: 1 Card

Stock Cards: Numbers 0-9; Upper Case Letters A-Z; Dash. Arrows available in 1520-*, 1530-*, 1534-*, 1550-* Series and 3430-* and 3450-* series only.

* Add single digit number or letter in place of asterisk to complete part number.

Note for part number prefix: 1520 & 1550 series is 440-**
1560 series prefix is 970-** and 971-**

15 SERIES		34 SERIES			
PART NO.	PART NO.	MARKER SIZE (W x H)	CHARACTER HEIGHT	CARD SIZE (W x H)	MARKERS PER CARD
-	3400-*	6 x 9mm	6mm	229 x 51mm	144
-	3410-*	9 x 12mm	9mm	229 x 51mm	78
440-**	-	14 x 19mm	14mm	229 x 51mm	32
1530-*	3430-*	22 x 38mm	25mm	229 x 51mm	10
1534-*	3440-*	22 x 57mm	49mm	229 x 70mm	10
440-*	3450-*	38 x 90mm	74mm	229 x 102mm	6
970-*	3460-*	44 x 127mm	98mm	229 x 140mm	5

15 Series Combination Packs – Assorted Characters on a Card

MATERIAL: B-946 outdoor grade vinyl with permanent adhesive

COLOUR: Black text on yellow background

STANDARD PACKAGE:

Letter assortment – 25 cards (assorted characters)

Number assortment – 25 cards (assorted characters)

LETTER ASSORTMENT		NUMBER ASSORTMENT		
PART NO.	PART NO.	MARKER SIZE (W x H)	CHARACTER HEIGHT	MARKERS PER CARD
94738	94739	6 x 9mm	6mm	144
97600	97601	14 x 19mm	14mm	32
97602	97603	22 x 38mm	25mm	10
97604	97605	22 x 57mm	49mm	10
97606	97607	38 x 90mm	74mm	6
97128	97129	44 x 127mm	98mm	5
97598	97599	127 x 229mm	150mm	1



TO ORDER CUSTOM:

For your unique requirements we will produce any number, letter or special design. Contact your local Brady Distributor.

MATERIAL: (B-946) OUTDOOR

Vinyl tape with pressure-sensitive adhesive.

(B-507) INDOOR

Plastic coated cloth tape.

STANDARD CUSTOM TAPE COLOURS:

White and Yellow.

STANDARD CUSTOM INK COLOUR:

Black, Red, Blue, Green.

* Note: Custom markers may come supplied as individual pieces and not on a dispenser card.





LABELS & SAFETY TAGS

Blank Paper Tags

Use these durable blank paper tags and write in your own message with a pen. Made of 13 point card stock with paper eyelets. Colour code by department, status, operator, etc. Tags are available in a wide variety of sizes and colours to meet your specific needs.



BLANK FLUORESCENT TAGS

	SIZE #1 35 x 70 (MM)	SIZE #2 41 x 82 (MM)	SIZE #3 48 x 96 (MM)	SIZE #4 54 x 108 (MM)	SIZE #5 60 x 120 (MM)	SIZE #6 67 x 134 (MM)	SIZE #7 73 x 146 (MM)	SIZE #8 80 x 160 (MM)
Fluoro Red	846464	846469	846478	846483	846488	846493	846499	846504
Fluoro Orange	846466	846471	846480	846485	846490	846495	846501	846506
Fluoro Pink	846465	846470	846479	846484	846489	846494	846500	846505
Fluoro Green	846467	846472	846481	846486	846491	846496	846502	846507
Fluoro Yellow	846468	846473	846482	846487	846492	846497	846503	846508
Quantity	Pk 1000	Pk 1000	Pk 1000	Pk 1000	Pk 1000	Pk 1000	Pk 1000	Pk 1000

*Tie options available separately (see below).

BLANK MANILA AND COLOURED TAGS

	SIZE #2 41 x 82 (MM)	SIZE #4 54 x 108 (MM)	SIZE #5 60 x 120 (MM)	SIZE #8 80 x 160 (MM)
Manila	846416	846418	846419	846422
Red	846428	847181	846444	846459
White	846432	847184	846447	846462
Blue	846430	847183	846446	846461
Green	846429	847182	846445	846460
Yellow	846433	-	-	846463
Quantity	Pk 100	Pk 100	Pk 100	Pk 100



SIZE CHART

#1 = 35 x 70mm

#5 = 60 x 120mm

#2 = 41 x 82mm

#6 = 67 x 134mm

#3 = 48 x 96mm

#7 = 73 x 146mm

#4 = 54 x 108mm

#8 = 80 x 160mm

*Tie options available separately (see below).

TIE OPTIONS

Ties come unattached to tags. For attached ties please contact your distributor for a quote.

PART NO.	DESCRIPTION	QUANTITY
846512	Cotton Ties - 300mm	1000
846513	Wire Ties - 300mm	1000






Accident Prevention Tags

On-the-spot warning of dangerous conditions is easily accomplished with Accident Prevention Tags. The textured write-on surface allows for authorised signature, date and other special instructions. Standard tag size is 75 x 145mm with two chamfered corners and a 5mm grommeted hole. Matte finish accepts pencil, pen and marker. Tags are available in a selection of two materials to meet every application.

STANDARD PACKAGE: 10

DESCRIPTION	MATERIAL	SIZE (W x H)
Heavy Duty Polyester	B837	75 x 145mm
Economy Polyester	B851	75 x 145mm



Reverse side

HEAVY DUTY POLYESTER (B-837)					
76221	-	86423	-	86414	
ECONOMY POLYESTER (B-851)					
-	86541	86542	86527	86533	



HEAVY DUTY POLYESTER (B-837)					
-	-	-	-	86429	76172
ECONOMY POLYESTER (B-851)					
76200	76196	86550	86528	-	-



HEAVY DUTY POLYESTER (B-837)					
-	86417	86432	86418	-	86413
ECONOMY POLYESTER (B-851)					
86555	86536	86551	86537	86535	-





LABELS & SAFETY TAGS


Equipment Servicing Tags

These laminated polyester Equipment Servicing Tags provide lasting protection against dirt, grease, tearing, moisture, staining and corrosion. All tags have a write-on surface and are printed on one side (except where noted).


STANDARD PACKAGE: 5

DESCRIPTION	SIZE (W x H)
Equipment Servicing Tags	85 x 145mm

SINGLE-SIDED TAGS



DOUBLE-SIDED TAGS



Two-Part Production Tags

Attach the top section of the tag and give the bottom tear-away section to the appropriate department for immediate response to the problem. Matching consecutive numbering (factory chooses starting number) appears on both the top and bottom sections of tags for easy identification. The backs are blank unless specified otherwise.

STANDARD PACKAGE: 100

DESCRIPTION	SIZE (W x H)
Two-Part Production Tags	75 x 150mm



Yellow - 848035 848032 878182 848026 848028 848030 848033 848031

Red - 848036 Back side reads "See Other Side" Back side reads "See Other Side"

Blue - 848037





Expert Solutions

BACKED BY MORE THAN 100 YEARS



We are a company that has lasted more than 100 years by continually evolving and growing to meet the needs of our markets and customers. Since being founded in 1914, Brady has not only survived, it has thrived.

Our first-to-the-market and best-in-the-market approach has led us to receive hundreds of patents over the years to shape an industry.

Simply put, we do what others don't in ways they can't. We offer innovative products backed by years of research and development.

Beyond our quality products and reliable solutions, we add value to our customers through a commitment to solving problems.

Brady's products help customers increase safety, security, productivity and performance.

Our offerings include high-performance labels, signs, safety devices, printing systems and software, as well as expert services.

It takes a lot to get it right.



ALL THE SAFETY AND IDENTIFICATION PRODUCTS YOU NEED

Consolidating suppliers can save you time and money. With so many brands under the one roof, we have over 50,000 products available. We want to make sure every single customer walks away from Brady with exactly what they are looking for.



IN-HOUSE MANUFACTURING AND FAST DELIVERY

We know speed of delivery is important. Our in-house production department runs at full speed every day, manufacturing a range of products from safety signs and labels, to engraved tags and wire identification products.

We have a dedicated team of 30 operators working 10 machines daily, so we can provide our customers with a quick turn around on orders.



OUR COMPLIANCE EXPERTISE

Our speciality is our ability to ensure our customers' peace of mind, knowing that their compliance obligations are fulfilled. We achieve this by delivering the latest information on relevant workplace safety, supported by our national sales team who are your trusted business advisors for workplace safety and compliance.



A CULTURE OF MAKING IT EASY FOR THE CUSTOMER

Our employees share common values like integrity and respect. We put our customer at the centre of everything we do, working with them to find solutions for their needs. We do this with friendly service because that's who we are.



WE OFFER ONLY BEST-IN-CLASS PRODUCTS

We ensure we partner with suppliers who share our sense of integrity and ethical practices. We partner with best-in-class local and overseas vendors, making sure we bring to market quality products that our customers can rely on.



UNIQUE PRODUCT OFFERING

Brady's global Research and Development with over 250 technologists allow us to focus on areas of strength and differentiation, expand our portfolio of products and continually invest in new technology platforms.

The content is provided as a general recommendation and should not be used as a substitute for information provided by your local State or Territory Work Health & Safety regulatory authority. The onus for assessing each workplace rests with all Australian individual workplaces and sites managing their own risk profile.



“ We do things others don't, in ways they can't. This is the Brady way. ”

- BILL BRADY - FOUNDER OF BRADY (1914)

See Brady's range of products



LOCKOUT
TAGOUT



FIRST
AID



SAFETY
SIGNS



PRINTING
SOLUTIONS

Contact us today

PHONE

1800 620 816

FAX

1800 805 076

WEBSITE

bradyid.com.au

YOUR LOCAL BRADY DISTRIBUTOR



ISO 9001
Lic. No. 309